



Northern Peru 15 aug - 5 sep 2005

Santa Eulalia Valley and Marcopomacochas 6-7 sep



Scenery from Limon de Porcuya

Report by Roger Ahlman



General

This trip was organized by Kolibri Expeditions. It turned out to be a very good trip without any hazzles and with a lot of birds seen. This is the dry season in northern Peru and we enjoyed sunny wheather almost every day. We had some rain in the Abra Patricia area that affected birding for a few hours. Sunshine can be devastating in the subtropics and our first day in the Abra Patricia area was marred by sunshine a very poor bird activity. Song activity was generally rather poor and we saw breeding activity on many occasions with nestbuilding, feeding and recently fledged young birds.

Leader - Roger Ahlman/Kolibri Expeditions

Participants - Hans Lomosse, Jan Wendeby, Karin Lundqvist, Hans Ackered and Nigel Voaden

Driver - Adriano

Chef - Renzo

All photos by Roger Ahlman© (rahlman2002@yahoo.se)

Itinerary

15 aug - We arrived at Chiclayo with the morningflight from Lima and our driver Adriano was waiting for us there. After some shopping we sat off to nearby Bosque Pomac. After breakfast and some initial birding, we walked the track through the forest picking up several Tumbesian birds. Among the best were the two targets - Peruvian plantcutter and Rufous flycatcher. In the afternoon we made a short stop south of Olmos and picked up some more. After an early morning we had an early evening at the nice Remanzo hotel in Olmos.

16 aug - Departure at 4 am for Quebrada Limon and the site for the endangered White-winged guans. We arrived there at dawn and picked up the local guide Lino Rico and had a quick breakfast before walking up in the quebrada. Soon we spotted some guans and had gripping views as they called and showed off in some trees. We also found a nest with two eggs. The forest here in the foothills is very different from Bosque Pomac and thus many other species made thier way into the trip list. Ecuadorian trogon, Pale-browed tinamou and Black-capped sparrow were among them. In the afternoon we called in at the Guan Centre and went to a forest patch which has roosting Striped owls but people had been hunting pigeons there and scared away the owls. Nigel, however, found a Tumbes tyrant which was a good consolidation. Night again in Olmos.

17 aug - Early start and drive for about an hour to Limon de Porcuya, still in the Tumbesian zone but at higher altitude. We made some birding while Adriano set up the breakfast table for us. When we had filled ourselves up with energy we started to walk the track which goes fairly level. White-winged and Bay-crowned brushfinches showed and later on a spot produced goodies like Black-cowled saltator, Ecuadorian piculets. Soon afterwards we found the rare Piura chat-tyrant. Nigel found a Henna-hooded foilage-gleener and while I tried to get onto it, I found a Chestnut-crowned antpitta! All of us had good views of both. Two males Peruvian sheartails put in an appearance and we started to walk back as it was getting hotter. We made a second attempt for the owls but were informed that people had been hunting there in the morning andno owls where there. Instead we stopped at a little roadside marsh and after a while we found a Spotted rail. Afternoon was driving back to Chiclayo with a stop at some old pyramids nearby.

18 aug - Early morning departure for the nice Chaparrí reserve about an hour inland from Chiclayo. After picking up our local guide Tomás, we entered the reserve and birded our way in there. We found our only flock of Sulphur-throated finches and had good views. We had breakfast and strolled around in the reserve and saw some released White-winged guans. They actually breed successfully here. We heard Tumbes tyrants and had we not seen it before we would have put in an better effort to see it. On the way out we stopped at the Tinajones reservoir, which is said to have nothing but Neotropical cormorants. To our surprice there were lots of wetland birds. I found 3 distant Black-faced ibises which are very rare in norhern Peru. Some waders, ducks and Great grebes showed as well. The surprice was an adult Kelp gull which was the first record for the park! Afternoon was mainly transport to Guadalupe where we spent the night.

19 aug - Breakfast at the hotel for a change and the only time during the trip. All morning drive to Cajamarca with just a few leg-streching stops. After lunch we went to Río Chonta which was very windy and birding was poor and



uncomfortable. After a while we picked up a female Gray-bellied comet which was the main target here. We simply left the other birds here as birding was so boring in the wind and went to Cajamarca for some late sightseeing.

20 aug - Roger's 40th birthday started early as usual with the drive to Celendin. We drove on for a while and stopped for breakfast. While Adriano set up things we went birding and picked up Rufous-eared brush-finch, Black-crested tit-tyrant, Baron's spinetail and Rusty-crowned tit-spinetail before breakfast! We then drove on and made some short stops for high altitude birds we saw en route. A stop at a stake-out and some playback in a forest patch. The *cajamarcae* race of Rufous antpitta came in nicely and Jelski's chat-tyrant was a nice bonus here. We made many stops along the way as soon as we saw a shrike-tyrant but they all turned out to be Black-billed. I had a stake-out for White-tailed and we stopped here and walked a bit a found one. I had also seen Striated earthcreeper before at the same site and we found that one too. Another stop produced Many-striped canasteros. Night in Celendin.

21 aug - This day we had a long drive to Leimebamba to look forward to and many good birds to be seen en route, so we had to work fast. First stop was at Hacienda Limon and after some playback a pair of the endemic Chestnut-backed thornbird came in. After breakfast we picked up our other target here - the Gray-winged inca-finch. When that was done we moved down towards the Marañon river. Another stop eventually gave us Buff-bridled inca-finch. The toughest bird to find is the rare Yellow-faced parottlet and I spotted one as we drove. We stopped and saw some more and also Black-necked woodpecker. So far so good. Down at Balsas we stopped where we had some view and soon a couple of Peruvian pigeons flew by. Marañon thrush was only seen by me but a Zone-tailed hawk flew over and inspected us making us hear Janne's and Acke's cameras again. Higher up we had a simple lunch in a roadside shack. In the afternoon we birded around the Abra Barro Negro (Black mud pass!) picking up some high altitude birds. Night in Leimebamba.

22 aug - We went back up towards Barro Negro and walked to a bamboo patch. We failed to find the hoped for Russet-mantled softtail but had smashing views of Gray-breasted mountain-toucan and several other temperate forest birds. Rest of the day was long drive on poor roads to Bagua Chica. A stop in the Utcubamba valley gave everyone else good views of Marañon thrush and we also saw some Mitred parakeets. Night at hotel Wilson in Bagua Chica.

23 aug - We started with about an hour drive to Jaen and up to the Seminario. Again we picked up the good birds before breakfast. Marañon crescentchest and Slaty-antshrike. After breakfast we soon found a couple of Chinchipe spinetail. We then drove up to Tamborapa and a stake-out that I had for Marañon spinetail. It proved elusive in the dry forest and we only got glimpses. We tried another road after lunch but it was very quiet in the heat so we headed back to Bagua Chica and tried for Little-inca-finch but no luck in the strong wind. Renzo, our chef, had arrived from Lima during the day and followed us for the rest of the trip.

24 aug - Early start and a couple of hours drive along the road towards Imacita. We had time for some birding along the road and picked up some nice birds like Black-bellied cuckoo, Lemon-throated barbet and Masked tanager. We arrived at Imacita in late afternoon for a cold beer and made sure all arrangements for the trip to Salem were ready.

25 aug - Pre-dawn start with the short boat ride to Nuevo Salem, which is a Awaruna indian village. A quick breakfast and then we headed up the trail to the site where Orange-throated tanager is sometimes seen. Birding along the trail was good with stuff like Pied puffbird, Yellow-billed nunbird and Yellow-backed tanager. Up at the top we were accompanied by thousands of sweat bees. No tanager but good views of White-browed purpletuff and Spangled cotinga. Lunch was brought up to us but the afternoon didn't produce much new in terms of birds. Some nice views of tanagers on the way down.

26 aug - A pre-dawn start to get up to the top at dawn. It didn't help, we had to do without the tanager. Dip-of-the-trip! In the afternoon we walked another trail near the village and found a big lek with White-bearded manakins.

27 aug - We started at the first clearing above the village for a couple of hours birding before we headed back to Imacita. In a pond along the road back to Bagua Chica we found a pair of Least grebe and Purple gallinule. Near Bagua we made some stops to check the rice fields and found a flock of 26 Puna ibises which was surprising this far north.

28 aug - A relatively late morning as we should start just out of town. Little inca-finch was easily seen and after breakfast we went back to the rice fields as they looked promising. We soon found several Spotted rails and Nigel had a brief view of a Paint-billed crane. Then drive to Pomacochas with a lunch break in Pedro Ruiz. We called in



at Santos house and he informed us that Spatuletails were available above his house in the new Kolibri Expeditions Marvelous Spatuletail Reserve. We walked up there and during the afternoon we had good views of five birds including one full-plumaged male. Satisfied we checked in at our hotel in town and went out to local bodega and had a couple of jars of wine.

29 aug - Today we went to the higher parts of Abra Patricia. Unfortunately it was clear blue sky and it got hot during the day in the strong sunshine. This weather is absolutely devastating for birding here with very low bird activity. We picked up some good birds like Royal sunangel, Sulphur-bellied tyrannulet and a brief view of a Sword-billed hummingbird but not much in terms of flocks.

30 aug - Again we started at the higher parts and slowly moved down the road. Today we had more luck with flocks, specially after the Chofercito restaurant. Uniform antshrike, Rufous-rumped antwren, Vermilion tanagers and no less than three Golden-collared honeycreepers. Down at Aguas Verdes Nigel found a male Cock-of-the-Rock from the bridge which caused excitement among those in the group that hadn't been to South America before. We camped at Aguas Verdes restaurant.

31 aug - All morning around the Afluentes area with good flocks and activity. Good birds during the morning included Ecuadorian piedtail, Speckle-chested piculet, Equatorial graytail, Olive-chested flycatcher and Yellow-cheeked becard. Many tanagers but most memorable were probably two males Golden-winged manakins that sat in the open for several minutes. In the afternoon we walked the trail opposite the restaurant. It was surprisingly good for being in the afternoon. We found a flowering tree which had a lot of hummingbirds. Among those were two males Black-throated brilliants and four Many-spotted hummingbirds. In the evening we went up to the pass and at dusk a male Swallow-tailed nightjar put in a good performance while we heard a distant Rufous-bellied nighthawk. We stopped at a stake-out that I had for Cinnamon screech-owl. It called and came in but we only got some flightviews. Another camping night on the restaurant floor.

1 sep - Today we went up to higher parts again trying to walk a long trail. The trail was very muddy and we didn't have rubber boots so we had to turn back soon. It also started to rain so it didn't really matter. I had been looking forward to walk this trail for months but it'll have to be another time. Once back at the road we soon found some Lulu's tody-flycatchers to the delight of everyone. It was better birding in between the showers and we picked up other goodies like the stunning Yellow-scarfed tanagers and White-collared jays. Night in Rioja.

2 sep - This morning we went back to Aguas Verdes and had breakfast before setting off on the same trail opposite. We had only just started before I found a Black-and-white tody-flycatcher and also Bronze-green euphonias. A male Versicoloured barbet showed well and I taped in a pair of Lined antshrikes. In the forest we found a female Amazonian umbrellabird. At the second clearing we found a big flock at eye-level and in good light, just what you want! Gray-mantled wrens, Spectakled bristle-tyrants, Speckle-chested piculets were some of the new additions here. On the way back Santos spotted a big woodpecker which turned out to be my own main target, a Crimson-bellied woodpecker! A male Cock-of-the-Rock was seen at the same time close by and the photographers didn't know what to do. Take pictures of that or look at the woodpecker! Well, it was their problem. Just when we came down a torrential rain started while we had lunch. In the afternoon we learned about a Oilbird cave nearby and went there. The cave we went to didn't have Oilbirds but was nice anyway. Another cave further away should have Oilbirds but we didn't have time to go there so we spent the afternoon birding the secondary habitat near Naranjos and had some nice birds like Black-crowned tityra, Lettered aracaris and Ferruginous pygmy-owl. Night in Rioja.

3 sep - We started at the nice Yacumama near Rioja. Nestbuilding Greater black-hawks, Point-tailed palmcreeper, scope-views of Fiery-capped manakin, Burnished-buff tanagers and others made it a good morning. After a midday





break we went just out of Rioja towards Posic. Rather slow birding but we picked up Plain-breasted ground-dove and Large elaenia.

4 sep - Today we began at Morro de Calzada. Sunny weather and again rather slow birding. Many birds showed just briefly like Pale-breasted thrush, Russet-crowned crane and Mishana tyrannulet. Birds that did show well were several singing males White-chinned sapphires and a pair of Bluish-fronted jacamars. We left here rather early and had lunch along the way to Tarapoto. In the afternoon we went to Juan Guerra a bit south of Tarapoto and it was obviously slow birding in the afternoon heat. We did find a spot which had a very nice and lingering flock. Two each of Chestnut-capped puffbird, Stripe-chested antwren, Barred antshrike, Ashy-headed greenlet, Bluish-fronted jacamars and Blackish antbirds were among some of the participants. A Maranon slaty-antshrike of the *huallagae* race showed up too. That was a very nice afternoon.

5 sep - An hour drive up along the road to Yurimaguas to a restaurant which we occupied for breakfast. It was rather windy so we didn't see many birds in the tree tops but after breakfast a Black-and-white hawk-eagle put in a nice flight-show. Again birding was rather slow but on the far side of the tunnel we had good views of a Chestnut-tipped toucanet and a Bicoloured hawk. After lunch a flock of about 100 Swallow-tailed kites circled over our heads. At the waterfall some of us had a brief view of a Koepke's hermit. We hung around here for a while and it came back so everyone got to see it. That ended a very good and nice trip to northern Peru. We now went down to the airport in time for our flight back to Lima.

6 sep - Unfortunately we didn't get the rented car we had ordered so I had to arrange another car and we could set off for the Santa Eulalia valley. A couple of stops before the bridge gave us Great inca-finch and Thick-billed miners as well as our first Andean Condor. We crossed the bridge and headed up to a stake-out for the rare Rufous-breasted warbling-finch. Many birds around here like Mourning sierra-finches and others. After a while I found a male Warbling-finch to our delight. We moved down a bit and picked up more birds. Bronze-tailed comet was seen but it took several appearances before everyone had got good views. When that was done we drove higher up in the valley stopping for Torrent duck, White-capped dipper, Black metaltail and Giant hummingbird. Night in San Juan de Iris where we had dinner in someones kitchen. Nice!

7 sep - An hour drive higher up is a polylepis forest and this was our first destination for the day. We arrived here around 7 am and started to walk up but hardly any birds were seen. We split up a bit a people started to see different birds but at the end of the morning we had all seen White-cheeked cotingas, Giant conebills and D'Orbigny's chat-tyrant. Some of us saw Stripe-headed antpitta and Band-winged nightjar. After breakfast we headed higher up into the puna zone. Stops at some lagoons gave Silvery grebes and Giant coots. Higher up the first car spotted two White-bellied cinclodes and we went out and had good views and picked up some other birds as well. We continued to a stake-out for the sought-after Diademed sandpiper-plover. Another group was there and told us three birds were just nearby and we soon found them and the mood was high on everyone. We also picked up Streak-throated canastero and Puna ground-tyrant and Dark-winged miners here. Some Olivaceous thornbills put in a nice show and one came and fed just a metre from Nigel and Lomosse to their outmost delight. The Sandpiper-plover was voted bird of the trip and this last day the-day-of-the-trip. Hardly surprising when you see White-cheeked cotinga, White-bellied cinclodes and Diademed sandpiper-plover within a couple of hours!



Nice flock of tanagers at Nuevo Salem. Top left: male Thick-billed Euphonia, Bottom left: male Purple Honey-creeper, Right: Masked Tanager

List of species

Little Tinamou *Crypturellus soui*

3 heard at Nuevo Salem 25-26.8

Pale-browed Tinamou *Crypturellus transfasciatus*

2 seen at Quebrada Limon 16.8

Tataupa Tinamou *Crypturellus tataupa*

1 heard at Morro de Calzada 4.9

Andean Tinamou *Nothoprocta pentlandii*

1 seen between Balsas and Leimebamba 21.8

Least Grebe *Taqchybaptus dominicus*

2 seen in a pond near Chiriaco 27.8

Great Grebe *Podiceps major*

2 pairs seen at Tinajones reservoir 18.8

Silvery Grebe *Podiceps occipitalis*

50 seen in the lagoons at Marcopomacochas 7.9

Neotropic Cormorant *Phalacrocorax brasilianus*

200 at Tinajones reservoir 18.8

Cocoi Heron *Ardea cocoi*

10 at Tinajones reservoir 18.8, 1 en route to Cajamarca 19.8

Great Egret *Ardea alba*

Common to fairly common in wetlands and rice fields.

Little Blue Heron *Egretta caerulea*

5 at Tinajones reservoir 18.8, 1 near Guadalupe 19.8, 1 near Bagua Chica 28.8

Snowy Egret *Egretta thula*

Common in wetlands and rice fields in the west and around Bagua Chica, 1 at Morro de Calzada 4.9

Cattle Egret *Bubulcus ibis*

Common

Striated Heron *Butorides striatus*

1 near Olmos 17.8, 1 at Santa Rosa 18.8, fairly common around Bagua Chica and Rioja.

Black-faced Ibis *Theristicus melanopis*

3 at Tinajones reservoir 18.8

Puna Ibis *Plegadis ridgwayi*

26 in a rice field near Bagua Chica 27.8

Unusually far north for this species.

Andean Goose *Chloephaga melanoptera*

10 at Marcopomacochas 7.9

Torrent Duck *Merganetta armata*

1 pair in the upper Santa Eulalia valley 6.9

Crested Duck *Anas specularioides*

2 in a lagoon at Marcopomacochas 7.9

White-cheeked Pintail *Anas bahamensis*

18 at Tinajones reservoir 18.8

Andean Duck *Oxyura ferruginea*

50 in the lagoons at marcopomacochas 7.9

Black Vulture *Coragyps atratus*

Common

Turkey Vulture *Cathartes aura*

Common

Greater Yellow-headed Vulture *Cathartes melambrotus*

5-15 seen daily in the Imacita-Nuevo Salem area 24.27.8, 3 seen at Yacumama/Posic 3.9

Andean Condor *Vultur gryphus*

At least 8 seen in the upper Santa Eulalia valley, including one mating pair!

King Vulture *Sarcoramphus papa*

1 adult at Quebrada Limon 16.8, 1 adult at Chaparrí 18.8



Puna Ibises near Bagua Chica



Hook-billed Kite *Chondrohierax uncinatus*

1 female seen 9 kms north of Tamborapa 23.8

Swallow-tailed Kite *Elanoides forficatus*

2+4 at Nuevo Salem 25-26.8, 1 between Imacita and Bagua Chica 27.8, 10 at Abra Patricia 30.8-2.9, 5 at Posic 3.9, 1 at Morro de Calzada 4.9, 100 at Yurimaguas road 5.9

Plumbeous Kite *Ictinia plumbea*

1 pair on nest between Bagua Chica and Imacita 24.8, 3 at Nuevo Salem 25.8, 5 between imacita and Bagua Chica 27.8, 2 at Morro de Calzada 4.9

Cinereous Harrier *Circus cinereus*

1 female at Santa Rosa marches 18.8, 1 between Cajamarca and Celendin 20.8 and 1 female at Marcopomachas 7.9

Plain-breasted Hawk *Accipiter ventralis*

1 at Abra Barro Negro 22.8, 1 at Abra Patricia 30.8

Bicolored Hawk *Accipiter bicolor*

1 at Yurimaguas road 5.9

White Hawk *Leucopternis albicollis*

1 between imacita and Bagua Chica 27.8, 1 at Afluentes 30.8, 1 at Yurimaguas road 5.9

Great Black-Hawk *Buteogallus urubitinga*

1 pair nestbuilding at Yacumama 3.9

Savanna Hawk *Buteogallus meridionalis*

5 at Tinajones reservoir 18.8, 1 imm near Bagua Chica 27.8

Harris' Hawk *Parabuteo unicinctus*

2 ad+juv south of Olmos 15.8, 2 at Quebrada Limon 16.8, 1 north of Olmos 17.8

Black-chested Buzzard-Eagle *Geranoaetus melanoleucus*

1 ad at Quebrada Limon 16.8, 2 at Limon de Porcuya 17.8, 7 in the upper Santa Eulalia valley 6.9

Roadside Hawk *Buteo magnirostris*

Singles seen almost daily from Jaen and eastwards

Short-tailed Hawk *Buteo brachyurus*

1 at Nuevo Salem 25.8, 1 between Imacita and Bagua Chica 27.8, 2 at Yacumama 3.9, 1 on the Yurimaguas road 5.9

Red-backed (Variable) Hawk *Buteo polyosoma*

4 at Limon de Porcuya 17.8, 1 at Santa Rosa marshes 18.8

Puna (Variable) Hawk *Buteo poecilochrous*

5 between Cajamarca and Celendin 20.8, 1 at Pomacochas 28.8 [and 1 at Abra Patricia 29.8 probably this species]

Zone-tailed Hawk *Buteo albonotatus*

1 at Balsas 21.8

Black-and-white Hawk-Eagle *Spizastur melanoleucus*

1 at the Yurimaguas road 5.9

Black Hawk-Eagle *Spizaetus tyrannus*

1 between Bagua Chica and Imacita 24.8

Black Caracara *Daptrius ater*

2 between Bagua Chica and Imacita 24.8, 2+3 at Nuevo Salem 25-26.8, 2 between imacita and Bagua Chica 27.8, 5 at Yacumama 3.9, 4 at Morro de Calzada 4.9

Mountain Caracara *Phalcoboenus megalopterus*

2 at Limon de Porcuya 17.8, 4 at Río Chonta 19.8, 15 between Cajamarca and Celendin 20.8

Crested Caracara *Caracara cheriway*

3 north of Chiclayo 17.8

American Kestrel *Falco sparverius*

Singles seen most days in the west.

Aplomado Falcon *Falco femoralis*

2 at Abra Barro Negro 21.8

Speckled Chachalaca *Ortalis guttata*

5 at Aguas Verdes 2.9, 15 at Yacumama 3.9, 6 at Morro de Calzada 4.9

Andean Guan *Penelope montagnii*

2 at Abra Barro negro 21.8

White-winged Guan *Penelope albipennis*

4 at Quebrada Limon including a nest with two eggs
16.8, 2 'semi-wild' at Chaparrí 18.8

Russet-crowned Crake *Anurolimnas viridis*

2 seen and 2 heard at Morro de Calzada 4.9

Black-banded Crake *Anurolimnas fasciatus*

3 heard and seen briefly near Bagua Chica 22.8, 2
heard at Posic 3.9

Paint-billed Crake *Neocrex erythrops*

1 seen briefly in rice fields near Bagua Chica 28.8

Spotted Rail *Pardirallus maculatus*

1 seen north of Olmos 16.8, 10 seen near Bagua
Chica 28.8

Purple Gallinule *Porphyryla martinica*

1 in a pond between Bagua Chica and Imacita 27.8,
5 near Bagua Chica 28.8, 10 at Posic 3.9

Common Moorhen *Gallinula chloropus*

10 north of Olmos 17.8, 15 at Santa Rosa marshes 18.8, 25 near Bagua Chica 27-28.

Giant Coot *Fulica gigantea*

10 in the lagoons at Marcopomacochas 7.9

Black-necked Stilt *Himantopus mexicanus*

10 north of Chiclayo 17.8, 50 at Santa Rosa marshes 18.8, 20 near Bagua Chica 28.8

Peruvian Thick-knee *Burhinus superciliaris*

3 at Santa Rosa marshes 18.8

Andean Lapwing *Vanellus resplendens*

50 between Cajamarca and Celendin 20.8, 5 at Marcopomacochas 7.9

Gray Plover *Pluvialis squatarola*

2 at Santa Rosa marshes 18.8

Killdeer *Charadrius vociferus*

4 north of Olmos 17.8, 1 at Santa Rosa marshes 18.8

Collared Plover *Charadrius collaris*

3 at Imacita 27.8

Diademed Sandpiper-Plover *Phegornis mitchellii*

2 ad and 1 juv at Marcopomacochas 7.9

Puna Snipe *Gallinago andina*

2 seen between Cajamarca and Celendin 20.8

Whimbrel *Numenius phaeopus*

3 seen at Santa Rosa marshes 18.8

Lesser Yellowlegs *Tringa flavipes*

3 seen at Santa Rosa marshes 18.8

Spotted Sandpiper *Actitis macularia*

10 at Tinajones reservoir 18.8, 5 between Nuevo Salem and Imacita 27.8, 3 at Puente Bolivia 4.9

Semiplumbeated Sandpiper *Calidris pusilla*

2 at Santa Rosa marshes 18.8

Least Sandpiper *Calidris minutilla*

1 at Tinajones reservoir 18.8

Baird's Sandpiper *Calidris bairdii*

50 at Tinajones reservoir 18.8 and 20 at Santa Rosa marshes 18.8

Gray-breasted Seedsnipe *Thinocorus orbignyianus*

1 pair seen at Marcopomacochas 7.9

Least Seedsnipe *Thinocorus rumicivorus*

3 in the desert south of Chiclayo 18.8

Band-tailed Gull *Larus belcheri*

5 seen in the outskirts of Lima 6.9

Kelp Gull *Larus dominicanus*

1 ad at Tinajones reservoir 18.8, 10 at Santa Rosa marshes 18.8

First record for the Chaparrí reserve!



White-winged Guan at Chaparrí



Gray-headed Gull *Larus cirrocephalus*

Common at Tinajones reservoir and Santa Rosa marshes 18.8

Andean Gull *Larus serranus*

10 at Marcopomacochas 7.9

Rock Pigeon *Columba livia*

Seen in cities

Band-tailed Pigeon *Columba fasciata*

4 at Abra Barro Negro 21-22.8, 30 at the higher parts of Abra Patricia 29-31.8

Pale-vented Pigeon *Columba cayennensis*

25 between Bagua Chica and Imacita 24.8, 3 at Yacumama 3.9

Peruvian Pigeon *Columba oenops*

2 at Balsas 21.8, 15 north of Bagua Chica 27.8

Plumbeous Pigeon *Columba plumbea*

Singles heard at Nuevo Salem 25-27.8, 1 heard at Aguas Verdes 2.9

Ruddy Pigeon *Columba subvinacea*

1 heard and 2 seen at Nuevo Salem 25-26.8

Eared Dove *Zenaida auriculata*

Common in drier and higher parts of the trip.

West Peruvian Dove *Zenaida meloda*

Common in the west.

Plain-breasted Ground-Dove *Columbina minuta*

1 seen at Posic 3.9

Ruddy Ground-Dove *Columbina talpacoti*

Common around Rioja and Moyobamba 3-4.9

Croaking Ground-Dove *Columbina cruziana*

Common in the west and around Bagua Chica

Blue Ground-Dove *Claravis pretiosa*

50 between Bagua Chica and Imacita 24.8, 10 at Yacumama 3.9, 5 at Morro de Calzada 4.9

Bare-faced Ground-Dove *Metriopelia ceciliae*

50 above Balsas 21.8, 25 in the Santa Eulalia valley 6.9

Black-winged Ground-Dove *Metriopelia melanoptera*

25 in the Santa Eulalia valley 6.9 and 25 at Marcopomacochas 7.9

White-tipped Dove *Leptotila verreauxi*

Singles seen most days, common in the Utcubamba valley and around Jaen 22-23.8

Gray-fronted Dove *Leptotila rufaxilla*

1 seen at Morro de Calzada 4.9 and 1 heard at Juan Guerra 4.9

Ruddy Quail-Dove *Geotrygon montana*

1 heard at Nuevo Salem 25.8, 1 seen at Afluentes 30.8, 1 heard near Naranjos 2.9

Mitred Parakeet *Aratinga mitrata*

25 between Leimebamba and Pedro Ruiz 22.8

Red-masked Parakeet *Aratinga erythrogenys*

8 seen at Quebrada Limon 16.8, 25 seen at Chaparrí 18.8

Scarlet-fronted Parakeet *Aratinga wagleri*

5 between Guadalupe and Cajamarca 19.8, 200 near Bagua Chica 23.8, 30+50 near Bagua Chica 27-28.8

White-eyed Parakeet *Aratinga leucophthalmus*

100 between Bagua Chica and Imacita 24.8, Fairly common around Afluentes, 8 at Yacumama 3.9 and 20 at Morro de Calzada 4.9

Mountain Parakeet *Psilopsiagon aurifrons*

25 in the Santa Eulalia valley 6.9

Pacific Parrotlet *Forpus coelestis*

Common in the west and around Bagua Chica

Yellow-faced Parrotlet *Forpus xanthops*

5 seen between Hacienda Limon and Balsas 21.8

Cobalt-winged Parakeet *Brotogeris cyanoptera*

Fairly common at Nuevo Salem 25-27.8, Common around Rioja and Moyobamba 3-4.9, 5 on Yurimaguas road 5.9. Bird around Rioja and Yurimaguas road belongs to race *gustavi*.

Blue-headed Parrot *Pionus menstruus*

Fairly common at Imacita/Nuevo Salem and around Rioja/Yurimaguas road.

Red-billed Parrot *Pionus sordidus*

5 seen at Afuentes 31.8

White-capped Parrot *Pionus seniloides*

2 seen at the higher parts of Abra Patricia 29.8

Scaly-naped Parrot *Amazona mercenaria*

2 seen at the higher parts of Abra Patricia 30.8 and 22 there 1.9

Squirrel Cuckoo *Piaya cayana*

1 at Tamborapa 23.8, 1 between Bagua Chica and Imacita 24.8, singles daily in the Abra Patricia area.

Black-bellied Cuckoo *Piaya melanogaster*

2 seen between Bagua Chica and Imacita and 3 seen at Nuevo Salem 25-26.8

Little Cuckoo *Piaya minuta*

1 seen at Yacumama 3.9

Smooth-billed Ani *Crotophaga ani*

Common along the road between Bagua Chica and Imacita and east of the Andes.

Groove-billed Ani *Crotophaga sulcirostris*

Common in the west and around Bagua Chica

Striped Cuckoo *Tapera naevia*

1 heard in Balsas 21.8 and 1 seen at Aguas Verdes 31.8

Cinnamon Screech-Owl *Megascops petersoni*

1 heard and seen briefly at Abra Patricia 31.8

Crested Owl *Lophotrix cristata*

1 heard at Nuevo Salem 26.8

Band-bellied Owl *Pulsatrix melanota*

1 heard at Aguas Verdes 1.9, 1 found dead 40 kms west of Tarapoto 4.9

Yungas Pygmy-owl *Glaucidium bolivianum*

2 heard at Abra Barro Negro 21.8 and 1 heard nearby 22.8

Ferruginous Pygmy-Owl *Glaucidium brasilianum*

1 heard in Imacita 25.8, 1 heard at Aguas Verdes 30.8-1.9, 2 seen near Naranjos 2.9

Peruvian Pygmy-Owl *Glaucidium peruanum*

1 seen at Bosque Pomac 15.8, 1 heard at Limon de Porcuya 17.8

Burrowing Owl *Athene cunicularia*

2 seen at Bosque Pomac 15.8, 3 seen at Chaparrí 18.8, 1 seen near Guadalupe 19.8

Rufous-bellied Nighthawk *Lurocalis rufiventris*

1 heard at the pass at Abra Patricia 31.8

Sand-colored Nighthawk *Chordeiles rupestris*

2 seen between Imacita and Nuevo Salem 25.8

Pauraque *Nyctidromus albicollis*

1 seen and 1 heard at Nuevo Salem 25-26.8

Band-winged Nightjar *Caprimulgus longirostris*

1 seen in the *polylepis* in the upper Santa Eulalia valley 7.9

Scrub (Anthonys) Nightjar *Caprimulgus anthonyi*

1 seen at Quebrada Limon 16.8, 1 seen between Bagua Chica and Jaen 23.8

Swallow-tailed Nightjar *Uropsalis segmentata*

1 male seen at the pass at Abra Patricia 31.8

Lyre-tailed Nightjar *Uropsalis lyra*

1 heard and seen briefly at Aguas Verdes 30.8-1.9

White-collared Swift *Streptoprocne zonaris*

25 at Abra Barro Negro 21.8, 200 between Imacita and Bagua Chica 27.8, singles at Afuentes, 100 around Rioja 3.9, 100 at Yurimaguas road 5.9, 25 in the Santa Eulalia valley 6.9



A pair of Yellow-faced Parrotlets near Balsas



Gray-rumped Swift *Chaetura cinereiventris*

10 seen at Limon de Porcuya 17.8, Fairly common at Nuevo Salem and eastwards

Short-tailed Swift *Chaetura brachyura*

10 seen at Yacumama and Posic 3.9

Tumbes Swift *Chaetura ocybetes*

10 seen at Quebrada Limon 16.8

White-tipped Swift *Aeronautes montivagus*

10 seen at Abra Patricia 1.9, 20 seen on the Yurimaguas road 5.9

Andean Swift *Aeronautes andecolus*

2 seen between Guadalupe and Cajamarca 19.8, 1 seen above Balsas 21.8, 100 in the Santa Eulalia valley 6.9

Fork-tailed Palm-Swift *Tachornis squamata*

Common around Rioja and Moyobamba 3-4.9

Lesser Swallow-tailed Swift *Panyptila cayennensis*

1 seen at Nuevo Salem 26.8

Pale-tailed Barbthroat *Threnetes leucurus*

1 seen at Nuevo Salem 25.8

White-bearded Hermit *Phaethornis hispidus*

1 at Morro de Calzada 4.9

Baron's Hermit *Phaethornis baroni*

1 seen at Quebrada Limon 16.8

Tawny-bellied Hermit *Phaethornis syrmatorphorus*

1 seen at Abra Patricia 30.8

Koepcke's Hermit *Phaethornis koepckeae*

1 seen between Bagua Chica and Imacita 24.8, 1 seen on the Yurimaguas road 5.9

Porculla Hermit *Phaethornis porcullae*

1 seen at Limon de Porcuya 17.8

Green-fronted Lancebill *Doryfera ludovicae*

4 seen in the Abra Patricia area

Gray-breasted Sabrewing *Campylopterus largipennis*

2 seen between Bagua Chica and Imacita 24.8, 1 at Nuevo Salem 25.8, 3 on the Yurimaguas road 5.9

White-necked Jacobin *Florisuga mellivora*

1 at Nuevo Salem 25.8, 1 on the Yurimaguas road 5.9

Green Violetear *Colibri thalassinus*

1 seen at Abra Barro negro 22.8, 3 at Pomacochas 28.8, 1 at Abra Patricia 30.8

Sparkling Violetear *Colibri coruscans*

25 at Limon de Porcuya 17.8, 1 seen at Aguas Verdes 31.8

Wire-crested Thorntail *Popelairia popelairii*

3 males in the same tree at Afluentes 31.8

Blue-tailed Emerald *Chlorostilbon mellisugus*

1 male at Posic 3.9 and 1 male at Morra de Calzada 4.9

Fork-tailed Woodnymph *Thalurania furcata*

1 at Nuevo Salem 25.8, 7 in the Afluentes/Aguas Verdes area, 3 on the Yurimaguas road 5.9

White-chinned Sapphire *Chrysuronia cyanus*

At least 4 singing males at Morro de Calzada 4.9

Golden-tailed Sapphire *Chrysuronia oenone*

1 at Aguas Verdes 2.9, 2 on the Yurimaguas road 5.9

Tumbes Hummingbird *Leucippus baeri*

1 at Quebrada Limon 16.8

Spot-throated Hummingbird *Leucippus taczanowskii*

Fairly common in the Marañon and Utcubamba valleys

White-bellied Hummingbird *Leucippus chionogaster*

5 seen at Hacienda Limon 21.8, 2 near Tamborapa 23.8

Many-spotted Hummingbird *Leucippus hypostictus*

4 at Aguas Verdes 31.8 and 1 the next day.

Amazilia Hummingbird *Amazilia amazilia*

Common in the dry west



White-bellied Hummingbird at Balsas



Glittering-throated Emerald *Polyerata fimbriata*

1 at Nuevo Salem 25.8, 2 near Naranjos 2.9, 4 at Yacumama 3.9, 1 at Morro de Calzada 4.9 and 1 at Juan Guerra 4.9

Ecuadorian Piedtail *Phlogophilus hemileucurus*

2 seen at Afluentes 30-31.8

Speckled Hummingbird *Adelomyia melanogenys*

Singles in the Abra Patricia area

Black-throated Brilliant *Heliodoxa schreibersii*

2 males in a flowering tree at Aguas Verdes 31.8

Chestnut-breasted Coronet *Boissonneaua matthewsii*

1 seen at Abra Patricia 30.8

Shining Sunbeam *Aglaeactis cupripennis*

5 between Cajamarca and Celendin 20.8, 5 at Abra Barro Negro 21.8 and 7 there 22.8

Black-breasted Hillstar *Orotrochilus melanogaster*

2 seen in the polylepis in the upper Santa Eulalia valley 7.9

Mountain Velvetbreast *Lafresnaya lafresnayi*

1 seen at Cruz Conga 20.8, 1 seen at Abra Barro Negro 22.8

Bronzy Inca *Coeligena coeligena*

1 seen at Abra Patricia 1.9

Rainbow Starfrontlet *Coeligena iris*

1 at Cruz Conga 20.8

Sword-billed Hummingbird *Ensifera ensifera*

1 seen briefly at the pass at Abra Patricia 29.8

Giant Hummingbird *Patagona gigas*

2 in the Santa Eulalia valley 6.9, 10 seen in the polylepis in the upper Santa Eulalia valley 7.9

Purple-throated Sunangel *Helianthus viola*

2 seen at Pomacochas 28.8

Royal Sunangel *Helianthus regalis*

2 males seen at Abra Patricia 29.8

Coppery-naped Puffleg *Eriocnemis sapphiropygia*

2 at Abra Barro Negro 21.8 race *catharina*.

Emerald-bellied Puffleg *Eriocnemis alinae*

1 seen at Pomacochas 28.8, 1 seen at the pass at Abra Patricia 29.8, 1 seen at Abra Patricia 30.8

Booted Racket-Tail *Ocreatus underwoodii*

3 seen in the Afluentes area 29-30.8

Green-tailed Trainbearer *Lesbia nuna*

10 at Limon de Porcuya 17.8, 15 between Cajamarca and Celendin 20.8, 5 at Abra Barro negro 22.82 at pomacochas 28.8, 2 at Abra Patricia 29.8

Bronze-tailed Comet *Polyonymus caroli*

2 seen in the Santa Eulalia valley 6.9

Tyrian Metaltail *Metallura tyrianthina*

3 at Cruz Conga 20.8, 5+3 at Abra Barro Negro 21-22.8

Black Metaltail *Metallura phoebe*

3 at Río Chonta 19.8, 5 seen between Cajamarca and Celendin 20.8, 2 in the Santa Eulalia valley 6.9, 5 in the *polylepis* in the upper Santa Eulalia valley 7.9

Rufous-capped Thornbill *Chalcostigma ruficeps*

1 at Abra Barro Negro 22.8

Olivaceous Thornbill *Chalcostigma olivaceum*

3 at Marcopomacochas 7.9

Gray-bellied Comet *Taphrolesia griseiventris*

1 female at Río Chonta 19.8

Long-tailed Sylph *Agelaiocercus kingi*

1 seen at Abra Patricia 29.8

Black-eared Fairy *Heliothryx aurita*

2 seen at Nuevo Salem 25.8

Marvellous Spatuletail *Loddigesia mirabilis*



- 5 seen including 1 adult male and 1 almost adult at the new Kolibri Expeditions Marvelous Spatuletail Reserve near Pomacochas 28.8
- Oasis Hummingbird** *Rhodopis vesper*
2 seen in the Santa Eulalia valley 6.9
- Peruvian Sheartail** *Thaumastura cora*
2 males at Limon de Porcuya 17.8, 2 females in the Santa Eulalia valley 6.9
- Purple-collared Woodstar** *Myrtis fanny*
25 at Limon de Porcuya 17.8, 1 at Chaparrí 18.8, 5 at Hacienda Limon 21.8, 1 at Jaen 23.8
- Short-tailed Woodstar** *Myrmia micrura*
1 female at Bosque Pomac 15.8, 2 at Quebrada Limon 16.8
- Amazonian Violaceous Trogon** *Trogon violaceus*
1 at Nuveo Salem 25.8
- Collared Trogon** *Trogon collaris*
1 pair at Aguas Verdes 31.8
- Ecuadorian Trogon** *Trogon mesurus*
6 seen at Quebrada Limon 16.8
- Golden-headed Quetzal** *Pharomachrus auriceps*
1 seen briefly and 1 heard at Abra Patricia 30.8
- Ringed Kingfisher** *Ceryle torquatus*
2 at Tinajones reservoir 18.8, 1 near Guadalupe 19.8, 2 near Naranjos 2.9, 4 at Yacumama 3.9
- Amazon Kingfisher** *Chloroceryle amazona*
1 seen at Yacumama 3.9
- Green Kingfisher** *Chloroceryle americana*
1 seen between Nuevo Salem and Imacita 27.8, 1 at Yacumama 3.9
- Bluish-fronted Jacamar** *Galbula cyanescens*
2 at Morro de Calzada 4.9 and 2 at Juan Guerra 4.9
- White-necked Puffbird** *Notharcus macrorhynchos*
2 at Nuevo Salem 26.8
- Pied Puffbird** *Notharchus tectus*
1 seen at Nuevo Salem 25 and 27.8
- Chestnut-capped Puffbird** *Bucco macrodactylus*
2 at Juan Guerra 4.9
- Black-fronted Nunbird** *Monasa nigrifrons*
Heard between Bagua Chica and Imacita 24.8, 10 at Yacumama 3.9
- White-fronted Nunbird** *Monasa morphoeus*
2 seen at Afluentes 31.8
- Yellow-billed Nunbird** *Monasa flavirostris*
2 seen at Nuevo Salem 25 and 27.8
- Swallow-wing** *Chelidoptera tenebrosa*
10 at Morro de Calzada 4.9
- Gilded Barbet** *Capito auratus*
Fairly common at Nuevo Salem and from Naranjos and eastwards
- Lemon-throated Barbet** *Eubucco richardsoni*
3 seen at Nuevo Salem 25-27.8
- Versicolored Barbet** *Eubucco versicolor*
1 at Abra Patricia 30.8, 3 at Abra Patricia 1.9 and 1 male at Aguas Verdes 2.9
- Chestnut-tipped Toucanet** *Aulacorhynchus derbianus*
1 at the Yurimaguas road 5.9
- Lettered Aracari** *Pteroglossus inscriptus*
3 at Nuevo Salem 25.8, 3 near Naranjos 2.9, 1 at Yacumama 4.9
- Brown-mandibled Aracari** *Pteroglossus mariae*
2+2 at Nuevo Salem 25-26.8
- Chestnut-eared Aracari** *Pteroglossus castanotis*
2 at Aguas Verdes 30.8, 2 at Morro de Calzada 4.9
- Gray-breasted Mountain-Toucan** *Andigena hypoglauca*
2 at Abra Barro Negro 22.8



Golden-collared Toucanet *Selenidera reinwardtii*

Heard at Nuevo Salem 26.8, 1 pair seen at the Yurimaguas road 5.9

Channel-billed Toucan *Ramphastos culminatus*

4 seen between Bagua Chica and Imacita 24.8, heard at Nuevo Salem 25.8, 1 seen at Morro de Calzada 4.9

White-throated Toucan *Ramphastus cuvieri*

1 seen at Nuevo Salem 26.8

Lafresnaye's Piculet *Picumnus lafresnayi*

1 seen at Nuevo Salem 26.8, 1 at Yacumama 3.9, 3 at Morro de Calzada 4.9

Ecuadorian Piculet *Picumnus sclateri*

5 at Limon de Porcuya 17.8

Speckle-chested Piculet *Picumnus steindachneri*

3 at Afluentes 31.8, 2 at Aguas Verdes 2.9

Yellow-tufted Woodpecker *Melanerpes cruentatus*

Fairly common at Nuevo Salem, 5 near Naranjos 2.9

Scarlet-backed Woodpecker *Veniliornis callonotus*

Fairly common in the dry Tumbesian zone, 3 seen at Tamborapa 23.8

Smoky-brown Woodpecker *Veniliornis fumigatus*

1 at Abra Patricia 29.8

Little Woodpecker *Veniliornis passerinus*

1 at Nuevo Salem 26.8, 1 seen at Afluentes 30.8 and 1 seen at Aguas Verdes 31.8

Red-stained Woodpecker *Veniliornis affinis*

1 between Bagua Chica and Imacita 24.8, 1 at the Yurimaguas road 5.9

Golden-olive Woodpecker *Piculus rubiginosus*

3 at the Guan Centre near Olmos 16.8, 1 at Chaparrí 18.8

Crimson-mantled Woodpecker *Piculus rivolii*

1 at Abra Patricia 29.8 and 1 there 1.9

Black-necked Woodpecker *Colaptes atricollis*

2 between Hacienda Limon and Balsas 21.8

Spot-breasted Woodpecker *Colaptes punctigula*

5 at Yacumama 3.9, 1 at Morro de Calzada 4.9

Andean Flicker *Colaptes rupicola*

2 at Río Chonta 19.8, 10 between Cajamarca and Celendin 20.8, 2 at Abra Barro negro 21.8

Scaly-breasted Woodpecker *Celeus grammicus*

3 heard in the Afluentes/Aguas Verdes area 31.8-2.9

Lineated Woodpecker *Dryocopus lineatus*

2 at Chaparrí 18.8, 1 at Yacumama 3.9

Crimson-bellied Woodpecker *Campephilus haematogaster*

1 seen at Aguas Verdes 2.9

Crimson-crested Woodpecker *Campephilus melanoleucos*

1 male at Tamborapa 23.8, 2 between Bagua Chica and Imacita 24.8

Guayaquil Woodpecker *Campephilus guayaquilensis*

1 pair with a recently fledged juvenile at Quebrada Limon 17.8

Coastal Miner *Geositta peruviana*

1 at Bosque Pomac 15.8

Dark-winged Miner *Geositta saxicolina*

2 at Marcopomacochas 7.9

Thick-billed Miner *Geositta crassirostris*

2 in the Santa Eulalia valley 6.9

Plain-breasted Earthcreeper *Upucerthia jelskii*

1 at Marcopomacochas 7.9

Striated Earthcreeper *Upucerthia serrana*

1 at Cruz Conga 20.8, 1 in the *polylepis* in the upper Santa Eulalia valley 7.9

Bar-winged Cinclodes *Cinclodes fuscus*

2 between Cajamarca and Celendin 20.8, 2 at Abra Barro Negro 21.8, 20 at Marcopomacochas 7.9

White-winged Cinclodes *Cinclodes atacamensis*

7 at Río Chonta 19.8, 1 between Cajamarca and Celendin 20.8, 1 in the Santa Eulalia valley 6.9



White-bellied Cinclodes *Cinclodes palliatus*

2 at Marcopomacochas 7.9

Pacific Hornero *Furnarius cinnamomeus*

Common in the dry west and around Bagua Chica

Pale-legged Hornero *Furnarius tricolor*

5 at Yacumama 3.9

Rusty-crowned Tit-Spinetail *Leptasthenura pileata*

1 seen between Cajamarca and Celendin 20.8 race *cajabambae*, 3 seen in the Santa Eulalia valley 6.9 and 1 in the *polylepis* 7.9 race *pileata*

Azara's Spinetail *Synallaxis azarae*

2 heard at Abra Barro Negro 22.8, Fairly common in the higher Abra Patricia area.

Dark-breasted Spinetail *Synallaxis albigularis*

2 heard at Afluentes 30-31.8, 4 at Aguas Verdes 1.9, 5 at Yacumama 3.9

Maranon Spinetail *Synallaxis maranonica*

1 seen briefly north of Tamborapa 23.8

Necklaced Spinetail *Synallaxis stictothorax*

20 at Bosque Pomac 15.8

Chinchipe Spinetail *Synallaxis chinchipensis*

3 at Priest Seminario, Jaen 23.8

Baron's Spinetail *Cranioleuca baroni*

1 at Río Chonta 19.8, 1 between Cajamarca and Celendin 20.8, 2 at Hacienda Limon 21.8

Line-cheeked Spinetail *Cranioleuca antisiensis*

3 at Limon de Porcuya 17.8

Ash-browed Spinetail *Cranioleuca curtata*

1 at Abra Patricia 30.8

White-chinned Thistletail *Schizoeaca fuliginosa*

1 at Abra Barro Negro 21.8

Canyon Canastero *Asthenes pudibunda*

1 in the Santa Eulalia valley 6.9 and 4 in the *polylepis* in the upper Santa Eulalia valley 7.9

Streak-throated Canastero *Asthenes humilis*

3 at Marcopomacochas 7.9

Many-striped Canastero *Asthenes flammulata*

1 between Cajamarca and Celendin 20.8

Rufous-fronted Thornbird *Phacellodomus rufifrons peruvianus*

10 at Jaen and Tamborapa 23.8, 3 at Yacumama 3.9, 6 at Morro de Calzada 4.9

Chestnut-backed Thornbird *Phacellodomus dorsalis*

2 at Hacienda Limon 21.8

Equatorial Graytail *Xenerpestes singularis*

2 at Afluentes 31.8

Pearled Treerunner *Margarornis squamiger*

4 at Abra Barro Negro 21.8, 2 at the pass at Abra Patricia 29.8

Streaked Xenops *Xenops rutilans*

Singles daily in the Afluentes area

Rufous-necked Foliage-gleaner *Syndactyla ruficollis*

1 heard at Limon de Porcuya 17.8

Point-tailed Palmcreeper *Berlepschia rikeri*

2 seen at Yacumama 3.9

Buff-fronted Foliage-gleaner *Philydor rufus*

Singles daily in the Afluentes area. 1 bird feeding young at the entrance of the cave near Naranjos 2.9

Buff-throated Foliage-gleaner *Automolus ochrolaemus*

2 heard between Bagua Chica and Imacita 24.8, 1 heard at Nuevo Salem 25.8, 2 seen at Afluentes 30.8

Henna-hooded Foliage-gleaner *Hylocryptus erythrocephalus*

1 seen and 1 heard at Limon de Porcuya 17.8. One bird was feeding just two metres from a Chestnut-crowned Antpitta!

Plain-brown Woodcreeper *Dendrocincla fuliginosa*

1 at Nuevo Salem 25.8, 1 at Aguas Verdes 2.9, 1 at Yacumama 3.9



Olivaceous Woodcreeper *Sittasomus griseicapillus*

1 at Afluentes 30.8, 1 at Morro de Calzada 4.9

Wedge-billed Woodcreeper *Glyphorhynchus spirurus*

3 at Nuevo Salem 26.8 and 2 there 27.8

Strong-billed Woodcreeper *Xiphocolaptes promeropirhynchus*

2 at Nuevo Salem 26-27.8 races *orenocensis* or *berlepchi*, 2 seen at Abra Patricia 1-2.9 race *compressirostris*
The lowland races are sometimes treated as a separate species.

Black-banded Woodcreeper *Dendrocolaptes picumnus*

2 seen at Yacumama 3.9

Buff-throated Woodcreeper *Xiphorhynchus guttatus*

3 at Nuevo Salem 25-26.8, 1 at Yacumama 3.9

Olive-backed Woodcreeper *Xiphorhynchus triangularis*

3 at Abra Patricia 30.8

Streak-headed Woodcreeper *Lepidocolaptes souleyetii*

3 at bosque Pomac 15.8, 5 at the Guan Centre near Olmos 16.8

Montane Woodcreeper *Lepidocolaptes lacrymiger*

1 at Abra Patricia 29.8 and 2 there 1.9

Fasciated Antshrike *Cymbilaimus lineatus*

1 pair at Nuevo Salem 26.8

Great Antshrike *Taraba major*

1 heard at Yacumama 3.9

Collared Antshrike *Sakesphorus bernardi*

Fairly common in the dry Tumbesian zone, 2 seen near Bagua Chica 28.8 race *shumbae*.

Barred Antshrike *Thamnophilus doliatus*

4 seen at Juan Guerra 4.9

Chapman's Antshrike *Thamnophilus zarumae*

5 seen at Limon de Porcuya 17.8

Lined Antshrike *Thamnophilus tenuipunctatus*

1 pair seen at Aguas Verdes 2.9

Uniform Antshrike *Thamnophilus unicolor*

1 female seen and 1 heard at Abra Patricia 30.8

Plain-winged Antshrike *Thamnophilus schistaceus*

3 seen and heard at Nuevo Salem 25-26.8

Maranon Slaty-Antshrike *Thamnophilus punctatus*

5 seen at Jaen and Tamborapa 23.8 race *leucogaster*; 1 female seen at Juan Guerra 4.9 race *huallagae*

Rufous-capped Antshrike *Thamnophilus ruficapillus*

2 females seen at Abra Barro Negro 22.8, 1 female seen at Abra Patricia 1.9 race *jaczewskii*.

Dusky-throated Antshrike *Thamnomanes ardesiacus*

1 pair seen at Nuevo Salem 26.8

Short-billed Antwren *Myrmotherula obscura*

1 seen at Nuevo Salem 25.8

Stripe-chested Antwren *Myrmotherula longicauda*

1 pair seen at Juan Guerra 4.9

Slaty Antwren *Myrmotherula schisticolor*

2 males seen at Aguas Verdes 2.9

Gray Antwren *Myrmotherula menetriesii*

1 male seen at Nuevo Salem 26.8

Yellow-breasted Antwren *Herpsilochmus axillaris*

1 seen at Afluentes 31.8

Long-tailed Antbird *Drymophila caudata*

3 seen at Abra Patricia 30.8

Rufous-rumped Antwren *Terenura callinota*

1 seen at Abra Patricia 30.8 and 1 there 1.9

Gray Antbird *Cercomacra cinerascens*

2 heard at Nuevo Salem 25.8

Blackish Antbird *Cercomacra nigrescens*



2 seen at Abra Patricia 30.8 and 1 heard at Afluentes 31.8 race *aequatorialis*, 1 pair seen at Juan Guerra 4.9 race *fuscicauda*.

Black Antbird *Cercomacra serva*

2 heard at Nuevo Salem 25-26.8

White-backed Fire-Eye *Pyriglena leuconota*

2 seen at Afluentes 31.8

Warbling Antbird *Hypocnemis cantator*

5 heard between Bagua Chica and Imacita 24.8, singles heard at Nuevo Salem 25-26.8

White-shouldered Antbird *Myrmeciza melanoceps*

1 heard at Nuevo Salem 25-26.8

White-plumed Antbird *Pithys albifrons*

1 seen at Nuevo Salem 25.8

Scale-backed Antbird *Hylophylax poecilonota*

1 pair seen at Aguas Verdes 2.9

Black-faced Antthrush *Formicarius analis*

1 heard at Nuevo Salem 26.8

Rufous-breasted Antthrush *Formicarius rufipectus*

1 heard at Abra Patricia 1.9

Short-tailed Antthrush *Chamaeza campanisona*

1 heard at Aguas Verdes 2.9

Chestnut-crowned Antpitta *Grallaria ruficapilla*

1 seen at Limon de Porcuya 17.8. Not one bird was calling, in march lots of antpittas were calling here. This bird was feeding just a metre from a Henna-hooded Foliage-gleener!

Stripe-headed Antpitta *Grallaria andicola*

1 seen at Marcopomacochas 7.9

Rusty-tinged Antpitta *Grallaria przewalskii*

2 heard at Abra Patricia 29.8

Rufous Antpitta *Grallaria rufula*

2 seen and 1 heard at Cruz Conga 20.8. The race *cajamarcae* certainly merits for species status.

Thrush-like Antpitta *Myrmothera campanisona*

2 heard at Nuevo Salem 25-26.8

Leymebamba Antpitta *Grallaricula [ferrugineipectus] leymebambae*

2 heard at Abra Patricia 29.8 and 1.9. Usually treated as a race of Rusty-breasted Antpitta.

Elegant Crescentchest *Melanopareia elegans*

4 seen at Quebrada Limon 16.8, 4 seen at Limon de Porcuya 17.8, 5 seen at Chaparrí 18.8

Maranon Crescentchest *Melanopareia maranonica*

1 seen at Priest Seminario, Jaen 23.8

Leymebamba Tapaculo *Scytalopus (latrans) intermedius*

1 seen and taperecorded at Abra Barro Negro 21.8, 1 heard the next day.

Rufous-vented Tapaculo *Scytalopus femoralis*

At least 5 heard daily at the higher parts of Abra Patricia.

1 seen briefly.

White-crowned Tapaculo *Scytalopus atratus*

1 seen at Afluentes 31.8 and 4 more heard

Peruvian Plantcutter *Phytotoma raimondii*

2 seen and 5 heard at Bosque Pomac 15.8

Red-crested Cotinga *Ampelion rubrocristata*

3 at Abra Barro Negro 21.8

White-cheeked Cotinga *Zaratornis stresemanni*

2 seen in the *polylepis* in the upper Santa Eulalia valley 7.9

Green-and-black Fruiteater *Pipreola riefferii*

3 at Abra Patricia 29.8, 2 on 30.8 and 2 on 1.9

Scaled Fruiteater *Ampelioides tschudii*

1 female at Abra Patricia 1.9

White-browed Purpletuft *Iodopleura isabellae*

2 seen at Nuevo Salem 25.8 and 1 seen 26.8



White-browed Purpletuft at Nuevo Salem

Spangled Cotinga *Cotinga cayana*

1 male seen at Nuevo Salem 25.8 and 4 seen 26.8

Amazonian Umbrellabird *Cephalopterus ornatus*

1 female seen at Aguas Verdes 2.9, 1 male at Yacumama 3.9

Andean Cock-of-the-rock *Rupicola peruviana*

Singles seen or heard daily in the Afluentes/Aguas Verdes area. Heard on Yurimaguas road 5.9

White-bearded Manakin *Manacus manacus*

A lek with about 10 males at Nuevo Salem 26.8, 1 heard at Afluentes 31.8

Golden-winged Manakin *Masius chrysopterus*

2 males seen at Afluentes 31.8. Nice scope-views for five minutes.

Fiery-capped Manakin *Machaeropterus pyrocephalus*

1 male seen and 2 heard at Yacumama 3.9, 2 heard at Morro de Calzada 4.9, 1 female on the Yurimaguas road 5.9. The male at Yacumama allowed scope-views.

Dwarf Tyrant-Manakin *Tyrannetes stolzmanni*

1 heard at Nuevo Salem 26.8

Wing-barred Piprites *Piprites chloris*

1 seen at Afluentes 31.8

Black-capped Tyrannulet *Phyllomyias nigrocapillus*

1 seen at Abra Patricia 1.9

Tawny-rumped Tyrannulet *Phyllomyias uropygialis*

1 seen at Abra Patricia 29.8

Yellow Tyrannulet *Capsiempis flaveola*

5 at Yacumama 3.9

White-lored Tyrannulet *Ornithion inerme*

2 seen at Nuevo Salem 26.8, 1 seen at Morro de Calzada 4.9

Mouse-colored Tyrannulet *Phaeomyias murina*

1 seen at Posic 3.9, 1 seen at Morro de Calzada 4.9

Tumbesian Tyrannulet *Phaeomyias tumbezana*

Fairly common in the Tumbesian zone.

Yellow-crowned Tyrannulet *Tyrannulus elatus*

1 seen between Bagua Chica and Imacita 24.8

Pacific Elaenia *Myiopagis subplacens*

2 seen at Quebrada Limon 16.8

Gray-and-white Tyrannulet *Pseudelaenia leucospodia*

2 seen south of Olmos 15.8, 5 seen at Quebrada Limon 16.8, 5 seen at Chaparrí 18.8

Large Elaenia *Elaenia spectabilis*

1 seen at Posic 3.9, 1 seen at Morro de Calzada 4.9

Yellow-bellied Elaenia *Elaenia flavogaster*

1 seen at Tamborapa 23.8, 2 seen at Yacumama 3.9

White-crested Elaenia *Elaenia albiceps*

3+2 seen at Abra Barro Negro 21-22.8, 5 seen at Abra Patricia 29.8

Small-billed Elaenia *Elaenia parvirostris*

1 seen at Yacumama 3.9, 2 seen at Morro de Calzada 4.9

Sierran Elaenia *Elaenia pallatangae*

2 at Abra Barro Negro 22.8, 5 at Abra Patricia 29.8

Torrent Tyrannulet *Serpophaga cinerea*

3 at Río Chonta 19.8, 5 in the Utcubamba valley 22.8, 1 near Tamborapa 23.8, 1 at Aguas Verdes 31.8

Southern Beardless-Tyrannulet *Camptostoma obsoletum*

Common in the Tumbesian zone [race *griseum*] and the dry Marañon drainage [race *maranonicum*].

Streak-necked Flycatcher *Mionectes striaticollis*

Singles seen at Abra Patricia



Male Spangled Cotinga at Nuevo Salem



Ochre-bellied Flycatcher *Mionectes oleagineus*

1 between Bagua Chica and Imacita 24.8, 2 at Nuevo Salem 26.8, 4 at Yacumama 3.9

Inca Flycatcher *Leptopogon taczanowskii*

1 seen and heard at Abra Patricia 30.8

Slaty-capped Flycatcher *Leptopogon superciliaris*

1 at Afluentes 29.8

Spectacled Bristle-Tyrant *Pogonotriccus orbitalis*

2 seen and heard at Aguas Verdes 2.9

Variegated Bristle-Tyrant *Pogonotriccus poecilotis*

1 at Abra Patricia 30.8

Mottle-cheeked Tyrannulet *Phylloscartes ventralis*

1 at Afluentes 29.8 and 1 at Abra Patricia 30.8

Mishana Tyrannulet *Zimmerius villarejoi*

1 seen at Morro de Calzada 4.9

Golden-faced Tyrannulet *Zimmerius chlorops*

Common in the whole Abra Patricia area and on the Yurimaguas road.

White-throated Tyrannulet *Mecocerculus leucophrys*

3 at Abra Barro Negro 21.8

Sulphur-bellied Tyrannulet *Mecocerculus minor*

1 seen at the pass at Abra Patricia 29.8

Black-crested Tit-Tyrant *Anairetes nigrocristatus*

1 seen between Cajamarca and Celendin 20.8

Pied-crested Tit-Tyrant *Anairetes reguloides*

4 in the Santa Eulalia valley 6.9

Yellow-billed Tit-Tyrant *Anairetes flavirostris*

2 seen between Cajamarca and Celendin 20.8, 5 in the Santa Eulalia valley 6.9

Tawny-crowned Pygmy-Tyrant *Euscarthmus meloryphus*

Common in the dry west, singles at Hacienda Limon, around Jaen and Bagua Chica

Scale-crested Pygmy-Tyrant *Lophotriccus pileatus*

Singles seen and heard at Afluentes 30-31.8

Double-banded Pygmy-Tyrant *Lophotriccus vitiosus*

1 heard at Nuevo Salem 26.8

Lulu's Tody-Tyrant *Poecilatriccus luluae*

1 seen at the pass at Abra Patricia 29.8, 7 seen and heard at Abra Patricia 1.9

Black-and-white Tody-Tyrant *Poecilatriccus capitalis*

1 male seen and heard at Aguas Verdes 2.9

White-eyed Tody-Tyrant *Hemitriccus zosterops*

1 seen at Juan Guerra 4.9

Johannes' Tody-Tyrant *Hemitriccus iohannis*

2 seen at Yacumama 3.9

Rusty-fronted Tody-Flycatcher *Todirostrum latirostre*

2 at Morro de Calzada 4.9

Golden-winged Tody-Flycatcher *Poecilatriccus calopterus*

1 seen between Bagua Chica and Imacita 24.8. Possibly a few more heard here and at Salem.

Common Tody-Flycatcher *Todirostrum cinereum*

1 at Bosque Pomac 15.8, 2 at Jaen 23.8, 1 at Afluentes 31.8, 5 at Yacumama 3.9, 1 at Morro de Calzada 4.9, 1 on the Yurimaguas road 5.9

Yellow-browed Tody-Flycatcher *Todirostrum chrysocrotaphum*

1 at Nuevo Salem 27.8

Zimmer's Flycatcher *Tolmomyias assimilis*

2 at Afluentes 31.8

Gray-crowned Flycatcher *Tolmomyias poliocephalus*

1 heard between Bagua Chica and Imacita 24.8

Olive-faced Flycatcher *Tolmomyias viridiceps*

3 seen and heard between Bagua Chica and Imacita 24.8, 1 at Nuevo Salem 26.8, 2 at Morro de Calzada 4.9, 4 at Juan Guerra 4.9, 5 on the Yurimaguas road 5.9



Ornate Flycatcher *Myiobrycon ornatus*

2 at Afluentes 31.8, 1 at Aguas Verdes 2.9

Bran-colored Flycatcher *Myiophobus fasciatus*

1 seen at Bosque Pomac 15.8, 1 seen at Chaparrí 18.8, 1 seen at Juan Guerra 4.9

Olive-chested Flycatcher *Myiophobus cryptoxanthus*

2 ad and 1 juv at Afluentes 31.8

Cinnamon Flycatcher *Pyrrhomyias cinnamomea*

Common in the higher Abra Patricia area

Cliff Flycatcher *Hirundinea ferruginea*

5 seen in the higher Abra Patricia area and 10 on the Yurimaguas road 5.9

Gray-breasted Flycatcher *Lathrotriccus griseipectus*

1 seen at Limon de Porcuya 17.8

Smoke-colored Pewee *Contopus fumigatus*

1 at Abra Patricia 29.8 and 1 on 1.9

Tumbes Pewee *Contopus punensis*

2 seen at Quebrada Limon 16.8

Black Phoebe *Sayornis nigricans*

Singles near water in the mountains

Vermilion Flycatcher *Pyrocephalus rubinus*

Common in the west and around Bagua Chica

Jelski's Chat-Tyrant *Ochthoeca jelskii*

2 at Cruz Conga 20.8

Piura Chat-Tyrant *Ochthoeca piurae*

1 at Limon de Porcuya 17.8

D'Orbigny's Chat-Tyrant *Ochthoeca oenanthoides*

3 in the polylepis in the upper Santa Eulalia valley 7.9

Brown-backed Chat-Tyrant *Ochthoeca fumicolor*

3 seen between Cajamarca and Celandin 20.8, 5 seen at Abra Barro Negro 21.8

White-browed Chat-Tyrant *Ochthoeca leucophrys*

3 at Río Chonta 19.8, 10 between Cajamarca and Celandin 20.8, 5 in the Santa Eulalia valley 6.9, 10 in the upper Santa Eulalia valley 7.9

Tumbes Tyrant *Tumbezia salvini*

1 at the Guan Centre, Olmos 16.8, 1 heard at Chaparrí 18.8

Drab Water-Tyrant *Ochthornis littoralis*

1 at Puente Bolivia 4.9, 2 at Juan Guerra 4.9

Streak-throated Bush-Tyrant *Myiotheretes striaticollis*

1 at Limon de Porcuya 16.8, 1 between Cajamarca and Celandin 20.8 and 1 in the Santa Eulalia valley 6.9

Smoky Bush-Tyrant *Myiotheretes fumigatus*

1 at Abra Barro Negro 22.8

Black-billed Shrike-Tyrant *Agriornis montana*

1 at Río Chonta 19.8, 10 between Cajamarca and Celandin 20.8

White-tailed Shrike-Tyrant *Agriornis andicola*

1 at Cruz Conga 20.8

Rufous-webbed Tyrant *Polioptila rufipennis*

25 between Cajamarca and Celandin 20.8

Spot-billed Ground-Tyrant *Muscisaxicola maculirostris*

1 between Cajamarca and Celandin 20.8

White-browed Ground-tyrant *Muscisaxicola albilora*

25 between Cajamarca and Celandin 20.8

Puna Ground-Tyrant *Muscisaxicola juninensis*

2 at Marcopomacochas 7.9

Cinereous Ground-Tyrant *Muscisaxicola cinereus*

2 at Marcopomacochas 7.9

White-fronted Ground-Tyrant *Muscisaxicola albifrons*

10 at Marcopomacochas 7.9



Streak-throated Bush-tyrant at Limon de Porcuya



- Ochre-naped Ground-Tyrant** *Muscisaxicola flavinucha*
2 at Marcopomacochas 7.9
- Short-tailed Field-Tyrant** *Muscigralla brevicauda*
5 at Quebrada Limon 16.8, 1 near Bagua Chica 28.8
- Black Andean-Tyrant** *Knipolegus signatus*
1 male at Limon de Porcuya 16.8
- Rufous-tailed Tyrant** *Knipolegus poecilurus*
Fairly common in the Abra Patricia area, 5 at the Yurimaguas road 5.9
- Long-tailed Tyrant** *Colonia colonus*
2 at Afluentes 30-31.8
- Bright-rumped Attila** *Attila spadiceus*
Singles heard daily at Nuevo Salem 25-27.8, 1 heard on the Yurimaguas road 5.9
- Grayish Mourner** *Rhytipterna simplex*
1 heard at Afluentes 31.8
- Rufous Flycatcher** *Myiarchus semirufus*
2 seen at Bosque Pomac 15.8
- Short-crested Flycatcher** *Myiarchus ferox*
2 at Yacumama 3.9, 1 at Morro de Calzada 4.9, 1 at Juan Guerra 4.9
- Pale-edged Flycatcher** *Myiarchus cephalotes*
1 seen and heard at the pass at Abra Patricia 29.8
- Brown-crested Flycatcher** *Myiarchus tyrannulus*
1 near Bagua Chica 23.8
- Great Kiskadee** *Pitangus sulphuratus*
3 between Bagua Chica and Imacita 27.8, Common around Rioja
- Boat-billed Flycatcher** *Megarynchus pitangua*
Singles between Bagua Chica and Imacita, singles around Rioja and Tarapoto
- Social Flycatcher** *Myiozetetes similis*
Common in the east
- Gray-capped Flycatcher** *Myiozetetes granadensis*
1 between Bagua Chica and Imacita 24.8, 4 at Morro de Calzada 4.9
- Dusky-chested Flycatcher** *Myiozetetes luteiventris*
1 between Bagua Chica and Imacita 24.8, 2 at Nuevo Salem 25.8, 2 on the Yurimaguas road 5.9
- Lemon-browed Flycatcher** *Conopias cinchoneti*
4 at Aguas Verdes 31.8 and 2 there 2.9
- Golden-crowned Flycatcher** *Myiodynastes chrysocephalus*
1 at Abra Patricia 30.8, 1 on the Yurimaguas road 5.9
- Baird's Flycatcher** *Myiodynastes bairdii*
Fairly common in the dry west.
- Streaked Flycatcher** *Myiodynastes maculatus*
2 near Naranjos 2.9, 2 at Morro de Calzada 4.9, 4 on the Yurimaguas road 5.9
- Variegated Flycatcher** *Empidonomus varius*
1 at Aguas Verdes 2.9
- Piratic Flycatcher** *Legatus leucophaeus*
4 at Nuevo Salem 25.8, 1 at Morro de Calzada 4.9
- Crowned Slaty-Flycatcher** *Griseotyrannus aurantioatrocristatus*
2 seen at Nuevo Salem 25-26.8, 1 at Yacumama 3.9
- Tropical Kingbird** *Tyrannopsis melancholicus*
Common from Bagua Chica and eastwards.
- Yellow-cheeked Becard** *Pachyramphus xanthogenys*
1-2 at Afluentes 31.8-1.9
- Barred Becard** *Pachyramphus versicolor*
1 pair nestbuilding at Abra Patricia 1.9
- White-winged Becard** *Pachyramphus polychopterus*
1 female at Juan Guerra 4.9, 3 females on the Yurimaguas road 5.9
- Masked Tityra** *Tityra semifasciata*
1 near Naranjos 2.9



Black-crowned Tityra *Tityra inquisitor*

1 pair near Naranjos 2.9

Gray-breasted Martin *Progne chalybea*

2 at Guadalupe 19.8, 2 between Bagua Chica and Imacita 24.8, 10 at Yacumama 3.9, 2 at Puente Bolivia 4.9, 2 at Tarapoto airport 5.9

White-winged Swallow *Tachycineta albiventer*

1 near Imacita 27.8, 5 at Puente Bolivia 4.9

Blue-and-white Swallow *Pygochelidon cyanoleuca*

Common almost everywhere.

Brown-bellied Swallow *Notiochelidon murina*

25 at Abra Barro Negro 22.8, 50 in the Santa Eulalia valley 6.9

White-banded Swallow *Atticora fasciata*

2 between Bagua Chica and Imacita 24.8, 1 at Aguas Verdes 1.9, 1 near Naranjos 2.9, 5 at Puente Bolivia 4.9

Southern Rough-winged Swallow *Stelgidopteryx ruficollis*

Common at many places

Chestnut-collared Swallow *Petrochelidon rufocollaris*

5 at Limon de Porcuya 17.8

White-capped Dipper *Cinclus leucocephalus*

Up to 3 at Aguas Verdes 30.8-2.9, 2 in the upper Santa Eulalia valley 6.9, 3 in the *polylepis* in the upper Santa Eulalia valley 7.9

Black-capped Donacobius *Donacobius atricapillus*

3 between imacita and Bagua Chica 27.8, 1 near Bagua Chica 28.8, 4 at Yacumama 3.9

Thrush-like Wren *Campylorhynchus turdinus*

4 at Nuevo Salem 25.8, heard near Naranjos 2.9, 10 at Yacumama 3.9, heard at Morro de Calzada 4.9

Fasciated Wren *Campylorhynchus fasciatus*

Common in the dry west and Marañon drainage

Gray-mantled Wren *Odontorchilus branickii*

2 at Aguas Verdes 2.9

Speckled-breasted Wren *Thryothorus sclateri*

10 at Quebrada Limon 16.8 race *paucimaculatus*, 1 at Jaen 23.8 race *sclateri*

Buff-breasted Wren *Thryothorus leucotis*

2 at Juan Guerra 4.9

Superciliated Wren *Thryothorus superciliaris*

Common in the dry Tumbesian zone

Southern House Wren *Troglodytes musculus*

Singles seen most days, even up in the *polylepis*.

Gray-breasted Wood-Wren *Henicorhina leucophrys*

Common in the Abra Patricia area.

Scaly-breasted Wren *Microcerculus marginatus*

2 heard between Bagua Chica and Imacita 24.8, 2 heard at Nuevo Salem 25-26.8, 1 heard at Yacumama 3.9, 1 heard on the Yurimaguas road 5.9

Long-tailed Mockingbird *Mimus longicaudatus*

Common in the dry west and Marañon drainage.

Andean Solitaire *Myadestes ralloides*

Fairly common heard and singles seen at Abra Patricia

White-eared Solitaire *Entomodestes leucotis*

1 heard at Abra Patricia 30.8

Chiguanco Thrush *Turdus chiguanco*

Fairly common in the Cajamarca area and Santa Eulalia valley

Great Thrush *Turdus fuscater*

Fairly common in the highlands.

Glossy-black Thrush *Turdus serranus*

1 seen at Afluentes 31.8

Plumbeous-backed Thrush *Turdus reevei*

20 at Quebrada Limon 16.8, 2 seen at Chaparrí 18.8

Marañon Thrush *Turdus maranonicus*

1 at Balsas 21.8, 3 seen between leimebamba and Perdo Ruiz 22.8, 1 north of Tamborapa 23.8

Pale-breasted Thrush *Turdus leucomelas*

2 seen at Morro de Calzada 3.9

Black-billed Thrush *Turdus ignobilis*

Singles at Afluentes and around Rioja, common at Morro de Calzada 4.9

Long-billed Gnatwren *Ramphocaenus melanurus*

1 seen and heard at Nuevo Salem 25.8

Tropical Gnatcatcher *Polioptila plumbea*

Common in the dry west race *bilineata*, common at Hacienda Limon and around Bagua Chica race *maior*, 1 at Nuevo Salem 26.8, 1 between Imacita and Bagua Chica 27.8 race *parvirostris*.

Inca (Green) Jay *Cyanocorax yncas*

2 seen near Tamborapa 23.8, 1 at Abra Patricia 30.8

Violaceous Jay *Cyanocorax violaceus*

4 at Nuevo Salem 25.8

White-tailed Jay *Cyanocorax mystacalis*

5 at Bosque Pomac 15.8, 10 at Quebrada Limon 16.8, 2 at Chaparrí 18.8

White-collared Jay *Cyanocorax viridicyana*

10 at Abra Patricia 1.9

House Sparrow *Passer domesticus*

Seen in towns

Brown-capped Vireo *Vireo leucophrys*

5 at Abra Patricia 30.8

Red-eyed Vireo *Vireo olivaceus*

Singles seen at many places mainly in the east.

Ashy-headed Greenlet *Hylophilus pectoralis*

2 seen at Juan Guerra 4.9

Slaty-capped Shrike-Vireo *Vireolanius leucotis*

2 at Aguas Verdes 2.9

Rufous-browed Peppershrike *Cyclarhis gujanensis*

2 at Limon de Porcuya 17.8 race *virenticeps*, 1 at Hacienda Limon 21.8, 2 at Abra Patricia 29.8 race *contrerasi*, 1 at Juan Guerra 4.9 race *gujanensis*

Thick-billed Siskin *Carduelis crassirostris*

1 female in the *polylepis* in the upper Santa Eulalia valley 7.9

Hooded Siskin *Cyclarhis magellanica*

Fairly common on the west slope

Olivaceous Siskin *Cyclarhis olivacea*

5 in the Abra Patricia area 29.8

Black Siskin *Cyclarhis atrata*

1 in the upper Santa Eulalia valley 7.9

Yellow-rumped Siskin *Cyclarhis uropygialis*

1 seen in the *polylepis* in the upper Santa Eulalia valley 7.9

Tropical Parula *Parula pitiayumi*

10 at Quebrada Limon 16.8, 5 at Chaparrí 18.8, 2 in the Afluentes area 30-31.8, 1 at Morro de Calzada 4.9

Black-lored Yellowthroat *Geothlypis aequinoctialis*

2 seen at Hacienda Limon 21.8

Slate-throated Whitestart *Myioborus miniatus*

5 at Limon de Porcuya 17.8, Common in the lower Abra Patricia area

Spectacled Whitestart *Myioborus melanocephalus*

1 at Cruz Conga 20.8, 5 at Abra Barro Negro 21.8, singles at the higher parts of Abra Patricia.

Gray-and-gold Warbler *Basileuterus fraseri*

1 at Limon de Porcuya 17.8, 5 north of Olmos 17.8

Citrine Warbler *Basileuterus luteoviridis*

2 at Abra Patricia 29.8

Russet-crowned Warbler *Basileuterus coronatus*



Plumbeous-backed Thrush at Chaparrí



- Heard at Abra Barro Negro 22.8, singles seen and heard at Abra Patricia
- Three-banded Warbler** *Basileuterus trifasciatus*
25 at Limon de Porcuya 17.8
- Three-striped Warbler** *Basileuterus tristriatus*
2 seen at Abra Patricia 30.8 and 1 on 1.9
- Bananaquit** *Coereba flaveola*
Fairly common at many places
- Cinereous Conebill** *Conirostrum cinereum*
20 between Cajamarca and Celendin 20.8, 1 at Abra Barro Negro 21.8, 10 in the Santa Eulalia valley 6.9
- Blue-backed Conebill** *Conirostrum sitticolor*
5 at Abra Barro Negro 21.8
- Capped Conebill** *Conirostrum albifrons*
1 at Abra Barro Negro 21.8, 1 pair at Abra Patricia 1.9
- Giant Conebill** *Oreomanes fraseri*
4 in the *polylepis* in the upper Santa Eulalia valley 7.9
- Black-faced Tanager** *Schistochlamys melanopsis*
1 between Bagua Chica and Imacita 24.8, 3 at Yacumama 3.9, 5 at Morro de Clazada 4.9, 2 at Juan Guerra 4.9
- Magpie Tanager** *Cissopis leveriana*
15 between Bagua Chica and Imacita 24.8, Fairly common at Afluentes and around Rioja and Tarapoto
- Grass-green Tanager** *Chlorornis riefferii*
1 at Abra Barro Negro 21.8, 2 at Abra Patricia 29.8
- Common Bush-Tanager** *Chlorospingus ophthalmicus*
Fairly common at Abra Patricia
- Yellow-whiskered Bush-Tanager** *Chlorospingus parvirostris*
3 at Abra Patricia 29.8
- Yellow-throated Bush-Tanager** *Chlorospingus flavigularis*
Fairly common at Afluentes and Aguas Verdes
- Ashy-throated Bush-Tanager** *Chlorospingus canigularis*
5 at Aguas Verdes 2.9
- Gray-hooded Bush-Tanager** *Cnemoscopus rubrirostris*
4 at Abra Patricia 29.8
- Northern Black-capped Hemispingus** *Hemispingus atropileus*
1 at Abra Barro Negro 21.8
- White-bellied Hemispingus** *Hemispingus (superciliaris) leucogaster*
1 at Abra Barro Negro 21.8
- Oleaginous Hemispingus** *Hemispingus frontalis*
1 at Abra Patricia 1.9
- Black-eared Hemispingus** *Hemispingus melanotis*
2 at Abra Patricia 29.8
- Drab Hemispingus** *Hemispingus xanthophthalmus*
2 at Abra Barro Negro 21.8 and 2 the next day
- Rufous-chested Tanager** *Thlypopsis ornata*
1 at Abra Patricia 29.8
- Buff-bellied Tanager** *Thlypopsis inornata*
4 at Hacienda Limon 21.8
- Yellow-backed Tanager** *Hemithraupis flavicollis*
5 seen at Nuevo Salem 25-26.8, 1 between Imacita and Bagua Chica 27.8
- Olive Tanager** *Chlorothraupis carmioli*
2 at the Yurimaguas road 5.9
- Flame-crested Tanager** *Tachyphonus cristatus*
1 seen at Nuevo Salem 25.8
- Yellow-crested Tanager** *Tachyphonus rufiventer*
Fairly common at Aguas Verdes
- Fulvous-crested Tanager** *Tachyphonus surinamus*
Fairly common at Nuevo Salem and along the road
- White-lined Tanager** *Tachyphonus rufus*



1 female between Leimebamba and Pedro Ruiz 22.8, 1 between Bagua Chica and Imacita 24.8, 2 at Afluentes 30.8 and 2.9, 5 at Yacumama 3.9, 5 at Morro de Calzada 4.9

Highland Hepatic Tanager *Piranga lutea*

1 at Quebrada Limon 16.8, 1 female at Limon de Porcuya 17.8, 2 at Hacienda Limon 21.8 and 1 female on the Yurimaguas road 5.9

White-winged Tanager *Piranga leucoptera*

4 at Afluentes 31.8

Vermilion Tanager *Calochaetes coccineus*

3 at Abra Patricia 30.8 and 1 there 1.9, 4 at Afluentes 31.8

Masked Crimson Tanager *Ramphocelus nigrogularis*

Singles seen at Nuevo Salem and along the road

Huallaga Tanager *Ramphocelus melanogaster*

Fairly common at Afluentes and Aguas Verdes. Common around Rioja and Tarapoto

Silver-beaked Tanager *Ramphocelus carbo*

Common Bagua Chica-Imacita-Nuevo Salem and at the Yurimaguas road

Blue-gray Tanager *Thraupis episcopus*

Singles to fairly common at most places

Blue-capped Tanager *Thraupis cyanocephala*

2 at Abra Barro Negro 22.8, 2 at Pomacochas 28.8, 10 at Abra Patricia 29.8 and 2 there 1.9

Blue-and-yellow Tanager *Thraupis bonariensis*

2 between Cajamarca and Celendin 20.8, 1 at hacienda Limon 21.8, 1 in the Utcubamba valley 22.8, 3 in the upper Santa Eulalia valley 6-7.9

Palm Tanager *Thraupis palmarum*

1 at Jaen 23.8, singles at Afluentes and common around Rioja and Tarapoto

Hooded Mountain-Tanager *Buthraupis montana*

1 at Abra Barro Negro 22.8, 2 at Abra Patricia 1.9

Scarlet-bellied Mountain-Tanager *Anisognathus igniventris*

3 at Abra Barro Negro 22.8

Blue-winged Mountain-Tanager *Anisognathus somptuosus*

3 at Abra Patricia 30.8 and 1 there 1.9

Yellow-throated Tanager *Iridosornis analis*

4 at Abra Patricia 30.8 and 5 there 1.9

Yellow-scarfed Tanager *Iridosornis reinhardti*

2 at Abra Patricia 1.9

Purple-throated Euphonia *Euphonia chlorotica*

25 around Jaen and Tamborapa 23.8

Thick-billed Euphonia *Euphonia laniirostris*

2 at Nuevo Salem 25.8, 2 near Naranjos 2.9, 1 at Morro de Calzada 4.9, 1 on the Yurimaguas road 5.9

Bronze-green Euphonia *Euphonia mesochrysa*

About 10 in the Aguas Verdes area 1-2.9

White-lored Euphonia *Euphonia chrysopasta*

1 at Nuevo Salem 25.8

White-vented Euphonia *Euphonia minuta*

1 male between Bagua Chica and Imacita 24.8, 1 pair at Nuevo Salem 27.8

Orange-bellied Euphonia *Euphonia xanthogaster*

Fairly common in most places in the east

Rufous-bellied Euphonia *Euphonia rufiventris*

Singles daily at Nuevo Salem 25-27.8

Blue-naped Chlorophonia *Chlorophonia cyanea*

2 at Abra Patricia 1.9

Orange-eared Tanager *Chlorochrysa calliparaea*

Fairly common at Afluentes/Aguas Verdes

Turquoise Tanager *Tangara mexicana*

1 between Bagua Chica and Imacita 24.8, 1 at Nuevo Salem 25.8, 2 at Yacumama 3.9

Paradise Tanager *Tangara chilensis*

Common at Nuevo Salem and along the road, also common at Afluentes/Aguas Verdes

Green-and-gold Tanager *Tangara schrankii*

As for Paradise Tanager

Golden Tanager *Tangara arthus*

Fairly common at Afluentes/Aguas Verdes

Golden-eared Tanager *Tangara chrysotis*

10 daily at Afluentes

Saffron-crowned Tanager *Tangara xanthocephala*

Fairly common at Abra Patricia with singles at Afluentes

Flame-faced Tanager *Tangara parzudakii*

As for Saffron-crowned



Flame-faced Tanager at Abra Patricia

Yellow-bellied Tanager *Tangara xanthogastra*

Fairly common along the road between Bagua Chica and Imacita, 5 at Nuevo Salem 25.8, 2 at Aguas Verdes 2.9, 4 on the Yurimaguas road 5.9

Spotted Tanager *Tangara punctata*

Fairly common at Afluentes/Aguas Verdes

Bay-headed Tanager *Tangara gyrola*

Singles at Nuevo Salem, fairly common at Afluentes/Aguas Verdes

Burnished-buff Tanager *Tangara cayana*

2 at Yacumama 3.9

Golden-naped Tanager *Tangara ruficervix*

1 at Abra Patricia 1.9

Metallic-green Tanager *Tangara labradorides*

Singles at Abra Patricia and Afluentes

Blue-necked Tanager *Tangara cyanicollis*

Singles to fairly common in secondary habitat in the east

Masked Tanager *Tangara nigrocincta*

10 between Bagua Chica and Imacita 24.8, 3 at Nuevo Salem 25.8, 2 on the Yurimaguas road 5.9

Beryl-spangled Tanager *Tangara nigroviridis*

Fairly common at Abra Patricia

Blue-and-black Tanager *Tangara vassorii*

1 at Abra Patricia 30.8

Silver-backed Tanager *Tangara viridicollis*

Common at Pomacochas and Abra Patricia

Opal-rumped Tanager *Tangara velia*

2 between Bagua Chica and Imacita 24.8, 2 at Nuevo Salem 25.8

Opal-crowned Tanager *Tangara callophrys*

Fairly common at Nuevo Salem 25-27.8

Golden-collared Honeycreeper *Iridophanes pulcherrima*

3 at Abra Patricia 30.8 and 1 there 1.9

Black-faced Dacnis *Dacnis lineata*

Fairly common at Nuevo Salem and along the road. Singles at Afluentes/Aguas Verdes and Yurimaguas road

Yellow-bellied Dacnis *Dacnis flaviventer*

Singles daily at Nuevo Salem and along the road.



Blue Dacnis *Dacnis cayana*

Fairly common in forest in the east

Green Honeycreeper *Chlorophanes spiza*

As for Blue Dacnis

Short-billed Honeycreeper *Cyanerpes nitidus*

5 at Nuevo Salem 25.8

Purple Honeycreeper *Cyanerpes caeruleus*

Common at Nuevo Salem with singles at Afluentes and Yurimaguas road

Swallow-Tanager *Tersina viridis*

6 at Nuevo Salem 26.8, 5 at Morro de Calzada 4.9, 4 at the Yurimaguas road 5.9

Plush-capped Finch *Catamblyrhynchus diadema*

2 at Abra Barro Negro 22.8

Red-crested Finch *Coryphospingus cucullatus*

Fairly common around Bagua Chica and Jaen

Peruvian Sierra-Finch *Phrygilus punensis*

10 at Río Chonta 19.8, 20 between Cajamarca and Celendin 20.8, 1 in the upper Santa Eulalia valley 6.9

Mourning Sierra-Finch *Phrygilus fruticeti*

10 at Río Chonta 19.8, 5 between Cajamarca and Celendin 20.8, common in the Santa Eulalia valley 6-7.9

Plumbeous Sierra-Finch *Phrygilus unicolor*

5 between Cajamarca and Celendin 20.8, 2 at Marcopomacochas 7.9

Ash-breasted Sierra-Finch *Phrygilus plebejus*

1 at Río Chonta 19.8, 10 between Cajamarca and Celendin 20.8 and 1 at Bagua Chica 28.8

White-winged Diuca-Finch *Diuca speculifera*

2 at Marcopomacochas 7.9

Cinereous Finch *Piezorhina cinerea*

8 at Bosque Pomac 15.8

Great Inca-Finch *Incaspiza pulchra*

1 in the Santa Eulalia valley 6.9

Gray-winged Inca-Finch *Incaspiza ortizi*

1 at Hacienda Limon 21.8

Buff-bridled Inca-Finch *Incaspiza laeta*

10 between Hacienda Limon and Balsas 21.8

Little Inca-Finch *Incaspiza watkinsi*

4 including at least one juv near Bagua Chica 28.8

Rufous-breasted Warbling-Finch *Poospiza rubecula*

1 male in the Santa Eulalia valley 6.9

Collared Warbling-Finch *Poospiza hispaniolensis*

4 at Quebrada Limon 16.8, 3 at Limon de Porcuya 17.8, 5 at Chaparrí 18.8, 1 in the Santa Eulalia valley 6.9

Blue-black Grassquit *Volatinia jacarina*

3 at Limon de Porcuya 17.8, 5 at hacienda Limon 21.8, 5 near Bagua Chica 28.8

Lined Seedeater *Sporophila lineola*

1 near Bagua Chica 28.8

Black-and-white Seedeater *Sporophila luctuosa*

5 at Nuevo Salem 26.8, 4 near Bagua Chica 27.8

Yellow-bellied Seedeater *Sporophila nigricollis*

20 near Bagua Chica 28.8

Drab Seedeater *Sporophila simplex*

10 near Bagua Chica 28.8, 1 at Morro de Calzada 4.9

Parrot-billed Seedeater *Sporophila peruviana*

3 south of Olmos 15.8, 25 at Chaparrí 18.8, 2 near Jaen 23.8

Chestnut-bellied Seedeater *Sporophila castaneiventris*

2 at Yacumama 3.9, 2 at Morro de Calzada 4.9

Chestnut-throated Seedeater *Sporophila telasco*

10 near Bagua Chica 28.8

Chestnut-bellied Seed-Finch *Oryzoborus angolensis*

1 between Bagua Chica and Imacita 24.8, 3 at Posic 3.9



Female and male Parrot-billed Seedeaters at Chaparrí

Band-tailed Seedeater *Catamenia analis*

Common in the higlands around Cajamarca/Celendin and in the Santa Eulalia valley

Plain-colored Seedeater *Catamenia inornata*

5 between Cajamarca adn Celendin 20.8, 10 at Marcopomacochas 7.9

Dull-colored Grassquit *Tiaris obscura*

10 at Hacienda Limon 21.8, 5 near Bagua Chica 28.8

Rusty Flowerpiercer *Diglossa sittoides*

4 at Limon de Porcuya 17.8

White-sided Flowerpiercer *Diglossa albilatera*

2 at Abra Barro Negro 22.8

Black-throated Flowerpiercer *Diglossa brunneiventris*

10 at Río Chonta 19.8, 10 between Cajamarca and Celendin 20.8, 2 at Abra Barro Negro 22.8

Deep-blue Flowerpiercer *Diglossa glauca*

3 at Abra Patricia 29-31.8

Bluish Flowerpiercer *Diglossa caerulescens*

1 at Pomacochas 28.8

Masked Flowerpiercer *Diglossa cyanea*

3 at Abra Barro Negro 22.8, 10 at Abra Particia 29.8

Saffron Finch *Sicalis flaveola*

Common in the dry west and around Bagua Chica

Bright-rumped Yellow-Finch *Sicalis uropygialis*

20 between Cajamarca and Celendin 20.8, 10 at Marcopomacochas 7.9

Sulphur-throated Finch *Sicalis taczanowskii*

50 at Chaparrí 18.8

Red-capped Cardinal *Paroaria gularis*

1 at Yacumama 3.9

Cloud-forest Brush-Finch *Atlapetes latinuchus*

10 at Cruz Conga 20.8 race *baroni*, 5 at Abra Barro Negro 21.8, Common at Abra Patricia race *latinuchus*

Rufous-eared Brush-Finch *Atlapetes rufigenis*

1 between Cajamarca and Celendin 20.8

Bay-crowned Brush-Finch *Atlapetes seebohmi*

3 at Limon de Porcuya 17.8

Rusty-bellied Brush-Finch *Atlapetes nationi*

Common in the Santa Eulalia valley 6-7.9

White-winged Brush-Finch *Atlapetes leucopterus*

25 at Limon de Porcuya 17.8

White-headed Brush-Finch *Atlapetes albiceps*

15 at Quebrada Limon 16.8, 5 at Chaparrí 18.8

Orange-billed Sparrow *Arremon aurantirostris*

1 heard between Bagua Chica and Imacita 24.8 and 1 heard at Aguas Verdes 2.9

Black-capped Sparrow *Arremon abeillei*

1 at Quebrada Limon 16.8 race *abeillei*, 5 at Jaen 23.8 race *nigriceps*.

Tumbes Sparrow *Aimophila stolzmanni*

5 south of Olmos 15.8, 10 at chaparrí 18.8

Yellow-browed Sparrow *Ammodramus aurifrons*

Fairly common in clearings in the east

Rufous-collared Sparrow *Zonotrichia capensis*

Seen on many occasions

Streaked Saltator *Saltator striatipectus*

5 at Bosque Pomac 15.8 race *flavidicollis*, common in the Marañon drainage race *peruvianus*

Buff-throated Saltator *Saltator maximus*

5 between Bagua Chica and Imacita 24.8, 1 at Nuevo Salem 26.8, Fairly common from Afluentes and east.

Slate-colored Grosbeak *Saltator grossus*

1 at Juan Guerra 4.9, 2 on the Yurimaguas road 5.9

Black-cowled Saltator *Saltator nigriceps*

2 at Limon de Porcuya 17.8

Golden-bellied Grosbeak *Pheucticus chrysogaster*

Fairly common in the west and around Bagua Chica

Peruvian Meadowlark *Sturnella bellicosa*

Fairly common in the northern highlands and around Bagua Chica

Scrub Blackbird *Dives warszewiczi*

Fairly common in the west, 10 in the Santa Eulalia valley 6.9

Giant Cowbird *Molothrus oryzivora*

6 between Bagua Chica 24.8, 1 at Afluentes 31.8, 2 at Naranjos 2.9, 4 at Yacumama 3.9

Moriche Oriole *Icterus chryscephalus*

3+2 seen at Nuevo Salem 25-26.8

Yellow-tailed Oriole *Icterus mesomelas*

3 near Bagua Chica 28.8

White-edged Oriole *Icterus graceannae*

5 at bosque Pomac 15.8, 5 at Quebrada Limon 16.8, 10 at Chaparrí 18.8

Orange-backed Troupial *Icterus croconotus*

2 at Yacumama 3.9

Yellow-rumped Cacique *Cacicus cela*

Common in the lowland forest

Casqued Oropendola *Psarocolius oseryi*

1 at Nuevo Salem 27.8

Crested Oropendola *Psarocolius decumanus*

25 between Bagua Chica and Imacita 24.8, 1 at Nuevo Salem 25.8, 3 at Aguas Verdes 30.8, 25 near Naranjos 2.9, 5 at Yacumama 3.9

Green Oropendola *Psarocolius viridis*

2 at Nuevo Salem 25.8

Russet-backed Oropendola *Psarocolius angustifrons*

10 between Bagua Chica and Imacita 24.8, common at Afluentes/Aguas Verdes

Oriole Blackbird *Gymnomystax mexicanus*

2 seen at Tarapoto airport 5.9



Tumbes Sparrow at Chaparrí

Postscript

The total triplist ended at 625 species including 44 Peruvian endemics.