

KAMERUN

+ ETIOPIEN TVÅ DAGAR

16 JANUARI-8 FEBRUARI 2009

DELTAGARE

Eric Renman, Vallentuna
Seppo Haavisto, Vallentuna
Stig Holmstedt, Gysinge
Lars Högström, Mörbylånga
Lars Imby, Stockholm
Ulf Karlsson, Stockholm
Anders Lundqvist, Mörbylånga
Erik Nordberg, Lekhult
Sören Strandberg, Stockholm
Staffan Åkeby, Höör

Reseledare och ansvarig för artlistorna

Initiativtagare och dagboksförfattare

Initiativtagare

RESEPROGRAM

Fre	16/1	Avresa Arlanda (ET703) kl. 2100
Lö	17/1	Ankomst Addis kl. 0750, avresa mot Douala kl. 0900 (ET905), ankomst Douala kl. 1130. Kortare utflykt i Douala.
Sö	18/1	Kortare utflykt i Douala. Flyg Douala – Maroua. Övernattning på Campement Waza
Må	19/1	P.N. Waza
Ti	20/1	Mora-området
Ons	21/1	Waza – Mora – Garoua – P.N. Benoué
To	22/1	P.N. Benoué
Fre	23/1	Benoué – Ranch de Ngaoundaba (Plateau de Adamaoua)
Lö	24/1	Ngaoundaba
Sö	25/1	Ngaoundaba – Ngaouderé
Må	26/1	Rivière Benoue. Flyg Ngaouderé – Doula
Ti	27/1	Douala – Finfoot-lokalen – Kumba – Mundemba
Ons	28/1	Mundemba – Korup N.P: Rengo Rock Camp
To	29/1	Korup: Rengo Rock Camp
Fre	30/1	Korup – Mundemba
Lö	31/1	Mundemba – Kumba – Mt Kupé N.P., övernattning i Nyasoso
Sö	1/2	Mt Kupe: Max's Trail
Må	2/2	Mt Kupe: Utflykt till Bakossi Mountains
Ti	3/2	Mt Kupe: Nature Trail på fm., Max's Trail på em.
Ons	4/2	Mt Kupe – Limbe Botanical Gardens, övernattning på Atlantic Beach Hotel
To	5/2	Limbe – Mt Cameroun – Douala
Fre	6/2	Douala – Rivière Sanaga – Douala. Avresa från Douala kl. 1415 (ET914)
Fre	6/2	Ankomst Addis Bole Airport 21.05. Övernattning på Hotel Lalibela.
Lö	7/2	Addis – Debre Zeyt- Lake Ziwai - Lake Langano, Bishangari Lodge
Sö	8/2	Lake Langano – Addis Bole Airport
Må	9/2	Avresa från Addis kl 0050. Ankomst till Arlanda kl. 0900 (ET702)

DAGBOK

Fr-lö 16-17/1 Arlanda – Addis - Doula

Efter en lång flygresa med Ethiopian Airlines med mellanlandning i Rom och byte av plan i Addis Abeba kom vi till ett ångande varmt Douala mitt på dagen den 17 januari. Här möttes vi av Dr Marc Nkwenti, chef för Camtours, det företag vi anlitat för att arrangera vår resa i Kamerun. Efter en lång väntan på bagaget (men allt var med!) och ett gatlopp mellan ett större antal hugade, synnerligen påträngande bärare lyckades vi så småningom ta oss ut från den sunkiga flygterminalen. Efter inchecking på Hotel Vallé des Princes körde doktorn med medhjälpare ned oss till ett strandområde nära stadens hamn där vi tillbringade några givande eftermiddagstimmar. Området hyste en del bostadskjul, men strandkanten dominerades av mangrove med utanförliggande gyttjebankar som nu var frilagda p. g. a. ebb. Innanför var det blandad busk- och kulturmark. Fågellivet var förvånansvärt rikt och gav en god introduktion till vad som senare komma skulle. På gyttjebankarna fanns det bl.a. *Hamerkop* och fem arter hägrar, bl.a. några *Western Reef Herons* av vit fas. Långt ute över vattnet flög ett större antal stora tärnor som måste ha varit *Royal Terns*. Och på landbacken fanns gott om *Red-eyed* och *Blue Spotted Wood-Doves*, en *Diedric Cuckoo*, tre *Woodland Kingfishers*, två *Little Bee-Eaters*, fyra arter svalor, ett par *White-cheeked Prinias*, ca tio *Common Wattle-Eyes* samt inte färre än fem arter sunbirds – *Carmelite*, *Green-headed*, *Reichenbach's*, *Mangrove* och *Olive-bellied*. De många nya intrycken och hettan i förening gjorde att vi var rätt möra när vi i skymningen avslutade skådandet och for tillbaka till hotellet, där vi möttes av en god buffémiddag samt de första av de många ölen som skulle komma att avnjutas på resan...

Sö 18/1 Douala – Maroua - Waza

Eftersom planet till Maroua i norr inte skulle avgå förrän efter lunch gjorde vi på morgonen en ny tur ned till samma område som vi besökt dagen innan. Och som alltid i Afrika så fanns här en rad nya fåglar att se. Roligast var kanske en *African Crake* som gick nästan helt öppet i en gles majsodling (?). Nya resarter var också tre *Blue-headed Coucals*, fyra *Malachite* och en *Blue-breasted Kingfisher*, summa 12 överflygande *Grey Parrots* (som jag missade i Entebbe, Uganda år 1968...), *Yellow Wagtails*, två *Velvet-mantled Drongos*, en *African* och en *Rufous-vented Paradise Flycatcher* samt ett par *Black-necked Weavers*.

Vi åt lunch på en restaurang på flygplatsen – vi var de enda gästerna här och det var vi f.ö. nästan på själva flygplatsen också. Make till öde plats har sällan skådats. Endast fyra plan fanns på plattan och efter en god stund med många frågor utan svar insåg vi att det flyg vi skulle ta stod det ”Trans Air Congo” på – det var alltså ett inhyrt plan. Det där med Congo lät inte alls förtroendeingivande, men planet både startade och landade bra och tillika nästan i tid. Tyvärr mellanlandade vi dock i Yaoundé så vi kom betydligt senare än vi hade hoppats på till Maroua. Medan vi väntade på bagaget tittade vi på *Heuglin's Wheatear*, *Red-Pate Cisticola*, *Grey-backed Fiscal*, *Chestnut-bellied Starling*, *Green-winged Pytilia* samt en *Booted Eagle* på och kring flygplatsen. När bagaget lyckligen inhöstats möttes vi av guiden Victor samt två bilar med varsin förare. Fordonen var en fyrhjulsdreven jeep samt en minibuss, båda rätt slitna, men de fungerade alldeles utmärkt hela tiden, trots de bitvis ganska dåliga vägarna. Den glade, trevlige och ganska högljudde Victor var inte ornitolog, men han kunde alla stake-outs efter att ha varit med på bl.a. ett antal Birdquestresor och var därmed ändå till stor nytta.

Det första stake-outet var ett berg där vi ganska omgående spelade fram två *Stone Partridges*. Här såg vi också en *Bruce's Green Pigeon*, två *Familiar Chats* samt två *Cinnamon-breasted*

Rock Buntings. Övriga fåglar längs vägen var bl.a. tre *White-backed Vultures*, fem *Dark Chanting Goshawks*, en *Long-legged Buzzard* (sällsynt i Kamerun) samt vår första *Abyssinian Roller*. När det blev mörkt såg passagerarna i minibussen, som åkte först, en överflygande *Greyish Eagle Owl* och en dito *Plain Nightjar* samt några små nätta *Pale Foxes*. Vårt hotell, Campement du Waza, låg mycket fint, skulle det visa sig nästa morgon, uppe på en klippa, men lodgen var uppenbarligen från början av 1960-talet då man antagligen gjorde en satsning på en turism som aldrig riktigt uppstod – de stora östafrikanska parkerna innebar nog en övermäktig konkurrens. Följaktligen hade stället knappast underhållits och var nu rätt slitet. Inte heller maten var någon höjdark, om än fullt ätbar utan komplikationer för magens del. Och ölet var kallt och gott. Här såg vi i alla fall några av de högst tjugotal vita människorna under hela vår resa i Kamerun.

På kvällen underhölls vi av flera *tornugglor* som huserade runt våra bungalows.

Må 19/1 Parc National Waza

En lång förmiddagstur och en kortare kvällstur ägnades Parc National de Waza, enligt uppgift det kanske fågelrikaste området i Sahelbältet och därtill en av Västafrikas få riktigt bra nationalparker vad större däggdjur beträffar. Och vi blev inte besvikna. Så noterade vi exempelvis inte färre än 22 arter rovfåglar – bl.a. ca 15 ex av mångas drömmart, *African Swallow-tailed Kite*. Vidare tre *Short-toed/Beaudoin's Snake Eagles*, fem *Brown Snake Eagles*, fem *Bateleurs*, en *Lesser Spotted Eagle*, ca fem *Tawny Eagles*, ca fem *Long-crested Hawk-Eagles*, 2-3 *Martial Eagles*, en *Lanner* och 10-15 *Grasshopper Buzzards*. Eftersom det finns storvilt i området finns det också gamar – vi såg en *Egyptian*, två *Hooded*, fyra *Lappet-faced*, två *Rüppell's* och ca. tio *White-backed Vultures*. Även storklistan var mycket imponerande med ca. 20 *Marabou*, två *Saddle-billed*, två *Woolly-necked*, nio *Yellow-billed* samt fyra *European Spoonbills* – de senare f.ö. de enda på resan. Sex arter hägrar syntes, bl.a. minst 200 *Black-necked Herons*. Andra arter som förekom i stora mängder var *Helmeted Guineafowl*, *Clapperton's Francolin*, *Black Crowned- Crane* (över 200 ex!), *Abyssinian Roller*, *African Grey* och *Western Northern Red-billed Hornbill* samt *Red-billed Queleas*, *Cut-throats*, *African Silverbills* och *Red-cheeked Cordon-bleaus* i flockar vid vattenhålerna. Annat trevligt var en *Ostrich*, sju arter duvor, en *Rose-ringed Parakeet*, ca tio *Red-billed Wood-Hoopoes*, två *Little Green Bee-eaters*, två *Viellot's Barbets* samt två *River Prinias*, de senaste nästan endemiska.

Tyvärr såg vi inget av de ca 40 lejon och 900 elefanter som skall finnas i parken utan fick av däggdjur nöja oss med totalt ca 50 *Patas Monkeys*, minst 30 *Roan* och tre *Kob Antelopes*, två *Bohor Redbucks*, en *Thomson's Gazelle*, ca 100 *Topis* och 20 *Giraffes*. Bland mindre däggdjur märktes ca fem *Striped Ground Squirrels* och en familjegrupp om 12-15 *Banded Mongoose*.

På eftermiddagen gick färden till ett stake-out för *Yellow-crowned Gonolek* några mil söder om Waza. De mycket vackra fåglarna hittades relativt lätt och på köpet sågs i samma område även två *Fine-spotted Woodpeckers*.

En kvällstur i Waza gav bl.a. en *White-bellied Korhaan* samt några fina observationer av en grupp *giraffer* med vidhängande ca. 20 *Yellow-billed Oxpeckers*.

Ti 20/ 1 Waza – Mora –Waza

Tidig uppstigning (som vanligt skulle det visa sig), denna gång för att ge oss av söderut till de stäppartade markerna norr om Mora (men söder om Mångsbodarna...) för att leta *Quail Plover*. Och nu var det återigen tur att Victor var med – fåglarna fanns tydligen inte alls lite här och var i landskapet utan vi fick vandra några kilometer till ett område med halvhöga grästussar där vi startade med skallgång. Nu dröjde det dock inte så länge förrän en sparvstor fågel med stora vita fjärilsvingar fladdrade iväg lågt över marken för att landa ett tjugotal meter längre bort. Jubel

utbröt... Så småningom såg vi minst två individer och kunde studera och – i förekommande fall – fotografera en fågel på nära håll på marken. Efter detta kunde vi spanna av och ströva runt i markerna för att titta på allt övrigt som fanns här. *Four-banded Sandgrouse*, *White-headed Barbet*, *Singing Bush-lark*, *Crested Lark*, *Rufous Bush-Chat*, *Black Scrub Robin*, *Desert Cisticola*, *Southern Grey Shrike*, *Black-crowned Tschagra*, *Chestnut-crowned Sparrow-Weaver* och *Speckled-fronted Weaver* kunde adderas till reslistan. Ca. 20 *African Swallow-tailed Kites* och två *White-bellied Korhaans* blev favoriter i repris. På tillbakavägen stannade vi vid ett inselberg och såg *Red-necked Falcon*, *Lanner*, *Rock-loving Cisticola* samt *Orange-cheeked* och *Black-rumped Waxbill*. Längs vägen närmare Waza syntes ett trettiotal utomordenligt vackra *Carmine Bee-eaters* samt några bisarrt långstjärtade *Sahel Paradise-Whydahs*.

I den fyrtiogradiga hettan mitt på dagen spanade vi från lodgen kring lunchtid. Ute på stäppen i väster gick 200 + *Black Crowned Cranes* och i luften passerade två *Wahlberg's Eagles* och en *Lanner*. På nära håll underhöll bl.a. *Pygmy Sunbird* och *Bush Petronia*.

På eftermiddagen besöktes områdena med omväxlande skog och öppen mark nära infarten till nationalparken. Här syntes först och främst två *Fox Kestrels* – en viktig målart – vid den höga klippan invid infarten samt minst tre par *Northern Anteater Chats* i ett öppet område.

En eftermiddags- och kvällstur till några områden med smärre dammar i söder blev också mycket givande med tre *Open-billed*, två *Woolly-necked*, en *Abdim's* och en *Yellow-billed Stork* samt en *Black-crowned Night-Heron*, ca tio *Spur-winged Geese*, fyra *Four-banded Sandgrouses*, tre *Painted Snipes* samt fem *Sennar Pendulin-Tits*. En surrande *Long-tailed Nightjar* hördes, mycket lik vår nattskärra.

On 21/1 Waza – Benoué

Dagen upptogs i huvudsak av en ca 55 mil lång landsvägsfärd mellan Waza och Benoué nationalparker, men vi hann i alla fall med några skådarstopp. Vi började med en timmes letande efter Cricket Warbler i den tillsynes lämpliga terrängen nära vägen mittemot Quail Plover-stället. Vi såg dock tyvärr inga – antingen hade vi tagit fel på biotopen eller också var fåglarna inte på plats i området. Nästa stopp, vid en stor klippa, blev dock lyckosammare med minst fem *White-crowned Cliff-Chats*, två *Lavender Waxbills* samt fem *Pale Crag Martins*.

Det var ganska händelsefattigt längs vår resväg, men en av resans mycket få *Rufous-crowned Rollers* skymtade. Vid Rivière Benoué utanför staden Garoua såg vi vår första *Egyptian Plover*, en mycket efterlängtd art för de flesta. Här fanns även bl.a. två *Senegal Thick-knees* samt tre *Pied Kingfishers* och en sjungande *Winding Cisticola*.

Vi kom fram till infarten till nationalparken det började skymma och såg här ett antal *Western Grey Plantain-eaters* och en bit in i parken dessutom fem *Stone Partridges* längs vägen.

Det tog nästan en timme att på en synnerligen diminutiv väg och i totalt mörker köra till Camp de Bufflé Noir. Vid vår ankomst var stället helt mörkt, men snart tändes några svaga lyktor och tillskyndande personal hjälpte oss med väskorna till våra bungalows. Liksom i Waza hade de sett bättre tider – de hade bl.a. stora kaklade badrum, men dessvärre inget rinnande vatten så personalen hade ställt in några stora hinkar istället... Elen fungerade bara någon timme, men maten var faktiskt riktigt bra.

En *African Scops Owl* spelade taktfast från skogen.

To 22/1 Parc National Benoué

Vi inledde med en morgonvandring från lodgen ner mot Rivière Benoué. Det skulle visa sig bli en av resans bästa turer med mycket gott om fin fågel. I skogen dröjde det inte länge förän vi hittat fyra av målarterna, *Violet Turaco*, *Adamawa Turtle-Dove*, *Spotted Creeper* och *Black-headed Gonolek* och här fanns också *Bearded Barbet*, *Grey* och *Brown-backed Woodpecker*,

White-shouldered Black Tit, Northern Black, Pied och *African Blue Flycatcher, Northern Puff-back Shrike, Tropical Boubou, Sulphur-breasted Bush-Shrike, White Helmet-Shrike, Forest White-eye, Heuglin's Masked Weaver* samt *Scarlet-chested, Western Violet-backed, Collared* och *Beautiful Sunbird*.

Nere vid floden fick vi superba obsar på *Egyptian Plover, Senegal Thick-knee, White-crested Turaco, Giant Kingfisher* och *Saddle-billed Stork* och här fanns också *Hadeda Ibis, Three-banded Plover, Broad-billed Roller* samt en sjungande *Dorst's Cisticola*, en relativt nyligen upptäckt endem.

Tillbaka vid lodgen tittade vi på åtskilliga *Red-throated Bee-eaters*, två *Fine-spotted Woodpeckers*, två par *Familiar Chats* samt några *West African Seed-eaters*. Två *White-backed Vultures* och en *African Fish-Eagle* flög över.

På eftermiddagen for vi några kilometer bort till en lokal för *White-throated Francolin* som vi också så småningom fick se mycket fint. Efter detta fortsatte vi till Hippo Pool vid floden. Den täta Guineasavannen var inte särskilt lättskådad, men vi såg en hel del däggdjur i alla fall denna och påföljande dag – 5-6 *Abyssinian Black-and-white Colubus*, ett 30-tal *Olive Baboons*, sex *Green Monkeys*, ca 15 *Bushbucks*, sex *Bush Duikers*, åtta *Red-flanked Duikers*, sex *Oribis*, uppemot 100 *Kob Antelopes*, fem *Waterbucks* samt en *Topi*. Vid Hippo Pool fanns det verkligen gott om *Hippos* – minst 22 ex, varav några riktigt stora exemplar. Minst tre *Nile Crocodiles* sågs här också och av fåglar bl.a. ytterligare tre *Egyptian Plovers*, några par *White-headed Lapwings*, tre *African Pied Wagtails* samt en *Grey-headed Oliveback*.

Sent på eftermiddagen tog många ett synnerligen uppfriskande dopp i floden nedanför lodgen – den rann här fram mellan höga klippor, men botten bestod av sand.

Fr 23/1 Benoué – Ngaoundéré – Ranch de Ngaoundaba

Vi beslöt att på morgonen sakta skåda längs vägen ut ur Benoué och det blev också en mycket givande etapp. Det kanske allra roligaste var två fantastiskt vackra *Blue-bellied Rollers*. I övrigt hittade vi *Western Banded Snake-Eagle, Ovampo Sparrow-Hawk, Shikra, Lizard Buzzard, Striped Kingfisher, Grey-rumped Swallow, Tree Pipit, African Golden Oriole, White-crowned Robin-Chat, Heuglin's Wheatear, African Moustached Grass Warbler, Yellow-bellied Hyliota, Pale Flycatcher, Bar-breasted Firefinch* och *Cabani's Bunting*.

Vid parkentrén såg några en *Splendid Glossy Starling* och längs vägen vidare söderut bl.a. totalt ca 25 *Piapiacs*.

Vi gjorde ett stopp vid Dang Lake som brukar vara givande enligt många rapporter – det är ju f.ö. oerhört ont om sjöar och våtmarker i norra Kamerun. *Yellow-billed Duck* har en märkligt isolerad förekomst här – den finns annars närmast i Etiopien och Angola! – och vi såg också 10-15 ex. av denna, i och för sig måttligt upphetsande anka. I sjön fanns också ca tio *Little Grebes*, 20 *Long-tailed Cormorants*, tre *Purple Herons*, 15 *White-faced Whistling-Ducks*, en *Knob-billed Duck*, fem *Garganeys*, en *Purple Swamphen*, ca 30 *African Jacanas*, två *Whinchats* och ett tiotal *Marsh Widows*.

Vi åt lunch i staden Ngaoundéré och anlände rätt sent på eftermiddagen till Ngaoundaba Ranch där vi skulle tillbringa två nätter. Ranchen är tydligen en gammal jaktlodge och om detta skvallrade en massa åldrande troféer i matsalen där det f.ö serverades mycket god mat, bl.a. helstekt killing en av kvällarna.

Den sena tiden på dagen gav inte så mycket tid för skådande och vi koncentrerade oss därför på en kortare vandring till kratersjön nedanför lodgen. Eftermiddagsaktiviteten var tämligen hög och vi noterade bl.a. som resnya *Ross's Turaco, Double-toothed Barbet, Black-capped Babbler, Baglafaecht's Weaver* samt *Dybowski's och Brown Twinspot*. De två senare arterna sågs dock endast av en person vardera. Insträcket av vita hägrar, *Sacred Ibis* samt *Lesser Blue-eared Starlings* för övernattnig i träden runt sjön var synnerligen imponerande.

Lö 24/1 Ranch de Ngaoundaba

En heldag på Ngaoundaba Ranch med många fina arter. Redan tidigt på morgonen upptäcktes några *White-collared Starlings* bland alla *Lesser Blue-eared Starlings* som sträckte ut från sina övernattningsplatser vid sjön. Vid ranchen sågs även bl.a. *Red-headed Lovebirds*, *Northern Double-collared Sunbirds* samt en *Rufous-breasted Wryneck*. Efter frukost började vi med att gå ner och titta efter de *Brown Twinspots* som setts igår i ett tätt snår ett stycke nedanför ranchen. De mycket läckra fåglarna var som tur var kvar vilket tyvärr inte gällde deras släkting Dybowskis Twinspot som setts lite längre bort längs stranden föregående dag.

Längre fram på morgonen följde vi vägen mot nordost från lodgen och vek sedan in i terrängen åt vänster (norr?) mot en ravin med galleriskog. I själva skogen jobbade vi hårt och belönades efter hand med arter som *Bamenda Apalis* (heter så för att den inte finns i Bamenda Hills...), *Grey-winged Robin-Chat*, *Oriole Warbler* samt – finast av allt – till slut mycket bra observationer av minst två hannar av *White-spotted Flufftail*. I omgivningarna syntes också *African Green Pigeon*, *Amethyst Starling*, *Red-headed Weaver*, *Exclamatory Paradise Whydah* samt en del rovfåglar – en *Great Sparrow-Hawk*, två *Honey Buzzards*, två *Red-necked Buzzards* samt en *Wahlberg's Eagle*.

En eftermiddagsutflykt med bilarna längs vägen mot en våtmark blev rätt misslyckad eftersom våtmarken var tämligen torr. På tillbakavägen noterades en *Woodchat Shrike*.

Kvällsturer i mindre grupper nere vid sjön gav bl.a. *Red-necked Falcon*, *African Hobby*, *Blue-breasted Kingfisher*, ytterligare *White-collared Starlings* samt en *Red-tailed Leaf-love*. Det märkliga bastubelätet från en *Abyssinian Ground Hornbill* hördes på avstånd.

Sö 25/1 Ranch de Ngaoundaba - Garoua

Vi började morgonen med att exkurera i området med omväxlande öppna marker och galleriskog öster om lodgen. *Yellowbill*, *Pygmy Kingfisher*, *Willcox's Honeyguide*, *Red-shouldered Cucko-Shrike* samt *Yellow-throated Leaflove* noterades. Därefter förflyttade vi oss ned till sjökanten väster om lodgen. Med förenade krafter hittades här *Thick-billed Honeyguide*, *Capuchin Babbler*, *Oriole Warbler* samt *Grey-headed Bush-Shrike*.

På eftermiddagen begav vi oss åter mot norr, mot staden Garoua. Vid en bro sågs fyra *African Wattled Lapwings* och vid ett mycket kort stopp invid Dang Lake en *European Turtle Dove* samt en överflygande *Yellow-throated Longclaw*.

I en liten by tittade vi i skymningen på ett träd fullt med *Gambian Epualetted Fruit-bats*.

Må 26/1 Garoua - Douala

Vi hann med en kort morgonutflykt till Rivière Benoué innan vi tog planet tillbaka till Douala. Den gav bl.a. tre *Egyptian Plovers*, fem *Senegal Thick-knees*, flera *Grassland Pipits*, en *Red-throated Pipit*, en *Zitting Cisticola*, ca. 20 *African Quailfinches*, två *Village Indigobirds* samt fem *White-rumped Seed-eaters* – den sistnämnda arten hade vi märkligt nog missat uppe vid Waza, där den skulle vara vanlig. Roligast var de små vaktelfinkarna som lekte kurragömma i ett odlingsland.

I Douala tog vi in på samma hotell, Vallé des Princes som vi nyttjat den första natten.

Ti 27/1 Douala – Kumba - Mundemba

Nu var det dags att dra ut på resans andra etapp – till låglandet och bergen i sydväst. Vi gjorde ett första stopp bara någon halvtimme från Douala – vid ett vattendrag som påstods hysa *Peter's*

Finfoot. Det stämde – efter en stunds spanande hade Seppo upptäckt ett exemplar av arten som simmade tvärs över en mindre vattenyta. Tyvärr fick dock bara halva gruppen se fågeln.

Det var en hyfsad väg ända fram till staden Kumba där vi intog lunch på ett hotell. Därefter vidtog dock en lerväg (gudskelov dock torr...) med enorma gropar och spår. Den tio mil långa återstående vägen till byn Mundemba tog därför ca fyra timmar! Vi gjorde några kortare skådarstopp som bl.a. gav *Peregrine Falcon*, *White-headed Lapwing*, *African Green Pigeon* (ca 50 ex. i en flock), *Grey Parrot*, ett par *Emerald Cuckoos*, resans första *White-throated Bee-eaters*, *African Pied* och *Piping Hornbill*, *Naked-faced Barbet*, *Chattering Cisticola*, *African Shrike-Flycatcher* samt *Grey-headed Nigrita*.

Vi tog in på ett hotell i Mundemba som hette Hotel Bosema.

On 28/1 Mundemba – Korup National Park: Rengo Rock Camp

Nu började ett av resans större äventyr. Tidigt på morgonen kördes vi fram till hängbron över Korup River och här skådade vi en stund och "hängde" bl.a. in målarten *Rock Pratincole*, ca sju ex. Därefter korsade vi floden på den ca hundra meter långa bron – ett företag som en del tyckte kändes lite otrevligt. Alla kom i alla fall över på den andra sidan och vi begav oss sedan direkt in i regnskogen i Korup National Park på en smal stig med riktning mot Rengo Rock Camp, ca. åtta kilometer bort. Korup NP är i sig själv ca 1200 kvkm, men det skyddade området är betydligt större genom anslutande reservat i både Kamerun och Nigeria. Regnskogen anses vara Afrikas äldsta med sina 60 miljoner år.

I täten för vår kolonn gick vår guide Prince Nwese Cletus som visade sig helt fenomenal på att upptäcka och bestämma fåglar med blotta ögonen – han hade inte ens någon kikare med sig! Många gånger såg vi inte eller såg med bara yttersta svårighet de fåglar han hittade – regnskogen var den mest svårskådade jag hittills upplevt med tät vegetation och mycket få gläntor. Några minnesvärda arter syntes dock bra – en fantastisk vacker hanne av *Bare-cheeked Trogon*, en *Black-headed Bee-eater*, en ad. + en pull *African Piculet*, en *Shining Drongo*, en *Western Nicator*, en *Sooty Flycatcher*, en *Red-vented Malimbe* samt två *Red-headed Antpeckers*. Inte fullt lika minnesvärda var *Fraser's Flycatcher-Thrush*, *Western Forest Robin*, *Green Hylia*, *Yellow Longbill*, *White-browed Forest Flycatcher*, *Blue-headed Crested Flycatcher* och *Fraser's Sunbird* som vi antingen såg dåligt eller som var tämligen okarismatiska. Samma gällde de sju arter *Greenbuls* som noterades.

De vanliga hornskatorna, *Pied* och *Piping* sågs då och då flyga över lövtaket, men jättarna *Black-casqued* och *Yellow-casqued* samt dvärgen *Red-billed Dwarf Hornbill* lyckades vi bara få höra, även om de ofta satt mycket nära. Listan på enbart hörda fåglar blev f.ö. mycket lång – *Great Blue*, *Yellow-billed* och *Green Turaco*, *Chocolate-backed Kingfisher*, *Red-rumped Tinkerbird*, *Yellow-spotted Barbet*, *Blue Cuckoo-Shrike*, *Western Black-headed Oriole*, *Red-tailed* och *White-tailed Ant-Thrush* samt *Fire-crested Alethe*.

Under vår väg genom skogen passerades vi flera gånger av bärare som var på väg till Rengo Rock Camp med mat och madrasser för vår räkning. Så småningom nådde vi själva fram till denna camp och kunde konstatera att den var ytterligt primitiv. En liten uthuggning i skogen med fyra skjul – två för oss, ett för kockarna och guiden samt ett som fungerade som kök. Våra sovhyddor var försedda med nät mot myggen på sidorna, men de rymde bara totalt åtta personer så två fick bo i varsitt tält, och den ena sovhyddan hade f.ö. blivit halvt demolerad av ett fallande träd. Dessutom hade vi bara fått fem madrasser så övriga fick nyttja sina liggunderlag eller ligga på bara marken i tält.

Efter att vi installerat oss och sedan några sett en *Shining-blue Kingfisher* vid den lilla bäcken nära campen var det dags för en ca 40 minuter lång vandring till Picathartes Rock. De som gick i täten hade turen att bara några hundra meter från lägret stöta på tre *Black Guinea fowls* som snabbt smög över stigen. Vid Picathartes Knoll satte vi oss i en grotta framför några gamla bon

av Grey-necked Rockfowl, men tyvärr dök inga fåglar upp, trots att vi stannade tills det blivit mörkt. Ett antal *Forest Swallows* övernattade däremot i bona. Vi gick tillbaka i pannlampssken genom den kolsvarta skogen och hörde då nära lägret en spelande *Vermiculated Fishing-Owl*. Senare på kvällen hörde några även en *Sjöstedt's Owllet*.

To 29/1 Korup National Park

Hela denna dag tillbringade vi i Korup. Huvudnumret var en vandring till Rengo Rock som gav bl.a. *Cassin's Hawk-Eagle*, *Sabine's Spinetail*, *Black Bee-eater*, *Buff-spotted Woodpecker*, *Velvet-mantled Drongo*, *Chestnut Wattle-Eye* samt en *Rufous-sided Broadbill*. Den sistnämnde hade ett synnerligen häftigt spel – gjorde snabba utflykter från en gren under utstötande av ett torrt surrande läte. Flera *Blue-headed Wood-Doves* och *White-spotted Flufftails* hördes. Vid lägret såg nu alla *Shining-blue Kingfisher* samt tre överflygande *Red-billed Dwarf Hornbills*.

Efter vandringen blev vi tipsade om ett djupare parti i den annars grunda bäcken och en av dagens bästa stunder var ett bad i denna. Man kunde faktiskt ta flera simtag här. Sedan fick vi veta att gröna mambor ofta brukade ligga och värma sig på den lilla sandbanken varifrån vi steg med i vattnet...

På kvällen gjorde vi ett nytt försök vid Picathartes Knoll, tyvärr lika framgångslöst som det förra. På ditvägen hittade vi dock en grupp om 5-6 *Red Colubus Monkeys* som också innehöll en *Red-eared Monkey*.

Knappt hade vi krupit till kojs på kvällen förrän ett långvarigt tropiskt störtregn utbröt, vilket bl.a. fick till följd att de två tälten snabbt vattenfylldes och deras invånare fick söka sin tillflykt till hyddornas golv.

Fr 30/1 Korup NP: Rengo Rock Camp - Mundemba

De riktiga entusiasterna drog iväg i mörkret en sista gång till Picathartes Knoll och nu fick några av dem åtminstone höra en fågel. Bästa art under denna utflykt blev annars en *Long-tailed Hawk* över skogen. Vi som stannade kvar i lägret såg bl.a. en *Black-and-white-casqued Hornbill*.

Lägret bröts nu och inför återvägen till hängbron hade vi att välja på att gå den närmaste vägen, ca åtta km, eller att med vår guide gå en alternativ, ca. tre kilometer längre, sträcka. Fyra personer valde det första alternativet, de övriga sex det andra.

Längs den längre sträckan noterades bl.a. en *Sjöstedt's Owllet*, sju *African Pied*, fem *Yellow-casqued*, två *Black-casqued* och åtta *Piping Hornbills*, några hörda *Pale-breasted*, *Brown* och *Black-capped Illadopsis*, en *White-throated Greenbul*, två *Red-tailed Bristle-Bills*, en *Lesser Bristle-Bill*, flera hörda *Brown-chested Alethes* samt – som dagens clou – ett par bobyggande *Rachel's Malimbés*.

Under vägen genom skogen passerade vi bl.a. ett chimpansläger, dock tyvärr utan chimpanser. Dagens dramatik inträffade när vår guide nästan trampade på en lång grön orm som ringlade undan i de torra löven. Den lade sig sedan bakom en liggande trädstam och spanade mot oss. Guiden döpte den omgående till Green Mamba, men när vi kom tillbaka till Mundemba och Eric plockat fram sin bok om reptilerna i Kamerun reducerades den tyvärr till en helt harmlös *Thirteen-scaled Green Snake*.

Lö 31/1 Mundemba – Kumba – Nyasoso (Mt Kupé)

Efter en ny övernattning i Mundemba begav vi oss tillbaka längs den skumpiga vägen, först till Pemba där vi återigen åt lunch, och sedan vidare till Nyasoso.

Vi gjorde nu åtskilliga stopp, många mycket givande, längs vägen. Speciellt på första sträckan fanns det en hel del kvarlämnad regnskog som från vägen var mycket mer lättskådad än

skogarna i Korup. Det blev en hel rad nya arter – en *Red-chested Goshawk*, sju *Red-fronted Parrots*, 4-5 *Mottled Swifts*, en *White-thighed Hornbill*, två *Speckled Tinkerbirds*, ett 20-tal *Preuss's Cliff Swallows*, tre *Long-legged Pipits*, ett tiotal *Spotted Greenbuls*, en *Wood Warbler*, tre *Cassin's Grey Flycatchers*, en *Chestnut-winged Starling*, två *Green-throated* och några *Splendid Sunbirds*, en praktfull hane av *Yellow-mantled Weaver*, flera *Red-headed*, en *Red-bellied* samt en *Blue-billed Malimbe*, en *White-breasted* och en *Chestnut-breasted Nigrita* samt flera *Black-and White Mannikins*. Några favoriter i repris var *African Fish-Eagle*, *Great Sparrowhawk*, *Great Blue Turaco* (som vi nu fick se fint!), *Broad-billed Roller*, *White-throated Bee-eater* (flock om ca. 80 ex!), *Red-headed Weaver* och *Red-headed Quelea*.

En rolig sak, som bara inträffade i den engelska delen av Kamerun, var att i varje by som vi passerade så rusade alla små barn ut, vinkade och ropade glatt "White man, white man". De hade inte sett så många vita – så besökts t.ex. Korup bara av ca 400 turister per år! Märkligt är i alla fall hur liten fientligheten är i Kamerun och andra afrikanska länder mot oss vita, trots att dessa länder varit koloniserade i hundratals år och att många människor skeppats som slavar över Atlanten. Notera den slående skillnaden med inställningen hos många araber (och de flesta arabländerna har ju bara varit koloniserade mellan världskrigen)... Vad detta beror på kan man ju ha sina teorier om...

I en by, där vi gjorde en paus, kom det förbi en försäljare med en låda som visade sig innehålla frusen saft på pinnar. Staffan började förhandla med honom och köpte sedan hela lagret för utdelning till byns glada barn som nu kom rusande från alla håll. Dagen var räddad för både försäljaren och barnen! Och Staffans gloria sken bara allt starkare....

I Nyasoso tog vi in på Women's Centre, men några fick bo i ett annat hus i närheten. Inkvarteringen var enkel, men de trevliga och snygga flickorna (en var dotter till hövdingen och höll på att utbilda sig till sjuksköterska) lagade hyfsad mat.

Sö 1/2 Mt Kupé NP: Max's Trail

Denna dag tillbringade vi i stort sett hela tiden längs Max's Trail som vi gick ändå upp till Max's camp på ca 1500 meters höjd. Byn/startpunkten låg på ca 800 meters höjd och den andra halvan av stigen, inne i den ursprungliga regnskogen, var både brant och slipprig vilket gjorde inte minst nedstigningen något vådlig. Alla klarade sig dock utan skador.

Fågellivet var onekligen rikast i den kulturpåverkade delen och här hittade vi reskryssen *Scaly Spurfowl*, *Jacobin Cuckoo*, *Red-chested Cuckoo* (hörd), *Gabon Woodpecker*, *Grey-headed Broadbill* (hörd), *Little Grey Greenbul*, *Black-throated* och *Black-capped Apalis*, *Violet-backed Hyltiota*, *Yellow-footed Flycatcher*, *West African Batis*, *Mackinnon's Shrike*, *Red-eyed Puffback*, *Purple-headed Glossy Starling*, *Superb* och *Johanna's Sunbird* samt *Shelley's Oliveback*,

Uppe i regnskogen tillkom *Green-breasted Bush-Shrike* samt en repris på *Black Bee-eater*. Kring Max's camp – några kvadratmeter stor – var det först ganska lugnt, men så småningom såg vi här bl.a. *Western Mountain Greenbul*, *Banded Prinia*, *Green Crombec*, *Mountain Sooty Boubou* samt *Forest* och *Black-billed Weaver*, alla nya för resan.

I byn hittade vi på återvägen två *Bannerman's Weavers* bland alla *Village Weavers*. Ganska anmärkningsvärt – de skall ju inte finnas här!

Vi hade säkert kunnat få se mer under dagen om den medföljande guiden kunnat något om fågel.

Må 2/2 Nyasoso – Bakossi Mountains - Nyasoso

Den branta och jobbiga uppstigningen till Max's Camp hade inte gjort oss särskilt hågade att gå den ännu brantare stigen på Bush Shrike Trail. Det fanns emellertid ett mycket enklare sätt att hitta Mount Kupé Bush Shrike och det var att fara ca. en och en halv timme norrut upp till den

högt belägna byn Kodmin i Bakossi Mountains. Från byn var det bara tjugo minuters ganska lätt vandring till fåglarna. För att ta oss till byn hade vi hyrt in en extra fyrhjulsdriven bil att nyttja istället för vår minibuss.

Vi anlände i gryningen till byn och gick omgående in i byhövdingens hus. Här bänkade vi oss längs väggarna i dunklet, medan hövdingen, en liten mager man i lång vit rock och blå mössa, med mässande stämma räknade upp alla avgifter vi skulle betala för att komma upp till den hägrande fågeln. Totalt blev det en rätt ansenlig summa, men vi fann det värt och betalade. Utkomna ur huset höggs vi dock omgående av några yngre män som visade upp ett papper på vilket det stod att hövdingen var avsatt av regeringen och att det var dem vi skulle förhandla med och betala istället. Eric lyckades få tillbaka pengarna från hövdingen och vi fick nu bänka oss en ny dunkel lokal, fick nya villkor och bjöds avslutningsvis på öl, vilket dock även resans värsta öltunnor avböjde så här tidigt på morgonen... Utkomna i ljuset möttes vi av en märklig syn. Den avsatte hövdingen hade tydligen mobiliserat sina anhängare, ett dussintal i huvudsak äldre personer, som med knölpåkar och stenar i händerna spärrade vår väg och vrålade "Don't go into the bush" och "You will die in the bush" och liknande. Våra nyvunna guider manade dock på oss och uppmanade oss att inte bry sig om "the hooligans". Detta var dock lättare sagt än gjort – vi fick var och en på oss någon vilt skrikande figur och till slut utbröt allmänt tumult inklusive slagsmål mellan de två fraktionerna. Eftersom hövdingens gäng, varav några såg rätt alkoholiserade ut, inte verkade var kommunicerbara fann vi till sist för gott att begära pengarna tillbaka ännu en gång och lämna byn. Likheten med koltrasterna vid äppelmatningen hemma i trädgården var påfallande – det var viktigare att jaga iväg andra hannar än att äta äpplena själv...

Det här var ju litet snopet, men vi gjorde det bästa möjliga av situationen – stannade bilarna ett stycke utanför byn och började vandra nedför vägen. Vi var nu på rätt hög höjd och många nya arter dök upp under vår ca. fyra timmar långa vandring. Sådana var *Ayre's Hawk-Eagle*, *Cameroon Olive Pigeon*, *Levaillant's Cuckoo*, *Black Cuckoo*, *Streaky-Throated Barbet* (hörd), *Yellow-billed Barbet*, *Thick-billed Honeyguide*, *Green-backed Woodpecker*, *Mountain Saw-wing*, *Black-winged Oriole*, *Tit-Hylia*, *Swamp Palm Bulbul*, *Black-capped Woodland-Warbler*, *Lemon-bellied Crombec*, *Grey-throated Tit-Flycatcher*, *Bate's Paradise Flycatcher*, *Pink-footed Puffback*, *Grey-green Bush-Shrike*, *Fiery-breasted Bush-Shrike* (hörd), *Waller's Starling*, *Green-headed*, *Green* och *Tiny Sunbird* samt *Brown-capped Weaver*. Trevliga återseenden var bl.a. *Red-necked Buzzard*, *Yellowbill* och *Red-shouldered Cuckoo-Shrike*.

Ti 3/2 Mt Kupé NP: Nature Trail and Max's Trail

På förmiddagen gick vi Nature Trail, denna gång med en faktiskt riktigt hyfsad guide, och som alltid i detta område fanns det en hel nytta att se eller höra – *Tambourine Dove* (hörd och hade vi säkert också hört förut utan att reflektera), *Green Turaco*, *Square-tailed Saw-wing*, *Square-tailed Drongo*, *Cameroon Mountain* och *Simple Greenbul*, *African Sedge Warbler*, *Greater Swamp Warbler*, *Olive-green Camaroptera* (hörd), *Black-faced Rufous Warbler* (hörd), *Dusky Blue Flycatcher*, *Vanga Flycatcher*, *Lühder's Bush-Shrike* och *Grosbeak Weaver*.

Några av oss gjorde en eftermiddagstur upp till regnskogsgränsen på Max's Trail och noterade då bl.a. *Olive Long-tailed Cuckoo* (hörd), *Grey Longbill*, *Fiery-breasted Bush-Shrike* samt *Little Green Sunbird*. Några mystiska fåglar vållade stort huvudbry – såg ut som *White-throated Mountain-Babblers*, men med det vita begränsat till enbart strupen. En gåta.

De som stannade kvar kring byn på eftermiddagen såg en *Tawny Eagle* – mycket ovanlig så här utanför savannen.

On 4/2 Nyasoso - Limbe

Tidigt på morgonen lämnade vi Nyasoso och körde söderut. Några stopp ett stycke nedanför byn gav bl.a. de för resan nya *African Hobby*, *Petit's Cuckoo-Shrike* och *Cameroon Olive Greenbul* samt bl.a. också *Sooty Flycatcher*, *Grey-green* och *Lühder's Bush-shrike*. Längre ned skulle vi gå in i en till synes fin skog, men i samband med att minibussen skulle vända körde den av ett vattenledningsrör med en jättefontän som följd. Det var bara att sticka från platsen – det hade annars säkert blivit eviga polisförhör i detta korrumperade land. Detta fick vi klara indicier på när vi senare under dagen gång på gång stoppades i vägspärrar och fick genomlida långa procedurer när poliserna, med utstuderad långsamhet, skulle läsa igenom precis alla förarens och bilens papper. Vid ett tillfälle hittade en hjälmklädd (i 40 graders fuktig hetta!) polisdrummel ingen brandsläckare i minibussen och vi kom inte iväg förrän vår chaufför hade betalat en ordentlig summa i böter, pengar som polisen säkert stoppade i egen ficka. Detta med polisspärrar förekom framförallt i den franska delen i södra Kamerun.

Innan vi drabbades av polisspärrarna hade vi ätit en god kycklinglunch på en liten restaurang i vars trädgård det bl.a. fanns *Snowy-crowned Robin-Chat*.

P.g.a. främst polisspärrarna kom vi ganska sent fram till Limbe. Där vi tog in på ett hotell med det väklingande namnet Atlantic Beach Hotel. Det hade ett jättefint läge vid stranden, men var, liksom nästan alla hotell vi bott på, nedslitet och i betydande behov av renovering. I havet utanför hotellet låg två märkliga simfåglar, som vi först efter en stund kunde bestämma till *African Pygmy Geese*. Märklig biotop för dessa fåglar som ju annars alltid finns i eutrofa sjöar.

Innan dagen var slut hann vi med ett timplågt besök i Limbe Botanical Garden. Här fick vi bl.a. se de för resan nya *Western Bluebill*, *Pale-fronted Nigrita* och *Spotted Flycatcher* samt dessutom *Reichenbach's Sunbird* och *Spectacled Weaver*. I närheten syntes även *Western Reef Heron*, *Hooded Vulture* och *African Fish-Eagle*.

På hemvägen mot hotellet fick vi se en skylt med "Birdwatchers Club" och den kunde vi givetvis inte motstå. Det visade sig var en fin liten restaurang med bar alldeles ovanför stranden. Ägaren var holländare och fågelintresserad. Här tog vi varsin Gin and Tonic samt beundrade havet, solnedgången och den mycket söta servitrisen...

To 5/2 Limbe – Mt Cameroun: Guinness Trail - Douala

Hela dagen ägnade sju av oss att bestiga Mt Cameroun, från ca 1300 meters nivå till trädgränsen på ca 2100 meter. De övriga tre befann sig på sjuklistan och skådade istället kring Limbe. Jag hade hört innan att Mt Cameroun skulle vara väldigt sönderhugget, men vandringen upp blev en glad överraskning med gott om ny, fin fågel, både under den första delen av vandringen i den lite kulturpåverkade skogen och i regnskogen längre upp. Skogen var inte lika tät som i Korup och på Mount Kupé och stigen var bred. På denna mötte vi ett antal flåsande atleter som tränade inför det vansinniga maratonloppet från en nivå på ca 1000 meter upp till toppen av Mt Cameroun (över 4000 meter) och tillbaka. Höjdskillnaden var illa nog, men vi förundrades också över hur det överhuvudtaget var möjligt att springa, särskilt nedåt, på den mycket steniga stigen. Sjukhusen måste ha haft julafton i samband med loppet...

På vägen upp plockade vi in den ena efter den andra nya arten, vilka alla hade den trevliga egenheten att visa sig fint för oss samtliga. Vi började med *Chubb's Cisticola*, sedan kom *Blue-headed Sunbird* och den vackra *Oriole Finch* följda av *Cameroon Mountain Robin-Chat*, *Green Longtail*, *White-bellied Crested Flycatcher*, *Abyssinian Hill Babbler*, *Slender-billed Weaver*, *Yellow-breasted Boubou*, *Yellow Bishop*, *Grey Apalis* och *African Stonechat*. På vägen mot trädgränsen såg vi bl.a. också resans andra *Cassin's Hawk-Eagle*, *Western Mountain Greenbul* (mycket allmän), *Mountain Sooty Boubou*, *Black-billed Weaver*, *Shelley's Oliveback* och *Western Bluebill*.

Något hundratal meter ovan trädgränsen bänkade vi oss för lunch bland de höga tuvorna av något som mest liknade Tussock-gräset på subantarktiska öar. Våra bärare hade tagit med sig den i särklass bästa fältlunch som vi dittills fått och vi lät oss väl smaka. Därefter var det dags att gå tillbaka till trädgränsen för att leta efter dagens främsta målart, *Mount Cameroon Speirops*. Och det hade inte gott många minuter förrän Eric, som så ofta tidigare, upptäckte några ex. av fågeln ifråga. En fullträff igen! Det rörde sig om kanske 5-6 fåglar som åt frukter i några halvstora träd precis nedanför trädgränsen. Vi konstaterade att ingen av böckerna hade särskilt bra bilder – att med hjälp av dem bestämma arten skulle kräva anmärkningsvärt goda detektiva egenskaper... Så var t.ex. inte alls den ganska robusta kroppsformen fångad på bilderna.

Sedan vi kommit ned till vägslutet där vi skulle möta resten av gruppen som tillbringat dagen kring Limbé upptäcktes bl.a. att det bland alla *Palm Swifts* också snurrade runt minst 3-4 ex. av de mindre och mörkare *Bates's Swifts*, ännu ett reskruss.

Efter återfärd, på slutet genom en synnerligen kaotisk stadstrafik, tog vi för sista natten i Kamerun åter in på Hotel Vallé des Princes i Doula.

Fr 6/2 Douala – Rivière Sanaga – Douala – Addis Ababa

Sista morgonen och förmiddagen i Kamerun ägnades åt en utflykt söderut till Rivière Sanaga. På ditvägen stannade vi vid en liten skogomkransad damm nära vägen där det skulle finnas *Hartlaub's Ducks*. Mycket riktigt – omgående upptäcktes flera ex simmande i dammen och så småningom kom allt fler inflygande så att slutsumman låg på 25 fåglar när vi lämnade platsen efter en halvtimme. Innan dess hade Sören dock upptäckt en annan, åtminstone för mig själv, mycket tung art – tre *Lesser Moorhens*, en intraafrikansk flyttare som alltid verkar befinna sig någon annanstans än där man är... I dammen fanns också två *Darters*, en *Purple Heron* och en *Black-crowned Night-Heron*.

Vid Rivière Sanaga följde vi den norra stranden mot väster och gick ned till floden på några lämpliga ställen. Snabbt upptäcktes turens två målarter här – *African Skimmer* och *Grey Pratincole*. Och det var inga små antal av dem – ca. 420 Skimmers och minst ett 50-tal Pratincoles. Ytterligare resnya arter var *White-fronted Plover*, *Little Stint*, *Great Reed Warbler* och *Slender-billed Weaver* och övrigt sågs bl.a. *Little Ringed Plover* och *Red-fronted Parrot*.

På tillbakavägen mot Douala och flyget till Addis Adeba stannade vi vid en stor bro från vilken det fanns möjligheter att få se Peter's Finfoot, en art som var starkt efterlyst av dem som tidigare missat den. Tyvärr blev letandet utan framgång och som grädde på moset blev vi på andra sidan bron stoppade av ett gäng som påstod att vi fotograferat "generalens villa" invid brofästet. Den som anförde gruppen var civilklädd, men hade ett automatgevär, med vilken han hotfullt gjorde mantelrörelse när han kom fram. Så småningom lämnade han över geväret till en kollega och gick bort för att återvända i uniform, tydligen för att ytterligare stärka sin auktoritet. Långa diskussioner vidtog som inte avslutades förrän 40 Euro diskret fick byta ägare...

Och så hann vi i alla fall till planet mot Addis dit vi ankom på kvällen och tog in på det fina Hotel Lalibela nära Bole Airport. En tredjedel av gruppen körde dock fel och var borta en långs stund innan den kom till rätta. Saken blev inte bättre av att felkörningen skedde i en gammal sovjetisk Lada där avgasröret verkade mynna i kupén och där motorstyrkan var helt obefintlig.

Lö 7/2 Addis – Debre Zeyt – Lake Koka – Lake Ziwai – Bishangari Lodge

När den inhyrda minibussen med förare anlände på morgonen visade den sig för liten för att kunna svälja oss och allt vårt voluminösa bagage. Efter en del diskussioner löstes frågan så att en extra bil fick åka ned separat med huvudbagaget till vårt övernattningsställe, Bisharangi Lodge, ca 20 mil söderut i Rift Valley på sydsidan av Lake Langano.

Medan vi väntade på att bilfrågan skulle lösa sig tittade vi på en del fåglar som fanns i hotellets närhet. På ett litet nafs hade vi då plötsligt fyra resnya arter – *Speckled Pigeon*, *White-collared Pigeon*, *Dusky Turtle-Dove* och *Tacazze Sunbird*. Och det skulle bli många fler denna dag och nästa...

Sedan allt blivit klart med transportererna körde vi söderut med ett första stopp vid den grunda sjön Debre Zeyt. Här stannade vi på två olika ställen och njöt av det rika fågellivet av en sort som vi nu var helt svältfödda på efter tre veckor i det sjö- och vattenfågelfattiga Kamerun. Vi räknade in bl.a. mängder av *Little Grebes*, en *Crested Grebe*, flera *African Spoonbills*, många *Glossy Ibises*, massor av *Marabou Storks*, flera *Yellow-billed Storks*, ca 200 *White-faced Whistling-Ducks*, ca. tio *White-backed Ducks*, åtskilliga *Egyptian* och *Spur-winged Geese*, två *Knob-billed Geese*, två *Yellow-billed Ducks*, gott om *Northern Shovelers*, ca. tio *Pintails*, ca. 20 *Garganeys*, två *Common Teals*, fler än 50 *Hottentot Teals*, ca 50 *Red-billed Teals*, ett par *Southern Pochards*, ca. tio *Tufted Ducks*, ca. tio *Ferruginous Ducks*, över 30 *Red-knobbed Coots*, två *Black Crowned Cranes* och åtskilliga *African Jacanas*. En *Augur Buzzard* flög förbi och en stor flock *African Citrils* höll till i ett strandnära träd.

Vid en bro över en flod nära Lake Koka syntes både *White* och *Pink-backed Pelican*, åtskilliga *African Fish-Eagles*, en *Goliath Heron*, flera *Ethiopian*, *Wire-tailed* och *Lesser Striped Swallows*, 2-3 *Grassveld Pipits*, två *Fan-tailed Ravens* samt en sjungande *Chiff-chaff*.

I trädgården till vårt lunchställe i den lilla staden Ziwai tittade vi på ett par *Black-headed Batis* med bo, flera *Beautiful Sunbirds*, 2-3 *Abyssinian White-eyes*, en *Dusky Flycatcher*, 1-2 *Rüppell's Weavers*, flera *Southern Masked Weavers* och en *Village Indigobird*..

Nära staden for vi ut till en stor bred gruspir som stack ut i Lake Ziwai. Här rådde ett myllrande fågelliv. Vid pirens bas matades en stor mängd synnerligen orädda *Marabou Storks* med fiskar och fiskrens och längs piren blev artlistan lång med bl.a. många *Great* och *Long-tailed Cormorants*, över tio *Darters*, en *Black Heron*, många *Hamerkops*, åtskilliga *Squacco Herons*, ca.15 *African Pygmy Geese*, ett flertal *African-Fish-Eagles*, en hona av *European Marsh Harrier*, tre *Black Crakes*, många *Black-necked Stilts*, två *Senegal Thick-knees*, ca. fem *African Snipes*, flera *Black-tailed Godwits*, *Wood Sandpipers*, *Marsh Sandpipers*, *Common Sandpipers*, *Ruffs*, *Little* och *Temminck's Stints*, *Greater Ringed Plovers*, *Spur-wing Plovers*, *Grey-headed Gulls* och *White-winged Terns*, tre *Gull-billed Terns*, 2-3 *Brown-necked Ravens*, två *White Wagtails*, gott om *Yellow Wagtails* och fyra *Red-throated Pipits*.

Även längs vägen i övrigt syntes mycket fågel – bl.a. sex *White Storks*, ca. 20 *Hooded Vultures*, två *Gabar Goshawks*, en *Pale Chanting Goshawk*, tre *Tawny Eagles*, en *Long-crested Eagle*, en *Lemon Dove*, några *Crested Francolins*, två *Black-winged Lovebirds*, fyra *White-bellied Go-away Birds*, tre *Hoopoes*, två *Black-billed Wood-Hoopoes*, 3-4 *Abyssinian* och 2-3 *Lilac-breasted Rollers*, 5-10 *Carmine* och några *Blue-breasted Bee-eaters*, ca. tio *Abyssinian Ground Hornbills*, en *Red-billed* och 5-6 *Von der Deckens Hornbills*, åtskilliga *Grey-backed* och några *Common Fiscals*, tre *White-crowned Shrikes*, många *Greater Blue-eared*, flera *Rüppell's Long-tailed* och 5-6 *Superb Starlings*, åtskilliga *White-headed Buffalo-Weavers* och *White-browed Sparrow-Weavers* och en *Red-headed Weaver*.

Strax innan vi nådde Bisharangi Lodge upptäckte Uffe en *Narina Trogon*, lågt i ett snår och mycket nära vägen. Vid lodgen tutade *Tropical Boubous* och här syntes även en *Western Banded Snake-Eagle* samt ute i sjön många *Great Cormorants*, *White Pelicans* samt en stor flock med *White-winged* och *Whiskered Terns*. Fyra *Warthogs* och ett 15-tal *Olive Baboons* sågs också nära lodgen.

På kvällen hördes en *Verreaux's Eagle Owl* samt tre *Slender-tailed Nightjars*.

Sö-Må 8-9/2 Bishangari Lodge – Addis - hemresa

Tyvärr hade lodgens fågelguide blivit sjuk och skickat en totalt okunnig ersättare, men vi klarade oss, som vanligt, rätt bra ändå. Vi gjorde en ganska lång vandring i omväxlande terräng – öppen ängsmark, galleriskog, sumpiga och klippiga stränder och såg också väldigt mycket fågel. I skogen, där vi började vandringen, hittade vi arter som *Narina Trogon*, *Silvery-cheeked Hornbill*, *Double-toothed Barbet*, *Scaly-throated Honeybird*, *Nubian Woodpecker*, *White-rumped Babbler*, *Red-faced Crombec*, *Northern Black* och *African Paradise Flycatcher* samt *Abyssinian Black-headed Oriole*. Vid en liten bäck fanns både *Grey* och *Mountain Wagtail*.

En sumpig strandäng gav *White Pelicans* samt åtskilliga arter hägrar, änder och vadare, bl.a. en *Greater Painted Snipe* och 5-6 *Kittlitz's Plovers*. Fyra ibisar som lyfte under högljudda skrån bestämdes slentrianmässigt till Hadedda Ibises, men efteråt i planet hem, när jag höll på med artlistan, kom jag på att de ju hade vita skulderfläckar och således måste ha varit *Wattled Ibises* ! Jag tog upp saken med Seppo som satt bredvid och han plockade fram sin kamera och – jodå, visst var det *Wattled Ibises*!

Mellan den sumpiga strandängen och lodgen fanns ett stenökenartat parti och här fanns sex *Senegal Thick-knees* samt både *Pied* och *Isabelline Wheatears*. I vattnet utanför låg många *Great Cormorants* och *White Pelicans* samt en ensam *Lesser Black-backed Gull*.

Innan vi for tillbaka mot Addis såg vi bl.a. *Yellow-fronted Parrot*, *Banded Barbet*, *Rüppell's Robin-Chat*, *Common Redstart* hanne samt *Blackcap Warbler* nära lodgen.

Längs vägen sågs bl.a. två *Abdim's Storks*, 2-3 *White-backed Vultures*, två *Black-shouldered Kites*, en *Pallid* och ca tio. obestämda *Harriers*, 3-4 *Pale Chanting Goshawks*, en flock om 43 *Common Cranes*, två *Abyssinian Ground Hornbills*, tre *Cape Rooks* och tio *Red-billed Oxpeckers*.

Totalt noterade vi i Kamerun 531 arter fåglar och i Kamerun + Etiopien 624 arter. Av däggdjur noterades 34 arter i Kamerun + en i ytterligare i Etiopien. Det var också en mycket nöjd grupp som anlände till Arlanda den 9 februari.

Ett särskilt tack till Eric Renman som på ett utomordentligt kunnigt och samtidigt ödmjukt sätt arrangerade och ledde resan.

LIST OF SPECIES - MAMMALS

References: Kingdon, **Kingdon Pocket Guide to African Mammals**
 Gautier-Hion, **Histoire Naturelle des Primates d'Afrique Centrale**
 Haltenorth & Diller, **Mammifères d'Afrique et de Madagascar**

1. (Cameroon) Red Colobus

Korup 5-6 in one group near Rengo Rock Camp, Mt Kupé heard.

2. Abyssinian Black-and-White Colubus

Benoué 5-6

3. Olive Baboon

Benoué 3 groups à 10, en route Ng-Garoua 1
 (I. Drill Korup heard according to guide)

4. (Tantalus) Green Monkey

Benoué 2+1+3, Ngaouandaba 2+5

5. Patas

Waza ca 50 in total. One group standing near a possible poisonous snake.

6. Red-eared Monkey

1 with the Red Colobus group in Korup Endem

7. Lesser Bushbaby

Ngaoundaba 1 during night searching but just jumping eyes seen.

8. Gambian Epauletted Fruit Bat

Garoua a colony of 10-15 in a tree at dusk. Other bats were observed but not identified, among them a small Fruit Bat in Korup.

9. Scrub Hare

Ngaoundaba 1

10. Striped Ground Squirrel

Waza ca 5

11. Cooper's Mountain Squirrel

Mt Kupé 1 Endem

12. Green Bush Squirrel

Korup ca 10

13. Gambian Sun Squirrel

Ngaoundaba 1+1

14. Red-legged Sun Squirrel

Bakossi-Kupé 1, Limbe 1+1

15. African Giant Squirrel

Korup 1, Mt Cameroun 1

16. Multimammate Rat *Praomys (Mastomys) natalensis*

Garoua 1. Probably this species as it is by far the most numerous of African commensal rats. The identification as "Brown Rat" should be kept as doubtful as the genus *Rattus* has had no notable success on African mainland except in harbour cities.

17. African Pygmy Mouse *Mus minutoides*

Ngaoundaba 1 in live-trap. Smallest mammal on African continent together with Etruscan Shrew (=Flimmernäbbmus).

18. Brush-furred Mouse *Lophuromys sikapusi*

Ngaoundaba 1 near the lake. A brown small-sized rat with rather short tail. Preferring moist habitats and is an insect specialist. About 10 African species within genus.

19. Pale Fox

Waza 3+2

20. Banded Mongoose

Waza ca 12-15 in one family group.

21. Small-spotted (Common) Genet

Waza 1 in a tree during a night-light walking.

22. Rock Hyrax

Maroua 20, Waza 5, Mora 5

(II. **Western Tree Hyrax** Korup heard)

23. Hippopotamus/Flodhäst

Benoué 22. This is the fourth heaviest land mammal (after African and Indian Elephant and White Rhino) Cannot swim – It walks on bottom !

24. Giraffe

Waza 1+8+6+5. Waza is probably best stronghold in West Africa for this Roman hybrid between a Camel and a Leopard, *Giraffa camelopardalis*.

25. Bushbuck

Benoué ca 15. Most common antelope in Africa, total population of several millions exceeds that of the locally abundant Blue Wildebeest and Impala.

26. Bush Duiker

Benoue 3+3, Ngaoundaba 1

(III. **Blue Duiker** Korup 1 heard)

27. Red-flanked Duiker

Benoué 6+1+1

28. Oribi

Benoué 2+2+2

29. Bohor Reedbok

Waza 2

30. Kob

Waza 3, Benoué 7+30+40

31. Waterbuck

Benoué 3+2.

32. Red-fronted (Thomson's) Gazelle

Waza 1

33. Korrigum (Tiang, Topi, Tsessebe)

Waza >100, Benoué 1. Has many names – Korrigum (West Africa), Tiang (Ethiopia), Topi (East Africa), Tsessebe/Sassaby (Southern Africa)

34. Roan Antelope

Waza >30

LIST OF SPECIES - BIRDS

Species (Synonym) = English name in bold with synonyms.

Species/Svenskt namn = Well established Swedish name, usually migrants.

N = Nord, North; Waza-Benoué-Ngaoundaba

S = Sud, South; Douala-Korup-Mt Kupé-Bakossi-Limbe-Mt Cameroun-Rivière Sanaga

ENDEM = Strict endemic for Cameroon, usually Cameroon Highlands (2 of 7 species seen)

Endem = Only in Cameroon and vicinity, usually Nigeria (17 of 27 species seen)

List sequenced according to *Sinclair & Ryan, Birds of Africa south of the Sahara*.

(Some species as Ostrich, Ground Hornbill etc. have been moved to other positions.)

References:

Borrow & Demey, *Birds of Western Africa*

Brown, Fry, Keith, Newman & Urban, *Birds of Africa vol. 1-7*

Ross, *Krokodile und Alligatoren*

Sinclair & Ryan, *Birds of Africa south of the Sahara*

1. Ostrich/Struts

Waza 1 male. Because of the >100 kg very well-tasting meat and eggs the ostrich is nowadays rare in West Africa. We were perhaps lucky to see one.

2. Little Grebe/Smådopping

Lac Dang 9+4, Kumba Dam 5

3. Long-tailed (Reed) Cormorant

Common in almost all waters, particularly in the N

4. Darter/Ormhalsfågel

Douala 1+2, Lac Hartlaub 1

5. Hamerkop

Douala 5, Benoué 3, Ngaoundaba 1, Garoua 1, Korup 3+1

6. Purple Heron/Purpurhäger

Douala 3, Ngaoundaba 3, Garoua 2, Lac Hartlaub 1

7. Grey Heron/Gråhäger

N: common, S: a few

8. Black-headed Heron

> 200 in P.N.Waza, elsewhere a few in both N and S

9. Yellow-billed (Intermediate) Egret

Ngaoundaba 3-4

10. Great White Egret/Ägretthäger

Douala 3, Waza 3, Ngaoundaba 10

11. Little Egret/Silkeshäger

Douala 10, Limbe >50, elsewhere a few in N and S

12. Reef Heron

Douala 1, Limbe 1+5

13. Cattle Egret/Kohäger

Common in all places and along roads

14. Squacco Heron/Rallhäger

Douala 5, Waza ca 13, Ngaoundaba 1, Garoua 2, L Hartlaub 1

15. Little Green Heron/Grönhäger

Douala 1, Benoué 1, Garoua 1, Douala 2, L Hartlaub 2

16. Black-crowned Night-Heron/Natthäger

Waza 1, Lac Hartlaub 1

17. Eurasian Spoonbill/Skedstork

Waza 4

18. Sacred Ibis/Helig ibis

Waza 3+1, Ngaoundaba >50

19. Hadeda Ibis

Benoué 4, Ngaoundaba 1+1, Douala 1. The bird in Africa which produces the highest sound measured in dB!

20. Marabou Stork

Waza 20+10+5

21. Saddle-billed Stork

Waza 2, Benoué 1

22. African Open-billed Stork

Waza 1+1, en route Waza-Benoué 11+1, Garoua 1

23. Woolly-necked Stork

Waza 2+2

24. Abdim's Stork

Waza 1, Ngaoundaba 1, Limbe 1

25. Yellow-billed Stork

Waza 8+1+1

26. White-faced Whistling-Duck

Waza 12, Lac Dang 15

27. African Pygmy Goose

Limbe 1 pair, swimming in open sea!!

28. Hartlaub's Duck

Lac Hartlaub 25. An incredible number of this normally rare and shy rainforest duck, reputed to be the most difficult African duck to see!

29. Spur-winged Goose

Waza 10, Ngaoundaba 1

30. Knob-billed Duck

Lac Dang 1

31. Yellow-billed Duck

Lac Dang 10-15 on each visit

32. Garganey/Årta

Lac Dang 5+5. The shortage of ducks in West Africa compared to other parts of Africa can surely be explained on their attractiveness for the cooking pots.

33. Black-shouldered Kite/Svartvingad glada

A few seen daily in the N

34. Swallow-tailed Kite

Waza 15+20, Mora 1, often in groups

35. Black Kite/Brun glada (incl Yellow-billed Kite)

Common in all places

36. Palm-nut Vulture

1-3 seen daily in S. Eats nuts and is probably one of a few winners in the rapid conversion from rainforest to palm plantations.

37. Egyptian Vulture/Smutsgam

Waza 1

38. Hooded Vulture

Fairly common in N

39. Lappet-faced Vulture

Waza 4

40. White-backed Vulture

Mora 3, Waza ≈10, Benoué 2, en route Benoué-Ngaoundaba 1

41. Rüppel's Vulture

Waza 2

42. African Fish Eagle

Benoué 1, Korup-Kumba 1, Kupé-Limbe 1 The voice of Africa!

43. Beaudouin's (Short-toed) Snake Eagle/Ormörn

Waza 2, Benoué 3. The complex Beaudouin's (W Africa), Short-toed (Palearctic) and Black-chested (E Africa) is still to be resolved.

44. Brown Snake Eagle

Waza 5, Ngaoundaba-Garoua 1

45. Western Banded Snake Eagle

Benoué 2

46. Bateleur/Gycklarörn

Waza 5+3, Mora 1, Benoué 3

47. European Marsh Harrier/Brun kärrhök

Waza ≈10, Benoué 1, Lac Dang 4, Ngaoundaba 2, Korup 1

48. Pallid Harrier/Stäpphök

Fairly common in the N, particularly in Waza

49. Montagu's Harrier/Ängshök

Fairly common in the N, particularly in Waza. There were a lot of "stängshökar" (Pallid/Montagu's Harrier) seen but not identified.

50. African Harrier Hawk (Gymnogene)

N fairly common, S: common

51. Lizard Buzzard

Ngaoundaba 2+1, Benoué 1, Mt. Kupé 1, Rivière Sanaga 1

52. Gabar Goshawk

Waza 1 dark morph + 1 "standard" morph, Benoué 1+1

53. Dark Chanting Goshawk

Mora-Waza 5, P.N.Waza >20

54. Long-tailed Hawk

Korup 1

55. Black (Great) Sparrowhawk

Ngaoundaba 1+1, Korup-Kupé 2, Mt Kupé 1

56. Red-chested (African) Goshawk

Korup-Kupé 1, Mt Kupé 1. Possibly are the forms in E Africa (African Goshawk) distinct from the W African form.

57. Ovambo Sparrowhawk

Benoué 1

58. Shikra

Ngaoundaba 1+1, Mt Kupé 1

59. Honey Buzzard/Bivråk

Ngaoundaba 2, Korup-Kupé 1, Mt Kupé 1

60. Long-legged Buzzard/Örnvråk

Mora 1

61. Red-necked Buzzard

Waza 1, Ngaoundaba 1, Mt Kupé 2+1

62. Grasshopper Buzzard

Waza ca 20, Benoué 3. A fire-loving raptor which congregates at grassfires catching frightened insects.

63. Lesser Spotted Eagle/Mindre skrikörn

Waza 1

64. Tawny Eagle/Stäppörn

Waza ca 8, Mt Kupé 1. The Tawny Eagle is during the Palearctic winter reinforced by Steppe Eagle, often treated as a different species.

65. Wahlberg's Eagle

Waza 2, Ngaoundaba 1+1. This *Aquila* got its name after the Swedish collector J. A. Wahlberg in 19th century, according to his friend, during an elephant hunt in Bechuanaland (Botswana); "söndertrampad till en lös massa" (stabbed to jam).

66. Booted Eagle/Dvärgörn

Aérogare Maroua 1, Waza 4

67. Ayre's Hawk-Eagle

Mt Kupé 1

68. Cassin's Hawk-Eagle

Korup 1, Mt Cameroun 1

69. Long-crested Eagle

Waza 5, Benoué 1, Mt Kupé 2+2, Mt Cameroun 1

70. Martial Eagle/Stridsörn

Waza 2+1

71. Common Kestrel/Tornfalk

Douala 4, Waza ≈10, elsewhere fairly common in N

72. Fox Kestrel

Waza 2, Garoua 1. A characteristic inselberg (ö-berg) breeder.

73. Red-necked Falcon

Waza 1+1, Benoué 1, Ngaoundaba 1, Garoua 2. A bat specialist most active at dusk.

74. African Hobby

Ngaoundaba 1, Mt Kupé 1. Normally very rarely seen, this bat-specialist also gave us splendid views!

75. Lanner/Slagfalk

Waza 3, Waza-Benoué 2, Ngaoundaba 2, Garoua 2, mt Kupé-Limbe 1

76. Peregrine/Pilgrimsfalk

Douala 1

77. Black Guineafowl

Korup 3. Unfortunately this rarely seen forest broiler went out of sight for half of the group.

78. Helmeted Guineafowl

Waza abundant, en route Waza-Benoué several. This cooking pot-bird has a tremendous adaption to hunting pressure.

79. Stone Partridge

Mora 2+heard, Benoué 5+3, en route Benoué-Ngaoundaba 3

80. White-throated Francolin

Benoué 4+3, on a stake-out known by our guide Victor.

81. Schlegel's Francolin

Ngaoundaba heard

82. Scaly Spurfowl (Francolin)

Mt Kupé 1+heard, Mt Cameroun heard

83. Double-spurred Francolin

Common in small groups at Benoué and Ngaoundaba.

84. Clapperton's Francolin

Waza abundant, en route Waza-Benoué a few

85. Quail Plover

Mora 2. Ornithologically The Highlight of the North! A rather wide Sahelian and Kenyan distribution but always rare and secretive.

86. White-spotted Flufftail

Ngaoundaba 2 males, Korup heard. Another highlight.

87. African Crake

Douala 1. This third highlight within same group gave us superb views from a near distance on a inferior bird locality during time-filling!

88. Black Crake

Ngaoundaba 2+3, Lac Kumba 1

89. Purple Swamphen/Sultanhöna

Lac Dang 1

90. Common Moorhen/Rörhöna

Lac Kumba 4. Most widespread bird in the World!

91. Lesser Moorhen

Lac Hartlaub 2+1. A fourth highlight among Ralliformes!

92. African Finfoot

West of Douala 1 swam fast in a muddy water,
Widespread in subsaharan Africa but usually hard to see.

93. (Black) Crowned Crane/Krontrana

Waza >200. Northern form *pavonina* here treated as conspecific with Grey Crowned Crane *regolorum*.

94. White-bellied Korhaan

Waza 1 male, Mora 1 pair. *Senegalensis* here treated conspecific with the South African form *barrowi*.

95. African Jacana

A few to several where there were water(lilies)

96. Black-necked Stilt/Styltlöpare

Douala 1, Waza 26+3+10

97. Senegal Thick-knee

Garoua 2+5, Benoué 3

98. Spotted Dikkop

Waza 2

99. Greater Painted Snipe

Small ponds between Mora and Waza 3

100. Rock Pratincole

Korup 7 on rocks at N.P. border river, near suspension bridge.

101. Grey Pratincole

Rivière Sanaga ≈50, resting on sand-bars.

102. Egyptian Plover/Krokodilväktare

Garoua 2+3, Benoué 4. Also a much sought-after bird!

103. White-fronted Plover

Rivière Sanaga 2+1

104. Little Ringed Plover/Mindre strandpipare

Douala 1, Rivière Sanaga 2

105. Three-banded Plover

Benoué 5.

106. Grey (Black-bellied) Plover/Kustpipare

Douala 2+4

107. Spur-winged Lapwing/Sporrvipa

Fairly common in N

108. Black-headed Lapwing

Waza fairly common

109. White-headed Lapwing

Benoue 2 pairs, Korup 2, Rivière Sanaga 2

110. African Wattled Lapwing

En route Ngaoundaba-Garoua 2+2

111. Whimbrel/Småspov

Douala 2+5, Limbe 1

112. Greenshank/Gluttsnäppa

Douala 2+1, Benoué 1, Garoua 1, Riv. Sanaga 2

113. Ruff & Reeve/Brushane & brushona

Garoua 7+10

114. Green Sandpiper/Skogssnäppa

A few at suitable localities in N

115. Wood Sandpiper/Grönbena

Douala ≈15, Garoua 1.

116. Common Sandpiper/Drillsnäppa

Douala ≈30, elsewhere a few on all places

117. Little Stint/Småsnäppa

Rivière Sanaga 3

118. African Skimmer/Afrikansk saxnäbb

Rivière Sanaga ≈420 were counted on sand-bars

119. Royal Tern/Kungstärna

Douala 30 near horizon and 1 closer. An unexplainable lack of gulls and terns in Cameroon made our list shorter than it should have been. A boat-trip outside the mudflats would possibly have changed that.

120. Chestnut-bellied Sandgrouse

Waza 8+2+2. Gave us superb views!

121. Four-banded Sandgrouse

Mora 2, Benoué 1+2. Gave us not too superb views.....

122. Rock Dove (Feral Pigeon)/Klipp(Tam)duva

Common in settlements in the S

123. Speckled (Rock) Pigeon

Common in the N where replacing Rock Dove

124. Cameroon Olive PigeonBakossi 1 Endem**125. Red-eyed Dove**

Very common except in Waza.

126. (African) Mourning Dove

Waza common, Garoua a few

127. Vinaceous Dove

Common in the N

128. African Collared (Rose-grey) Dove

Waza common

129. Laughing Dove/Palmduva

Common in the N

130. European Turtle Dove/Turturduva

Waza 20, Lac Dang 1

131. Adamawa Turtle Dove

Benoué 1 Endem

132. African Green Pigeon

Douala >50, otherwise fairly common in the S

133. Bruce's (Yellow-bellied) Green Pigeon

Maraoua 1, Benoué 11, Ngaoundaba 3

134. Black-billed Wood-Dove

Waza heard

135. Blue-spotted Wood-Dove

A few seen in several places, many more heard.

136. Tambourine Dove

Ngaoundaba 1, route Korup Mundemba 2, more heard in S

137. Blue-headed Wood-Dove

Korup 1+heard

138. Long-tailed (Namaqua) Dove

Waza abundant, sparse in the southern N.

139. Grey Parrot

Douala 1+12, Korup ≈10, route Korup Mt Kupé ≈10, Riv. Sanaga 2. Said to be the most talkative bird in the world with ability to learn 300 words (not known whether it understands them...) Suffers heavily from animal trade.

140. Red-fronted Parrot

En route Korup-Mundemba 2+4+1

141. Rose-ringed Parakeet

Waza 1, Waza-Benoué 2.

142. Sénégal Parrot

Waza 2, Benoué ca 20

143. Red-headed Lovebird

Ngaoundaba 14+3

144. Great Blue Turaco

Korup heard, Korup-Mundemba 1, Mt Kupé 1 heard

145. Violet Turaco

Benoué 1

146. Ross's Turaco

Ngaoundaba 3+2+3

147. White-crested Turaco

Benoué 2+1, Ngaoundaba heard

148. Green (Guinea) Turaco

Korup heard, Mt Kupé 1. A complex of 1-6 related forms (species?) throughout forested parts of Africa.

149. Yellow-billed Turaco

Korup-Mundemba 2, Mt Kupé ca 15, Mt Cameroun 3, + heard on several places throughout the S.

150. Western Grey Plantain-eater

Benoué 5, Ngaoundaba ca 25, en route Ngaoundaba-Garoua 10

151. Diederik Cuckoo

Douala 1, Mt Kupé heard, Limbe 1

152. Klaas's Cuckoo

Ngaoundaba 1 pair, Douala-Korup 1 male, Mt Kupé 2 + heard

153. Emerald Cuckoo

Douala-Korup 1 pair, Mt Kupé 1, Riv. Sanaga 1, + heard in S

154. Jacobin Cuckoo

Mt Kupé 1

155. Striped (Levaillant's) Cuckoo

Mt Kupé 4 pairs seen

156. Olive Long-tailed Cuckoo

Mt Kupé 1 heard

157. Red-chested Cuckoo

Mt Kupé 1 heard

158. Black Cuckoo

Bakossi 1 male of ssp. *gabonensis* sang in a treetop.

159. Yellow-billed (Blue/Green) Coucal

Ngaoundaba 1, Korup 2, Mt Kupé 3+2. This very skulking African Malkoa was seen unusually often.

160. Sénégal Coucal

The common Coucal in the N

161. Blue-headed Coucal

The fairly common coucal in the S. Plenty of coucal bubbles were heard in the S but they were not identified.

162. Barn Owl

Campement de Waza 3-4 nightly.

163. Vermiculated Fishing-Owl

Korup 2 hear

164. Spotted (Greyish) Eagle Owl

Waza 1

165. African Scops Owl

Benoué, 3 heard nightly at Campement du Buffles

166. Pearl-spotted Owlet

Benoué 1 heard, Ngaoundaba 1 heard

167. Sjöstedt's (Chestnut-backed) Owlet

Korup 1 seen and 1 heard

168. Long-tailed Nightjar

Waza 1 heard

169. Plain Nightjar

Waza seen from car

170. Bate's Swift

Mt Cameroun 3-4 Endem

171. (African) Palm Swift

Common throughout Cameroon

172. Little Swift/Stubbstjærtseglare

Common throughout Cameroon

173. Sabine's Spinetail

Korup 2, Mt Kupé 1

174. Mottled Swift

En route Korup-Mt Kupé 4

175. European Swift/Tornsva En route Korup-Mt Kupé ca 50, singles elsewhere in the S. Many swifts were seen in the S but their identification remains a mystery. Possibly not only the European or Bate's Swifts but also African Black and Scarce Swifts occur in the same area.

176. Speckled Mousebird

Fairly common throughout Cameroon

177. Blue-naped Mousebird

Waza 4+3

178. Bare-cheeked Trogon

Korup 1

179. Hoopoe/Härfågel

Waza 10+3, Ngaoundaba 1. *Epops* and *africana* treated conspecific, *epops* occurs in Cameroon.

180. Red-billed (Green) Wood-Hoopoe

Waza 8+2, Benoué 5+3+4

181. Shining-blue Kingfisher

Korup 1 at Rengo Rock Camp.

182. Malachite Kingfisher

Douala 4, Waza 1, Ngaoundaba 2

183. African Pygmy Kingfisher

Ngaoundaba 1+3, Korup- Kupé 1, Mt Kupé 1, Limbe 1

184. Chocolate-backed Kingfisher

Korup 3. Heard but remained invisible.

185. Grey-headed (Chestnut-bellied) Kingfisher

Fairly common in the N, a few in the S

186. Blue-breasted Kingfisher

Douala 2, Ngaoundaba 1+1

187. Woodland (Senegal) Kingfisher

Douala common, Waza 1, otherwise scattered in the S

188. Striped Kingfisher

Benoué 1, Ngaoundaba 1

189. Giant Kingfisher

Benoué 2, Ngaoundaba 3+1, Korup 1, Limbe 1, a few en routes.

190. Pied Kingfisher

A few on each place where there were open waters.

191. Broad-billed Roller

Benoué 1+1, en route Korup-Mundemba 3

192. Abyssinian Roller

Common in the N

193. Rufous-crowned (Purple) Roller

Waza-Benoué 1, Benoué 1

194. Blue-bellied Roller

Benoué 2, Benoué-Ngaoundaba 1

195. Black Bee-eater

Korup 1, Mt Kupé 1+1+2

196. Blue-headed Bee-eater

Korup 1

197. (Northern) Carmine Bee-eater

Waza ca 30 near a grassfire, Benoué 6. Together with Grasshopper Buzzards a character bird at grass/bush-fires. *Nubicus* and *nubicoides* treated conspecific, both intra-african migrants.

198. Little Bee-eater

Douala 5, Maroua 1, Waza 4+1, route Korup- Mt Kupé 3

199. Blue-breasted Bee-eater

A few in the S

200. Little Green Bee-eater

Waza 2+1, Mora 1, Garoua 5

201. Red-throated Bee-eater

Benoué common, Ngaoundaba common

202. White-throated Bee-eater

Common in the S. Intra-african migrant

203. Abyssinian Ground Hornbill

Ngaoundaba 1 heard

204. Red-billed Dwarf Hornbill

Korup 3+heard. Visited Rengo Rock Camp.

205. White-crested Hornbill

Korup heard

206. Red-billed Hornbill

Waza common, Waza-Benoué singles. The Sinclair-split into five species is not recognized here.

207. African Grey Hornbill

Waza common, singles in the southern N

208. African Pied Hornbill

Common in the S

209. Yellow-casqued (Wattled) Hornbill

Korup 5+heard

210. Black-casqued (Wattled) Hornbill

Korup 2+heard

211. Black-and-White Casqued Hornbill

Korup 1

212. Piping Hornbill

Fairly common in the S

213. White-thighed Hornbill

En route Korup-Mundemba 1

214. Naked-faced Barbet

Common in the S, often colonial-breeding in dead trees.

215. Speckled Tinkerbird

En route Korup-Mundemba 2, Mt Kupé 1

216. Yellow-fronted Tinkerbird

Garoua 1+1

217. Yellow-rumped Tinkerbird

Douala 1, Ngaoundaba 1, Mt Kupé 1, Mt Cameroun 1, +heard

218. Yellow-throated Tinkerbird

Korup 2, Mt Kupé 1, +heard on several occasions in the S

219. Red-rumped Tinkerbird

Korup Heard, Korup-Mundemba 1, Mt Kupé heard

220. White-headed Barbet

Waza 1+1

221. Hairy-breasted (Streaky-throated) Barbet

Mt Kupé heard

222. Yellow-spotted Barbet

Korup 1+heard, Mt Kupé 7+heard

223. Vieillot's Barbet

Waza 2+4+5, Mora 1, Benoué 1

224. Double-toothed Barbet

Ngaoundabe 2+1, Mt Kupé 1+1

225. Bearded Barbet

Benoué 5, Garoua 1

226. Yellow-billed Barbet

Mt Kupé 1+heard

227. Greater Honeyguide

Waza 1 female, Benoué 3, Ngaoundaba 3-4 heard

228. Thick-billed (=Lesser?) Honeyguide

Ngaoundaba 3, Mt Kupé 1. Taxonomy of those forms are uncertain, they interbreed in Nigeria and Cameroon but act as separate species at borders of Congo Basin and Albertine Rift.

229. Willcock's Honeyguide

Ngaoundaba 1

230. Red-throated (Rufous-breasted) Wryneck

Ngaoundaba 1

231. African Piculet

Korup 1 adult + 1 juvenil

232. Grey Woodpecker

Benoué 5, Ngaoundaba 2

233. Green-backed (Little Spotted) Woodpecker

Mt Kupé 1

234. Gabon (Melancholy) Woodpecker

Mt Kupé 1 pair, Bakossi 2 pairs

235. Buff-spotted Woodpecker

Korup 2

236. Brown-backed Woodpecker

Benoué 1

237. Cardinal Woodpecker

Ngaoundaba 2, Mt Kupé 1+1, Mt Cameroun 4

238. Fine-spotted Woodpecker

Waza 2, Benoué 1+1

239. Rufous-sided Broadbill

Korup 1+1 heard

240. Grey-headed Broadbill

Mt Kupé heard

241. Singing Bush-Lark

Waza 5+3

242. Crested Lark/Tofslärka

Waza 5, Garoua ≈10

243. Chestnut-backed Sparrow-Lark

Waza common, Benoué >10

244. European Sand Martin/Backsvala

Waza locally common, Garoua ≈20

245. Brown-throated (African) Sand Martin

Waza ≈10

246. Banded Martin

Waza 1

247. African Rock (Pale Crag) Martin

Mora 5

248. Forest Swallow

Korup ≈10 at Picathartes Rock where this normally very secretive, shy and rare forest swallow acted as a substitute bird.

249. Square-tailed Saw-wing

Mt Kupé 20-30

250. Mountain Saw-wingMt Kupé several, Mt Cameroun common Endem**251. Black Saw-wing**

Mt Kupé several

252. Barn Swallow/Ladusvala

N: fairly common, S: common to abundant. When this Palaearctic migrant arrives to Africa it is estimated to double the total swallow population, outnumbering any of the other 38 swallows.

253. Ethiopian Swallow

N: common, Mt Kupé 1, (but surprisingly uncommon in Ethiopia...).

254. Wire-tailed Swallow

Benoué 2, Lac Dang 1

255. Lesser Striped Swallow

Common in the S

256. Red-rumped Swallow/Rostgumpssvala

Douala 5, Waza 30-40, Garoua 10. The swarm in Waza assembled around a bushfire together with Carmine Bee-eaters.

257. Red-breasted (Rufous-chested) Swallow

Douala-Korup 3, Korup Kupé 3, R Sanaga 2

258. Grey-rumped Swallow

Benoué 2. Widespread African swallow but as usual rare.

259. House Martin/Hussvala

Douala 1, Waza fairly common

260. Preuss's Cliff Swallow

Korup-Mundemba ≈20 at a bridge, Riv Sanaga ≈30

261. African Pied Wagtail

Benoué 3, Benoué-Ngaoundaba 2

262. Yellow Wagtail/Gulärkä

N: fairly common all localities, S: a few

263. Yellow-throated Longclaw

Lac Dang 1

264. Grassveld(-land) (Cameroon, African, Richard's etc) Pipit

Garoua 3, Mt Kupé 2. This pipit is in a complex of either a variable species widespread in almost all the Old World (Swedish: Större piplärka) or an aggregate of 2-15 closely related species.

265. Plain-backed Pipit

Waza 1, Ngaoundabe 2

266. Long-legged Pipit

Mundemba 2+1, Mt Kupé 2+1, an unusually distinct pipit(!)

267. Tree Pipit/Trädpiplärka

Benoué 1, Ngaoundabe 5, Korup 1, Mt Cameroun 1

268. Red-throated Pipit/Rödstrupig piplärka

Garoua 1+1

269. Petit's Cuckoo-Shrike

Mt Kupé 1 pair

270. Red-shouldered Cuckoo-Shrike

Ngaoundaba 1 f, Mt Kupé 1 m, Mt Cameroun 1 f

271. Blue Cuckoo-Shrike

Korup 1 heard

272. Square-tailed Drongo

Mt Kupé 1

273. Shining Drongo

Korup 1

274. Fork-tailed Drongo

Waza 2, Benoué ≈10, Ngaoundaba ≈10

275. Velvet-mantled Drongo

Doula 2, Korup 2, Mundemba 1, Mt Kupé 5

276. African Golden Oriole

Benoué 2+2, Ngaoundaba 4-5, Garoua 1 heard

277. (Western) Black-headed Oriole

Bakossi Mtns 1

278. Black-winged Oriole

Bakossi Mtns 2

279. Piapiac

En route Benoué-Ngaoundaba ca 25, Ngaoundaba 5

280. Pied Crow

Common everywhere

281. Sennar Penduline Tit

Mora 1, Waza 2+3

282. Tit-Hylia

Bakossi Mtns 2

283. White-shouldered/winged Black Tit

Benoué 1+1+1, Ngaoundaba 1

284. White-bellied Tit

Ngaoundaba 1

285. Spotted Creeper

Benoué 1. Apart from localized in monsunal (savanna) Africa also found on the Deccan Plateau in India.

286. Grey-necked Picathartes (Red-headed Rockfowl)Korup heard Endem**287. Brown Babbler**

Benoué 5+3, Ngaoundaba 6, Garoua 4

288. Blackcap Babbler

Ngaoundaba 3+3+1+3

289. Capuchin Babbler

Ngaoundaba 1. A range extension of this rather easily identified babbler, the habitat does not argue against it.

290. White-throated Mountain-BabblerMt Kupé 1 Endem**291. Pale-breasted Illadopsis**

Korup heard

292. Blackcap Illadopsis

Korup 1 seen + heard

293. Brown Illadopsis

Korup 2+heard

294. Abyssinian (African) Hill Babbler

Ngaoundaba 1 (*atriceps*), Mt Cameroun ca 15 (*monachus*). *Aatriceps* treated as separate species in HBW but conspecific with *monachus* (and *abyssinica*) in Birds of Africa, a view followed herein on basis of voices.

295. Spotted Thrush-Babbler

Ngaoundaba heard

296. Common (Dark-capped) Bulbul

Abundant in almost all places. Although not as numerous as the Red-billed Quelea, it must rank as the most successful African bird. Wherever there is any kind of habitat, whatsoever quality and man-made or not, the Common Bulbul thrives and outnumbers most other birds.

297. White-throated Greenbul

Korup 1

298. Icterine Greenbul

Korup 10

299. Xavier's Greenbul

Korup 2

300. Red-tailed Leaf-Love (Greenbul, Leaf-love)

Ngaoundaba 2+2

301. Cameroon Olive Greenbul

Mt Kupé 1+heard Endem

302. Little Greenbul

Fairly common in SW forests

303. Cameroon Mountain Greenbul

Mt Kupé 1+1 Endem

304. Western Mountain Greenbul

Mt Kupé 1+3, Mt Cameroun common Endem

305. Simple Greenbul (White-throated/Simple Leaf-love)

Mt Kupé 1

306. Yellow-throated Leaf-love (Greenbul)

Ngaoundaba 1, Ngaoundaba-Garoua 1

307. Eastern Bearded Greenbul

Korup 2+heard

308. Red-tailed Greenbul

Korup 2

309. Red-tailed Bristle-bill

Korup 2

310. Yellow-lored (Lesser) Bristle-bill

Korup 1

311. Sjöstedt's Greenbul

Korup 5-6

312. Swamp Palm Bulbul

Bakossi Mtns 2

313. Spotted Greenbul

Korup 2+heard, Korup-Mundemba ca 10

314. Western Nicator

Korup 2+heard, Korup-Mundemba 1, Mt Kupé 3.

315. Red-tailed Ant-Thrush

Korup 1 + heard

316. White-tailed Ant-Thrush

Korup 1 + heard

317. Fraser's (Rufous) Flycatcher-Thrush

Korup 1+heard

318. (West) African Thrush

N: a few, S: common

319. Fire-crested Alethe

Korup and Mt Kupé heard

320. Brown-chested Alethe

Korup heard

321. Grey-winged Akalat/Robin-Chat

Ngaoundaba 2+2+2

322. (Gabon) Forest Robin

Korup 2+heard. Sometimes splitted into 2 or possibly 4 different species. The form noted by us was *gabonensis*.

323. Snowy-crowned Robin-Chat

Mbanga Restaurant 2

324. White-crowned Robin-Chat

Benoué 2, Ngaoundaba 2+1

325. Cameroon Mountain Robin-Chat

Mt Cameroun ≈10 Endem

326. Rufous Bush-Chat/Scrub-Robin

Waza 5-6

327. Black Scrub Robin

Waza 2+1, Mora >15

328. European Redstart/Rödstart

Waza 1

329. Whinchat/Buskskvätta

Lac Dang 1, Ngaoundaba ca 10, Mt Kupé 1, Mt Cameroun 1

330. (African) Stonechat/Svarthakad buskskvätta

Mt Cameroun 4 pairs

331. Familiar (Red-tailed) Chat

Waza 2, Benoué 2 pairs, Benoué-Ngaoundaba 2

332. Northern Anteater Chat

Waza >6

333. Northern Wheatear/Stenskvätta

Waza fairly common

334. Heuglin's Wheatear

Mora 1 pair, Benoué 3-4

335. White-crowned (Mocking) Cliff Chat

Mora 2 males + 3 females. West African form *coronata* perhaps a separate species.

336. African Moustached (Grass-)Warbler

Benoué 1, Ngaoundaba 1

337. Little Rush (African Sedge) Warbler

Mt Kupé 1

338. Sedge Warbler/Sävsångare

Waza 3, Garoua 5

339. Eurasian Reed-Warbler/Rörsångare

Garoua 5

- 340. Great Reed-Warbler/Trastsångare**
Garoua 2, Rivière Sanaga 1
- 341. Greater Swamp Warbler**
Mt Kupé 2
- 342. (W+E) Olivaceous Warbler/Blek härmsångare**
Waza 4, Ngaoundaba 3. The birds were probably of the western form.
- 343. Willow Warbler/Lövsångare**
N: Fairly common, S: A few including some singing.
- 344. Wood Warbler/Grönsångare**
S: Fairly common
- 345. Black-capped Woodland Warbler**
Mt Kupé 1+1+2, Mt Cameroun 2 Endem
- 346. Greater (Common) Whitethroat/Törnsångare**
Waza >10, Garoua 3
- 347. Lesser Whitethroat/Ärtsångare**
Waza 2
- 348. Chattering Cisticola**
Common in the S in forest clearings.
- 349. Rock-loving Cisticola**
Mora 2 exposing themselves on rocks!
- 350. Chubb's Cisticola**
Mt Cameroun >10. Un unusual "skulking" *Cisticola* and a western counterpart to the wellknown Kenyan duet-singing Hunter's *Cisticola*.
- 351. Red-pate Cisticola**
Fairly common in Waza and Benoué
- 352. Dorst's Cisticola**
Benoué 1, a very localized *Cisticola*, just in Vallei de Benoué.
- 353. Winding Cisticola** Garaoua 1+2, Lac Dang 3
- 354. Zitting Cisticola/Grässångare**
Garoua 1
- 355. Desert Cisticola**
Waza 2
- 356. Black-capped Apalis**
Mt Kupé 2+2+4
- 357. Black-throated Apalis**
Mt Kupé 1
- 358. Yellow-breasted Apalis**
Douala 1
- 359. Buff-throated Apalis**
Mt Cameroun 1 female, description in *Birds of Africa* fits well.
- 360. Bamenda Apalis**
Ngaoundaba 5-6 ENDEM
- 361. Grey Apalis**
Mt Cameroun 2-3
- 362. Tawny-flanked Prinia**
Waza 10+10, Garoua 3
- 363. River Prinia**
Waza 1+1. Like number 331 a very localized warbler.
- 364. Banded Prinia**

Mt Kupé ca 13+heard

365. White-chinned Prinia

Douala 7, Mt Kupé 9

366. Green Longtail

Mt Cameroun 6-8 Endem

367. Moho (Oriole Warbler)

Ngaoundaba 1+1+2. A large greenbul-sized warbler.

368. Rufous-crowned Eremomela

Bakossi Mtns 1 pair+2 nestlings, Mt Kupé 2+3

369. Yellow-bellied Eremomela

Waza 1+1

370. Senegal (incl Green-backed) Eremomela

Waza 2, Benoué 4-5. Those in Waza did not look unlike the Green-capped form *capescens*.

371. Northern Crombec

Waza ca 10, Garoua 1

372. Lemon-bellied Crombec

Mt Kupé 1

373. Green Crombec

Mt Kupé 1, Limbe 1

374. Green Hylia

Korup heard, Mt Kupé 1

375. Grey/Green-backed Camaroptera

Seen and heard almost everyday – sounded like a kid's toy-trumpete. In Cameroon the grey-backed *brachyura* form.

376. Olive-green Camaroptera

Mt Kupé heard, Limbe 1. Has an insectlike song.

377. Black-faced Rufous Warbler

Mt Kupé heard

378. Yellow Longbill

Korup 2+heard

379. Grey Longbill

Mt Kupé 1

380. Yellow-bellied (-breasted) Hylia

Ngaoundaba 1

381. Violet-backed Hylia

Mt Kupé 1

382. Northern (Western) Black Flycatcher

Benoué >10, Ngaoundaba 1+2

383. White-browed Forest Flycatcher

Korup 1

384. Little Grey Flycatcher

Mt Cameroun 2 families à 4 individuals

385. Yellow-footed Flycatcher

Mt Kupé 1+1+1

386. Dusky Blue Flycatcher

Mt Kupé 1+1+1

387. Cassin's Grey Flycatcher

En route Korup-Mt Kupé 2+1

388. Spotted Flycatcher/Grå flugsnappare

Limbe 1

389. Gambaga Flycatcher

Benoué 1

390. African Dusky Flycatcher

Ngaoundaba 1+1

391. Pale Flycatcher

Benoué 1

392. Sooty Flycatcher

Korup 1, Mt Kupé 1

393. Grey Tit-Flycatcher (Lead-coloured Flycatcher)

Benoué 2

394. Grey-throated (Tit-) Flycatcher

Mt Kupé 1

395. Pied Flycatcher/Svartvit flugsnappare

Benoué 3-4, Ngaoundaba ≈10

396. African Paradise Flycatcher

Douala 1, Ngaoundaba 5 (1 white male)

397. Bate's Paradise Flycatcher

Bakossi Mtns 2, Mt Cameroun 1

398. Red-bellied Paradise Flycatcher

Korup 3

399. Rufous-vented Paradise Flycatcher

Douala 1

400. Blue-headed Crested Flycatcher

Korup 3

401. White-bellied Elminia (W-b Crested Flycatcher)

Mt Cameroun >10

402. African Blue Flycatcher

Benoué ca 10, Ngaoundaba ca 25, Mt Kupé ca 20

403. African Shrike-Flycatcher

Korup 1 pair, Mt Kupé 5+5

404. Black-and-White (Vanga) Flycatcher

Mt Kupé 3 males + 1 female

405. Senegal Batis

Mora 2, Benoué 3-4

406. West African (Bioko) Batis

Mt Kupé 2

407. Brown-throated (Scarlet-spectacled) Wattle-eye

Common in S + Ngaoundaba

408. Chestnut Wattle-eye

Korup 3 + heard

409. Great (Southern) Grey Shrike/VarfågelWaza 1+1. Cameroon form *meridionalis* often treated specific distinct from *excubitor*.**410. Grey-backed Fiscal**

Mora-Waza 2

411. Mackinnon's Fiscal (Shrike)

Mt Kupé ca 10, Mt Cameroun 1

412. Common Fiscal (Shrike)

Lac Dang 1, Ngaoundaba 1

413. Woodchat Shrike/Rödhuwad törnskata

Waza 1, Ngaoundaba 1

414. Yellow-Billed Shrike

Benoué 1+5, Ngaoundaba 2+1

415. Northern Puffback

Benoué 6, Ngaoundaba 1

416. Black-shouldered (Red-eyed) Puffback

Mt Kupé ca 10+heard

417. Pink-footed Puffback

Mt Kupé 1

418. Black-crowned Tchagra

Waza 5+2, Benoué 1+4

419. Tropical Boubou

Benoué 2, Ngaoundaba 3, commonly heard on both places

420. Yellow-breasted Boubou

Mt Cameroun 5-10 including heard birds Endem

421. Black-headed Gonolek

Benoué 2

422. Yellow-crowned (Common) Gonolek

Waza 1+1+heard

423. Lühder's Bush-Shrike

Mt Kupé 2+1+heard

424. Mountain Sooty Boubou

Mt Kupé 1+heard, Mt Cameroun 2-3

425. Grey-green (Bocage's) Bush-Shrike

Bakossi Mtns 1, Mt Kupé 1

426. Orange-(Sulphur-)breasted Bush-Shrike

Benoué 1, Ngaoundaba 1

427. Grey-headed Bush-Shrike

Ngaoundaba 1

428. Fiery-breasted Bush-Shrike

Mt Kupé 2+heard

429. Green-breasted Bush-Shrike

Mt Kupé 2 Endem

430. White Helmet-Shrike

Benoué ca 5, Ngaoundaba >9

431. Purple-headed Glossy Starling

Mt Kupé 1

432. Splendid Glossy Starling

Mt Kupé ≈10, otherwise a few in the S

433. Purple Glossy Starling

Common in Benoué and Ngaoundaba

434. Greater Blue-eared Starling

Waza a few, Ngaoundaba >30

435. Lesser Blue-eared Glossy Starling

Ngaoundaba common

436. Long-tailed Glossy Starling

Common in Waza and Benoué and en route in the N

437. Chestnut-bellied Starling

Mora ≈10, Waza common

438. Violet-backed (Plum-coloured, Amethyst) Starling

Ngaoundaba 7-8

439. White-collared Starling

Ngaoundaba 5+3+2+1=11

440. (Forest) Chestnut-winged Starling

Korup-Mt Kupé 3-4, Limbe 1, Mt Cameroun 2

441. Waller's Starling

Mt Kupé 3

442. Yellow-billed Oxpecker

Waza ca 20 on big mammals

443. Carmelite Sunbird

Douala 4-5

444. Green-throated Sunbird

Korup-Mt Kupé 2, Mt Kupé ca 12

445. Scarlet-chested Sunbird

Benoué 5, Ngaoundaba 1+1

446. Green-headed Sunbird

Fairly common in the S and Ngaoundaba

447. Cameroon (Blue-headed) Sunbird

Mt Cameroun 3-4 Endem

448. Reichenbach's Sunbird

Douala 2+1, Limbe 3-4

449. Olive Sunbird

Korup 1

450. Western Violet-backed Sunbird

Benoué 5+1

451. Mangrove (Brown) Sunbird

Douala 5+2

452. Little Green Sunbird

Mt Kupé 1

453. Fraser's Sunbird

Korup 2

454. Grey-chinned (Green) Sunbird

Mt Kupé 5

455. Collared Sunbird

Benoué 1, fairly common in the S

456. Pygmy Sunbird

Common in the N

457. Yellow-bellied (Variable) Sunbird

Waza 4, Benoué 3-4, Korup 1

458. Beautiful Sunbird

Benoué ≈10

459. Splendid Sunbird

Ngaoundaba 1, en route in the S 4, Mt Kupé 2, Mt Cameroun 1

460. Superb Sunbird

Mt Kupé 4+2

461. Johanna's Sunbird

Mt Kupé 4+2

462. Olive-bellied Sunbird

S: fairly common and >10 on Mt Cameroun

463. Tiny Sunbird

Mt Kupé 1

464. Northern Double-collared Sunbird

Ngaoundaba common

465. Yellow (Forest Green) White-eye

Benoué 3, Ngaoundaba 5+3, Korup ≈10, Mt Kupé 2, Mt Cameroun common. Forest form *stenocricotus* in Sinclair treated distinct from yellow nominate *senegalensis*. According to *Birds of Africa* they intergrade.

466. Mount Cameroon Speirops

Mt Cameroun 5-6 ENDEM One of two strict endemics for Mt Cameroun, the other one Mt Cameroun Spurfowl. The Speirops has a very narrow area, more or less exactly following the timberline around the mountain. Possibly conspecific with the São Tomé Speirops.

467. (Northern) Grey-headed Sparrow

Common all over Cameroon except in virgin forests. A complex of 1-5 species in Africa, here *griseus*.

468. Bush Petronia

Waza 10, Benoué 2, Ngaoundaba 6-7

469. White-billed Buffalo-Weaver

Waza several colonies in large trees

470. Speckle-fronted Weaver

Waza common

471. Chestnut-crowned Sparrow-Weaver

Waza 1+5+10

472. Spectacled Weaver

Benoué 2, Ngaoundaba 1, Mt Kupé 5, Limbe 10

473. Willage (Spotted-backed) Weaver

N: a few, S: common

474. Heuglin's Masked Weaver

Benoué 1 pair

475. Slender-billed Weaver

Limbe 6-7, Rivière Sanaga 1

476. Baglafaecht Weaver

Ngaoundaba 1+5

477. Bannerman's Weaver

Mt Kupé 2 Endem

478. Forest (Dark-backed) Weaver

Mt Kupé 2

479. Brown-capped Weaver

Mt Kupé 1 pair

480. Black-necked Weaver

Douala 1 pair, Ngaoundaba 10

481. Black-billed Weaver

Mt Kupé 2, Mount Cameroun 5-6

482. Yellow-mantled Weaver

En route Korup-Mt Kupé 1

483. Vieillot's Black Weaver

Common in the S along roads and forest clearings

484. Thick-billed (Grosbeak) Weaver

Mt Kupé 3 males & 1 female

485. Red-headed Weaver

Ngaoundaba 1 male

486. Red-bellied Malimbe

En route Korup-Mt Kupé 1

487. Rachel's MalimbeKorup 1 pair Endem**488. Red-headed Malimbe**

En route Korup-Mt Kupé 3

489. Blue-billed (Gray's) Malimbe

En route Korup-Mt Kupé 1

490. Red-vented Malimbe

Korup 2

491. Red-headed Quelea

Garoua 2, Korup-Mt Kupé 2

492. Red-billed Quelea

Waza abundant, Waza-Benoué several. Most abundant bird in Africa, estimated to 3-5 billions. Has been dubbed to the "Bird Pest of Africa". A nomad which follows rains in dry areas. Breeding cycle complete in 3-4 weeks in colonies of 10 thousands. A few dry grass axes enough for a nest.

493. Yellow(-rumped, Cape) Bishop

Mt Cameroun ca 10

494. Hartlaub's (Marsh) Widow

Douala 2. There were lots of widows in non-breeding dress which hampered further identifications.

495. Cut-throat Finch

Waza 2+4+2

496. Shelley's (Fernando Poo) OlivebackMt Kupé 5, Mt Cameroun 5 Endem**497. Grey-headed (White-cheeked) Oliveback**

Benoué 1, Ngaoundaba 5

498. White-breasted Nigrita (W-b Negrofinch)

Korup-Kupé 1, Mt Kupé 6, Mt Cameroun 2

499. Chestnut-breasted Nigrita

Korup-Mt Kupé 1, Mt Kupé 2+2

500. Grey-headed Nigrita

Mt Kupé 10, Limbe 10, otherwise singles in the S

501. Pale-fronted Nigrita

Limbe 3-4

502. Red-headed Antpecker

Korup 3

503. Yellow-winged Pytilia

Nguandaba 3+2

504. Green-winged Pytilia (Melba Finch)

Mora 1, Waza ca 25

505. Dybowski's Twinspot

Nguandaba 2

506. Brown Twinspot

Nguandaba 3+7

507. Bar-breasted Firefinch

Benoué 3+3, Ngaoundaba 4

508. Red-billed Firefinch

Waza 3, Mora 2, Benoué 4, Ngaoundaba 10

509. Black-bellied Firefinch

Ngaoundaba 3+1

510. Western Bluebill

Limbe 1+2, Mt Cameroun 2

511. African Quailfinch

Garoua ca 20

512. Bronze Mannikin

N: several, S: abundant

513. Black-and-White (Red-backed) Mannikin

En route in the S >30

514. Warbling (African) Silverbill

Waza 10+10, Mora 5

515. Red-cheeked Cordon-bleu

Abundant in the N

516. Lavender Waxbill

Mora 2

517. Orange-cheeked Waxbill

Common in Cameroon

518. Black-rumped Waxbill

Waza ca 20, Garoua common

519. Common Waxbill

Mora 2, Mt Kupé 3

520. Black-crowned(-capped) Waxbill

Ngaoundaba >100, Mt Kupé and Mt Cameroun common

521. Black-headed Waxbill

Douala 1, en route Korup-Mt Kupé 5

522. Village Indigobird (Steelblue Widow-Finch)

Garoua 1 pair. Parasites Fire-Finches.

523. Pin-tailed Whydah

Waza & Garoua several in non-breeding dress. Mt Kupé-Limbe several, some in breeding plumage. Parasites Waxbills.

524. (Long-tailed) (Togo/Sahel/Eastern) Paradise Whydah

Waza 1 male + 4 females

525. Exclamatory/Broad-tailed Paradise Whydah

Ngaoundaba 1 male. Taxonomy among Paradise Whydahs are yet to be resolved and they may be splitted into five different species with the two "main-species" above. Seen on our journey was Sahel respectively Exclamatory Paradise Whydah. They all parasite on Pytilias.

526. Yellow-fronted Canary

Douala several, Ngaoundaba 1, Kumba 4, Mt Kupé 2

527. White-rumped Serin (Seed-eater)

Garoua 5-6

528. West African (Streaky-headed) Seed-eater

Benoué 2

529. Oriole Finch

Mt Cameroun ca 10. A real surprise – this mountain must be the best stake-out anywhere for this notoriously difficult bird.!

530. Cinnamon-breasted Rock Bunting

En route Mora-Waza several

531. Cabani's Bunting

Benoué 1

STOP-OVER IN ETHIOPIA

7-8 Februari

* = not seen in Cameroon (one mammal, 93 birds)

ENDEM = Species within Ethiopia and/or Eritrea, Djibouti, Somaliland and adjacent border areas.

Endem = species which is regional and occur also in Eastern Kenya, Somalia, Yemen etc.

Species grouped in orders, families or family groups. English names used, where not established scientific names are used. Swedish names on migrants.

References:

Kingdon, *Guide des Mammifères d'Afrique* (=Pocket Guide Mammals of Africa).

Sinclair & Ryan, *Birds of Africa south of the Sahara*.

Spawls & Branch, *Field Guide to the Reptiles of East Africa*.

SPECIES LIST - MAMMALS

1. Abyssinian Black-and-White Colubus

Bishangari 2 grupper 5+10

2. Olive Baboon

Bishangari 2 flockar 15+10

3. Green Monkey

Bishangari 10

4. Gambian Sun Squirrel

Bishangari 3

5. Warthog/Vårtsvin *

Bishangari 4

6. Bushbuck

Bishangari 2

7. Bush Duiker

Bishangari 3

SPECIES LIST - BIRDS

- 1. Great Crested Grebe/Skäggdopping ***
Debre Zeyt 1
- 2. Dabchick/Smådopping**
Debre Zeyt common, L Koka 1, Bishangari 1
- 3. White Pelican/Vit pelikan ***
L Koka 4, L Ziwai 4, Bishangari 7+20
- 4. Pink-backed Pelican ***
L Koka 2+5, Bishangari 2+1
- 5. White-breasted Cormorant/Storskarv ***
L Ziwai 3+colony, Bishangari >300
- 6. Long-tailed (Reed) Cormorant**
A few on all wetland stops
- 7. Darter/Ormhalsfågel**
L Ziwai >10, Bishangari 3
- 8. Hamerkop**
Common
- 9. Grey Heron/Gråhäger**
A few in all suitable habitats
- 10. Purple Heron/Purpurhäger**
L Ziwai 1, Bishangari 1
- 11. Goliath Heron ***
L Koka 1, Bishangari 1
- 12. Black-headed Heron**
Debre Zeyt >10 and a few along road
- 13. Cattle Egret/Kohäger**
Common
- 14. Little Egret/Silkeshäger**
Common
- 15. Yellow-billed Egret**
Debre Zeyt 1, Bishangari 1
- 16. Great White Egret/Ägretthäger**
A few in all suitable habitats
- 17. Black Heron ***
L Ziwai 1
- 18. Squacco Heron/Rallhäger**
A few in all lakes
- 19. Little Green Heron/Grönhäger**
A few in all lakes
- 20. Sacred Ibis/Helig ibis**
Common along roads and at lakes
- 21. Hadedda Ibis**
Bishangari 5, the bird with most decibel in Africa!
- 22. Glossy Ibis/Bronsibis ***
Plenty of them at Debre Zeyt and Bishangari 1
- 23. Wattled Ibis**
Bishangari 3 ENDEM

24. African Spoonbill *

Fairly common at lakes including Bishangari ≈10

25. White Stork/Vit stork *

Road Addis-Debre Zeyt 4+2, road near L Koka 2

26. Abdim's Stork

Road Addis-Debre Zeyt 2

27. Marabou Stork

Common

28. Yellow-billed Stork

Debre Zeyt 10, L Koka 10, Bishangari 3

29. White-faced Whistling-Duck

Debre Zeyt 30, L Koka 20, L Ziwai 20+50

30. White-backed Duck *

Debre Zeyt 10

31. African Pygmy Goose

L Ziwai 15

32. Egyptian Goose/Nilgås *

Common

33. Spur-winged Goose

Debre Zeyt fairly common, Bishangari 5

34. Knob-billed Duck

Debre Zeyt 2

35. Yellow-billed Duck

Debre Zeyt 2

36. Shoveler/Skedand *

Debre Zeyt common, L Koka 2

37. Pintail/Stjärtand *

Debre Zeyt 10

38. Garganey/Årta

Debre Zeyt 20

39. Green-winged Teal/Kricka *

Debre Zeyt 2

40. Hottentot Teal *

Debre Zeyt >100, L Koka 10, L Ziwai 50

41. Red-billed Teal *

Debre Zeyt 50, L Koka 5

42. Southern (Red-eyed) Pochard *

Debre Zeyt 1 pair

43. Tufted Duck/Vigg *

Debre Zeyt 10

44. Ferruginous Duck/Vitögd dykand *

Debre Zeyt 10. Abyssinian Plateau is a good wintering area for Palaearctic ducks, just going shortly south to Kenya only Garganey is regularly seen in numbers.

45. Black-shouldered Kite/Svartvingad glada

Along road 2

46. Black (Yellow-billed) Kite/Brun glada

Abundant

47. Hooded Vulture

Ca 20 along roads

48. White-backed Vulture

Bishangari 3

49. Rüppel's Vulture

L Koka 2

50. African Fish Eagle

Locally common

51. Western Banded Snake Eagle

Bishangari 1

52. Pallid Harrier/Stäpphök

Road Addis-Koka 1

53. Montagu's Harrier/Ängshök

Bishangari 1

54. European Marsh Harrier/Brun kärrhök

L Ziwai 1 pair

55. African Harrier Hawk (Gymnogene)

Bishangari 1, road 1

56. Gabar Goshawk

Bishangari 3

57. Pale (Eastern) Chanting Goshawk *

Bishangari 1, road 3-4

58. Augur Buzzard *

Debre Zeyt 1

59. Tawny/Steppe Eagle

A few along road

60. Long-crested Hawk-Eagle

Along road 2

61. Tornfalk

Road 5-10

62. Crested Francolin *

Bishangari 2 groups à 5

63. Black Crake

L Ziwai 3

64. Common Moorhen/Rörhöna

Fairly common

65. Red-knobbed Coot *

Debre Zeyt >30, L Ziwai a few, Bishangari 10

66. European Crane/Trana *

Road Addis-Debre Zeyt 43 counted in one formation

67. (Black) Crowned Crane/Krontrana

Debre Zeyt 2, road D Zeyt-L Koka 3

68. African Jacana

Fairly common at Debre Zeyt, L Koka and L Ziway, Bishangari 2

69. Black-necked Stilt/Styltlöpare

Fairly common in wetlands

70. Senegal Thick-knee

L Ziwai 2+3, Bishangari 3

71. Greater Painted Snipe/Rallbeckasin

Bishangari 1

72. African Snipe *

L Ziwai 5

73. Black-tailed Godwit/Rödspov *

Debre Zeyt 10+5

Following Palaearctic migrants were noted without place and numbers:

74. Wood Sandpiper/Grönbena

75. Marsh Sandpiper/Dammsnäppa *

76. Greenshank/Gluttsnäppa

77. Green Sandpiper/Skogssnäppa

78. Common Sandpiper/Drillsnäppa

79. Little Stint/Småsnäppa

80. Temminck's Stint/Mosnäppa *

81. Ruff & Reeve/Brushane & brushona

82. Little Ringed Plover/Mindre strandpipare

L Ziwai 1

83. Greater Ringed Plover/Större strandpipare *

L Ziwai 10, Bishangari 5

84. Kittlitz's Plover

Bishangari 5

85. Three-banded Plover

Bishangari 1

86. Sporrvipa

Common

87. Grey-headed Gull *

L Ziwai >50, Bishangari 15

88. Great Black-headed Gull/Svarthuvad trut *

L Ziwai 3

89. Lesser Black-backed Gull/Silltrut *

Bishangari 1

90. Gull-billed Tern/Sandtärna *

L Ziwai 1, Bishangari 1

91. Whiskered Tern/Skäggtärna *

Fairly common in all wetlands, breeder and migrant

92. White-winged Black Tern/Vitvingad tärna *

Debre Zeyt >300

93. Speckled (Rock) Pigeon

Common

94. Rock Dove (Feral Pigeon)

Some in Addis

95. White-collared Pigeon *

Several in Addis ENDEM

96. Lemon Dove *

Bishangari 1+1+2

97. Olive (Rameron) Pigeon

Bishangari 1

98. Red-eyed Dove

Common

99. African Mourning Dove

Common in Rift Valley

100. Ring-necked (Cape Turtle) Dove

Common in Rift Valley

101. Laughing Dove

Common in Rift Valley

102. Dusky Turtle Dove *

Fairly common Addis-Debre Zeyt

103. Bruce's (Yellow-bellied) Green Pigeon

Bishangari 2

104. Emerald-(Green-)spotted Wood-Dove *

Bishangari 1

105. Long-tailed (Namaqua) Dove

Common in Rift Valley

106. Yellow-fronted Parrot *

Bishangari ca 10 ENDEM

107. Meyer's (Brown) Parrot *

Road in Rift Valley 2

108. Black-winged Lovebird *

Bishangari 2 ENDEM

109. White-cheeked Turaco *

Bishangari common >30 ENDEM

110. White-bellied Go-away-bird *

L Koka 1, Bishangari 3+1

111. Red-chested Cuckoo *

Bishangari 1

112. White-browed Coucal *

Bishangari 1

(I. Verreaux's (Giant, Milky) Eagle Owl *

Bishangari 1 heard)

113. Slender-tailed Nightjar *

Bishangari 3-4 seen + heard

Apus sp; a few species seen but not identified

114. Speckled Mousebird

Common

115. Narina's Trogon *

Bishangari 1+1

116. Härfågel

Bishangari 3+5

117. Black-billed Wood-Hoopoe *

Bishangari 2 ENDEM

118. Malachite Kingfisher

L Ziway 4, Bishangari 2

119. African Pygmy Kingfisher

Bishangari 3+1

120. Grey-headed (Chestnut-bellied) Kingfisher

Bishangari 2

121. Woodland (Senegal) Kingfisher

Bishangari 3-4

122. Pied Kingfisher

Several at each lake

123. Broad-billed Roller

Bishangari 3

124. Abyssinian Roller

Road 1

125. Lilac-breasted Roller *

Several along road

126. Carmine Bee-eater

L Ziwai 1, Ziwai-Bishangari 10, Bishangari 10

127. Blue-breasted Bee-eater *

Some along road, Bishangari 10

128. Abyssinian Ground Hornbill *

Road Addis-Ziwai 4+2+1+1+3+2>=14

129. (Northern) Red-billed Hornbill

Road 2

130. Von der Decken's Hornbill *Road in Rift Valley 6-7 Endem**131. African Grey Hornbill**

Bishangari 1

132. Silvery-cheeked Hornbill *

Bishangari ca 15

133. Banded Barbet *Bishangari 2+1, one pair obviously breeding ENDEM**134. Double-toothed Barbet**

Bishangari 4

135. Scaly-throated Honeyguide *

Bishangari 1 seen and 1 heard

136. Grey(-headed) Woodpecker

Debre Zeyt 1, Bishangari 2

137. Nubian Woodpecker *

Bishangari 1 seen + some heard

138. Brown-throated (African) Sand Martin

Debre Zeyt and L Ziway several

139. Black Saw-wing

Bishangari 30

140. Barn Swallow/Ladusvala

Common

141. Red-chested Swallow *

L Koka 10. A West African species with a relict occurrence in Ethiopia

142. Ethiopian Swallow

L Koka >20

143. Wire-tailed Swallow

L Koka 4

144. Lesser Striped Swallow

Debre Zeyt some individuals

145. White Wagtail/Sädesärä *

Debre Zeyt 2, L Koka 1

146. Mountain (Long-tailed) Wagtail *

Bishangari 2 pairs

- 147. Grey Wagtail/Forsäräla ***
Bishangari 2 pairs in same creek as subject 347
- 148. Yellow Wagtail/Guläräla**
Common with several wintering subspecies, *feldegg* at L Ziway
- 149. Grassveld Pipit/Stor Piplärka (if considered conspecific)**
Some at Rift Valley
- 150. Red-throated Pipit/Rödstrupig pipilärka**
A few at Debre Zeyt and L Ziway
- 151. Red-shouldered Cuckoo-Shrike**
Bishangari 1+1
- 152. Fork-tailed Drongo**
Several both days
- 153. (Abyssinian) Black-headed Oriole ***
Bishangari 5+heard ENDEM if sep sp
- 154. Pied Crow**
Common
- 155. Black Crow (Cape Rook) ***
Road 3
- 156. Brown-necked (Dwarf/Somali) Raven ***
Road several Endem if sep sp
- 157. Fan-tailed Raven ***
Road 2, L Koka 2
- 158. Thick-billed Raven ***
Addis 2 ENDEM
- 159. White-winged (-shouldered) Black Tit**
Bishangari 1, *leucomelas* in Ethiopia
- 160. White-rumped Babbler ***
Bishangari 5+5+5 ENDEM
- 161. Abyssinian (African) Hill Babbler**
Bishangari 1
- 162. Common Bulbul**
Common
- 163. Little Rock Thrush ***
Bishangari 1
- 164. Abyssinian Ground Thrush ***
Bishangari 1
- 165. (West) African Thrush**
Bishangari several
- 167. Mountain (Olive) Thrush ***
Bishangari a few. Taxonomy of African *Turdus* requires further research
- 168. Rüppell's Robin-Chat ***
Bishangari 1
- 169. European Redstart/Rödstart**
Bishangari 1
- 170. Isabelline Wheatear/Isabellastenskvätta ***
Bishangari 1+1
- 171. Pied (Cyprus) Wheatear/Nunnestenskvätta ***
Bishangari 3-4
- 172. Sedge Warbler/Sävsångare**

- 173. Chiffchaff/Gransångare ***
174. Blackcap/Svarthätta *
175. Lesser Whitethroat/Ärtsångare
176. Winding (Ethiopian) Cisticola
177. Tawny-flanked Prinia
 Bishangari 3
178. Red-faced Crombec *
 Bishangari 1
179. Grey/Green-backed Camaroptera
 L Ziway 1, Bishangari common
180. Northern (Western) Black Flycatcher
 Bishangari 5
181. Dusky Flycatcher
 Bishangari 2-3
182. African Paradise Flycatcher
 Bishangari 2 white males
183. Grey-headed Batis *
 Bishangari 1
184. Black-headed Batis *
 Ziway 2, Bishangari 2
185. Brown-throated (Scarlet-spectacled) Wattle-eye
 Bishangari 1
186. Grey-backed Fiscal
 Several along roads, Bishangari common
187. (Common) Fiscal (Shrike)
 Road Addis-Debre Zeyt several
188. Woodchat Shrike/Rödhuwad törnskata
 Addis 1
189. White-crowned Shrike *
 Road Rift Valle 3
190. Northern Puffback
 Bishangari 3
191. Black-crowned Tchagra
 Road Rift Valley 1, Bishangari 1
192. Tropical Boubou
 Bishangari 3 + heard on other places
193. Brubru *
 Debre Zeyt 1 heard, Bishangari 1 seen
194. Orange-breasted Bush-Shrike
 Bishangari 1
195. Greater Blue-eared Starling
 Common
196. Rüppell's Long-tailed Starling *
 Fairly common
197. Superb Starling *
 Fairly common
198. (Common) Red-winged Starling *
 Bishangari 2
199. Red-billed Oxpecker *
 Bishangari 6+4 on donkey-backs

- 200. Tacazze Sunbird ***
Hotel Lalibela, Addis, 1 pair
- 201. Yellow-bellied (Variable) Sunbird**
Bishangari 1 female
- 202. Beautiful Sunbird**
Ziwai 1
- 203. Abyssinian White-eye ***
Ziway 2-3
- 204. Grey-headed Sparrow**
Common
- 205. White-headed Buffalo-Weaver ***
Fairly common
- 206. White-browed Sparrow-Weaver ***
Common
- 207. Rüppell's Weaver ***
Ziwai 1 Endem
- 208. Spectacled Weaver**
Bishangari a few
- 209. Southern Masked Weaver ***
Ziwai 10
- 210. Red-headed Weaver**
Bishangari 1
- 211. Cut-throat Finch**
Bishangari 20
- 212. Red-billed Firefinch**
Bishangari 1 pair + 1 single
- 213. African Quailfinch**
Bishangari 2
- 214. Bronze Mannikin**
L Koka 10
- 215. Red-cheeked Cordon-bleu**
Bishangari 15-20
- 216. Common Waxbill**
Bishangari 1
- 217. Village Indigobird (Steelblue Widow-Finch)**
Ziwai 1
- 218. African Citril ***
Debre Zeyt >50, Bishangari 4
- 219. Brown-rumped Seed-eater ***
Ziway 5 ENDEM