

ECUADOR

2008-12-20 – 2009-01-11



Anders Dahl
Andreas Viberg
Christian Cederroth
Stellan Bygård

RESERAPPORT ECUADOR

DELTAGARE

Anders Dahl, Arlööv

dahl_anders@hotmail.com

Andreas Viberg, Stockholm

andreas.viberg@tele2.se

Christian Cederroth, Degerhamn

christian@segerstadsfyr.se

Stellan Bygård, Dalstorp

sedsby@svedbergs.se

PROGRAM

20/12	Quito-Papallacta, Cayambe Coca Reserve, Guango Lodge
21/12	Guango Lodge, Chalpi Grande Trail, Cayambe Coca Reserve, San Isidro
22/12	San Isidro, Antisana Viewpoint
23/12	San Isidro, Antisana Viewpoint, San Pablo Road, Orchids Paradise
24/12	San Pablo Road, El Para, Batancocha, Orchids Paradise
25/12	Loreto Road, Wild Sumaco
26/12	Wild Sumaco
27/12	Wild Sumaco. Amazon Viewpoint, Coca
28/12	Coca, Napo River, Sani
29/12	Sani
30/12	Sani
31/12	Sani
1/1	Sani
2/1	Sani, Napo River, Coca, Quito
3/1	Quito, Yanacocha, Bellavista
4/1	Bellavista, Mindo Road
5/1	Bellavista, Mira Valle, Mindo Loma
6/1	Mindo Loma, Paz de la Avez, Milpe Road, Mindo Cloud Forest Reserve
7/1	Mindo Loma, El Pachijal, Milpe Road
8/1	Mindo Loma, Rio Palenque
9/1	Rio Palenque, Rio Silanche (km 126), Pedro Vicente
10/1	Rio Silanche, Mindo Loma, San Antonio Pichincha, Quito
11/1	Antisana

INLEDNING

När den årliga skådarresan skulle planeras under 2008 var Venezuela ett land vi hade funderingar på att besöka, speciellt efter att ha läst några spännande reserapporter. Vi försökte kontakta några lokala arrangörer i Venezuela men fick inga svar, och i kombination med den något instabila inrikespolitiska situationen fick det oss att i stället höra av oss till Andean Birding som föreslog att vi skulle titta på Ecuador istället. Efter att ha gjort det insåg vi att Ecuador faktiskt var det ultimata landet i Sydamerika för skådning, speciellt om man som vi nästan helt saknade erfarenhet av skådning i Sydamerika. Det som är bra med Ecuador är att landet är relativt litet vilket innebär korta transportsträckor, hyfsad god infrastruktur, relativt säkert och framförallt har en fantastisk natur som erbjuder varierande skådning.

Andean Birding är grundat av den svenske skådaren Jonas Nilsson tillsammans med amerikanen Charlie Vogt. Vi kunde lägga ca 3 veckor på resan och kombinerade några av Andean Birdings veckoprogram och försökte pressa priset på turen så gott det gick. Det vi kunde påverka var att vi valde att bo lite billigare där det gick, vi hade den lokale guiden Boris Herrera (som arbetar för Andean Birding) och han följde inte med till Amazonas-delen av turen i Sani Lodge. Vi bodde ändå väldigt bra och Boris var riktigt duktig, det var nog kanske roligare att ha en Ecuadoriansk guide än en inflyttad amerikan eller svensk.



Från början var det tänkt att resan skulle göras av Stellan, Anders och Andreas, men under en grillkväll på stranden nere i Segerstad under sommaren blev Christian sugen på att hänga på.

Som vanligt var fåglar och djur, och gärna vacker natur, det enda vi var ute efter och detta fick naturligtvis styra alla prioriteringar.

LÄNKAR

Andean Birding
Guango Lodge
San Isidro
Wild Sumaco
Sani Lodge
Bellavista
Mindo Loma
Antisana

<http://www.andeanbirding.com/>
http://cabanasanisidro.com/pages/guango_lodge.htm
<http://cabanasanisidro.com/>
<http://www.wildsumaco.com/>
<http://www.sanilodge.com/>
<http://www.bellavistacloudforest.com/>
<http://www.mindolomacloudforest.com/>
<http://en.wikipedia.org/wiki/Antisana>



Scale: 1:1,000,000 (1:1,250,000) 5-91

DAGBOK

19 december Andreas reste från Arlanda och träffade Anders och Stellan på Kastrup. Via Atlanta anlände vi till Quito vid 23-tiden lokal tid. Efter ett tidsödande köande för att få komma genom passkontrollen mötte vi vår guide Boris Herrera och chaufför Wilson från Andean Birding som skulle vara med oss de kommande 3 veckorna. Vi åkte in till Quito och till hotellet San Sebastian där vi mötte upp Christian som rest en vecka tidigare och skådat själv. I Christians hotellrum, som även Stellan skulle bo i, rådde fullständigt kaos. Alla Christians kläder och prylar var blöta och hängde överallt i rummet. Över en öl i baren kunde Christian dramatiskt berätta att i Ecuador ösregnar det nästan jämt, och djungeln är full av lera och läskiga små djur. En och annan fågel hade han i alla fall sett under veckan, och det lät ju bra! Riktigt laddade inför resan somnade vi efter en lång resdag.

20 december Vi skulle upp på hög höjd och skåda ovanför trädgränsen. Därför var det inte lika viktigt att vara igång i gryningen och vi kunde faktiskt sova till 07, lika bra att ta ut resans enda sovmorgon på en gång. Från balkongen kunde vi direkt hänga in de första arterna Rufous-collared Sparrow och Great Thrush. Efter en frukost med fin frukt och toast åkte vi upp mot Papallacta. På väg ut ur Quito hade vi Black Vulture, Blue and White swallow, American Kestrel, och på högre höjd White-collared Swift och Carunculated Caracara.



Rufous-bellied Seedsnipe - *Attagis gayi*

Det visade sig att vi hade tur med vädret, antennområdet vid Papallacta ligger på drygt 4500 meter över havet, och här blåser och regnar det ofta samtidigt som sikten ofta begränsas av moln. Men vi hade ingen vind alls och fin sikt och letade genast upp 2 exemplar av målarten Rufous-bellied Seedsnipe. I övrigt Puna Hawk, Paramo Ground-Tyrant, Stout-billed Cinclodes, Bar-winged Cinclodes och Plumbeous Sierra-Finch. Tyvärr hittade vi ingen Andean Snipe trots en del floggande i lämplig miljö. Vi begav oss ner något hundratals höjdmeter och såg i anslutning till den medhavda lunchen Tawny Antpitta, Ecuadorian Hillstar, Blue-mantled Thornbill, Manystriped Canastero, Brown-backed Chat-tyrant, Andean Tit-spinetail, Rufous-naped Brush-Finch, White-

chinned Thistle-Tail och Paramo Tapaculo. En fin obs på White-tailed Deer var det som vår guide Boris verkade uppskatta mest. Vi fortsatte ner på andra sidan passet och stannade vid ett litet skogsparti (Polylepis Forest) på vänster sida vägen under ett litet bergsstup. Nästan omedelbart kom en gammal hane Andean Condor lågt över oss, en fin upplevelse att få se denna enorma rovfågel så bra. I sjön bakom skogen tubade vi Silvery Grebe, Andean Coot, Andean Ruddy-Duck och Yellow-billed Pintail. Åter vid det lilla skogspartiet fick vi njutobs på de mycket vackra Giant Conebill, Scarlet-breasted Mountain-tanager och Pearled Tree-runner. Under en promenad in i skogen attackerades vi dock av en enorm knottsvärm och vi retirerade in i bussen.



Papallacta

Därefter kom vi ner till ett område, kallat "plain area", på 3600 möh, det första platta vattensjuka området på vänster sida efter passet. Där stötte vi en Noble Snipe, tyvärr kunde vi inte återfinna den efter landning. Den tunna luften här på hög höjd började nu göra sig påmind, framförallt för mig som började känna mig matt trots stora klunkar av neskafe-spetsat mineralvatten. Ett kort stopp vid Papallacta Lake gav några Andean Gull och en Neotropic Cormorant. Vi vek sedan av vänster från asfaltvägen och fortsatte uppför en grusväg mot Cayambe Coca Reserve. En Swallow-tailed Kite seglade förbi nära i fint medljus. Den skall normalt inte finnas så här högt upp, ca 4000 möh, och troligen var detta en glada under flyttning. I övrigt såg vi en del fågel, Shining Sunbeam, Viridian Metaltail, Paramo Seedeater, Plain-colored Seedeater, men stundtals var det helt dött i den täta men låga skogen längs bergssidorna, och ingen av de tänkta målarterna som vi endast kunde se här sågs. Boris berättade att häckningssäsongen för många arter var påverkad av den globala uppvärmningen vilket gjorde att många arter fortfarande häckade fast häckningen normalt borde vara avslutad nu. För vår del medförde det att inga större blandflockar drog runt och många fåglar var tysta och gick inte heller att spela fram. Naturen var i alla fall väldigt vacker med höga skogsklädda berg, branta dalgångar och den snöklädda vulkanen Antisana långt borta i fjärran.

På väg ner mot den mycket trevliga Guango Lodge där vi skulle bo blev jag betydligt piggare av att komma ner under 3000 möh, och en tre-rätters middag nedsköljd av resans öl av märket Pilsener gjorde att vi alla började må ganska bra. Listan fylldes i framför den öppna spisen och vi kunde summera första dagen till 48 arter.

21 december Frukosten serverades nere i matsalen klockan 05.30. Gryningen kom plötsligt och när vi gick ut svirrade 5-10 arter kolibris förbi mellan de feeders som satt runt om i trädgården. Efter den första förvirringen kunde vi med viss hjälp av Boris identifiera arterna. Enklast att känna igen och häftigast var förstås de två Sword-billed Hummingbird som liksom de andra kolibrierna kunde ses på ett par meters håll. Innan vi egentligen hade sett oss mätta på dessa nya och fantastiska arter drog Boris med oss för att vi skulle skåda i skogen längs Chalpi Grande trail, belägen någon kilometer mot Papallacta-hållet.

Vi gick stigen och som vanligt i skogen var det stundtals helt dött tills plötsligt alla fåglar kom i en flock och det gällde att vara med för att inte missa något. Andean Guan, Mountain Wren, Blue-backed Conebill, Common Bush-Tanager, Scaly-naped Amazon, Rufous-breasted Chat-Tyrant, Slaty Brush-Finch och en hörd White-rimmed Brush-Finch var något av det vi hade. Sedan gick vi tillbaka mot Guango Lodge och vid en liten bäck som korsade vägen fanns en White-capped Dipper. Nere i dalgången flöt en å och från bron över ån kunde vi se ett par Torrent Duck med unger som simmade runt i forsen. Boris visslade fram en halvtam Chestnut-crowned Antpitta som kom någon meter intill oss men ändå knappast gick att se i den täta markvegetationen. Tyvärr missade vi Gray-breasted Mountain-Toucan som det finns chans på här.



Där är den!

Åter vid Guango Lodge kollade vi mer på kolibrierna och hittade några fler arter i den allmänna röran, bl.a Mountain Velvetbreast, Buff-winged Starfrontlet, White-bellied Woodstar, Tourmaline Sunangel och Glossy Flowerpiercer. Efter en väl tilltagen lunch skulle vi ge oss av med bussen men upptäckte resans första punktering. Wilson bytte snabbt hjulet och vi kunde åka upp till Cayambe Coca Reserve för att försöka ta igen något av

det vi missade igår och endast hade en chans att se här under resan. Även om vi såg Pale-naped Brush-Finch, Great Sapphirewing var det svårjobbade även idag och Boris var frustrerad över att inget svarade på playback. Vi gick upp till 3800 möh, såg en Black-chested Buzzard-Eagle innan vi vände tillbaka. På vägen ner hade vi lite mer flyt när 3 Black-backed Bush-Tanager och Agile Tit-Tyrant sågs. En bit längre ner spelade Boris fram en Rufous Antpitta.



Black-banded "San-Isidro" Owl - *Ciccaba huhula*

Strax innan skymningen begav vi oss till lodgen Cabanas San Isidro, en tur med bussen på ca 2 timmar. San Isidro ligger på 2000 möh i ett vackert område med cloud forest och här bodde vi i små bungalows. På väg ner till restaurangbyggnaden kunde vi se "the mystery owl", eller "San-Isidro Owl", sitta i en trädtopp ovanför vägen. Ugglan är troligen en egen art som bara finns här omkring San Isidro.

22 december På väg ner mot frukosten strax före halv sex ser Boris och jag ett stort djur röra sig i mörkret en bit bort på stigen. Vi tänder ficklamporna och ser att det är en Mountain Tapir! Det märkliga djuret skumpar iväg längs stigen och vi följer efter den i bakhasorna innan den försvinner in i djungeln bakom restaurangbyggnaden. Tapir är väldigt sällsynt och livskryss även för Boris! Tydligt sett vid några tillfällen på senare tid och mat hade lagts ut till den. Tyvärr fick de andra inte se annat än spåren efter tapiren. Några häftiga Rufous-bellied Nighthawks jagade en kort stund ovanför oss.

Vi åt frukost med utsikt över skogen och gryningen kom snabbt. Skådningen inleddes i den låga skogen i lodgeområdet som bjöd på en hel del nya arter på bekvämt avstånd, bl.a Black-bellied Peppershrike, Inca Jay, Highland Motmot, Barred Becard, Crimson-mantled Woodpecker, Olive-backed Woodcreeper, Montane Woodcreeper, Glossy-black Thrush, Black-and-white Warbler, Rufous-breasted Flycatcher, Cinnamon Flycatcher, White-crested Elaenia, Pale-edged Flycatcher, Emerald Toucanet, Oleaginous Hemispingus och Sub-tropical Cacique.

Därefter tog vi bussen en kort bit in på Research Station Road och skådade mellan regnskurar längs vägen fram till lunch. Vägen gick genom en vacker högstammig skog

och vi hade några fina obsar på de vackra Crested Quetzal, Golden-headed Quetzal och Plushcap. I övrigt Spectacled Bristle-Tyrant, Sulphur-bellied Tyrannulet, Rufous-crowned Tody-Flycatcher, Yellow-vented Woodpecker, Lemon-browed Flycatcher, Black-chested Fruiteater, Tawny-bellied Hermit, Green-fronted Lancebill, Bronzy Inca, Fawn-breasted Brilliant. Det var nästan inga andra människor i området och mycket behagligt.



Molnskog

Efter en god tre-rätters lunch skådade vi kort vid lodgens feeders och hade bl.a. Green Violetear. Sedan åkte vi ner mot Baeza by-pass Road och skådade i öppnare landskap längs den branta dalgångens ena sida, ända ner till än längs ner i dalen. Broad-winged Hawk, Bluish Flowerpiercer, Olivaceous Siskin, Equatorial Rufous-vented Tapaculo var något av det vi hade.

Längs vägen tillbaka mot lodgen sågs en vacker Vermilion Flycatcher sitta på en ledning, en ovanlig obs här. Vi åt middag snabbt och åkte sedan upp till Wycamayo Ridge och ett ställe som hette Antisana Viewpoint (alldeles intill ett område med radiomaster) där målet var att hitta Andean Potoo som kan höras spela här. Tyvärr dippade vi potoon men hörde i alla fall White-throated Screech-Owl och såg i ficklampans sken en Swallow-tailed Nightjar som satt i ett träd. Lite besvikna över potoo-missen återvände vi till San Isidro där lodgens speciella ugglor kunde ses även i natt.

23 december Christian vaknade halv fem av det märkliga lätet från en Wattled Guan som hördes ända in till vår lilla stuga. Vi gick ut och försökte se om tapiren kunde bjuda på en repris i dag, men det gjorde den tyvärr inte. Efter frukost åkte vi upp till Antisana Viewpoint där vi varit kvällen innan. Nu gick vi ner längs en fin stig som utgick från utkiksplatsens parkering. Stigen gick på skrå längs den branta bergssidan i fantastisk vacker och varierad cloud forest. Vi hade flera Black-billed Mountain-Toucan, Rufous Spinetail, Streaked Tuftedcheek, Bicolored Antvireo, Sooty Antbird, Ash-colored Tapaculo, Variegated Bristle-Tyrant, Dusky Piha, Lacrimose Mountain-Tanager, Hooded Mountain-Tanager, Masked Trogon.

Innan lunchtid påbörjade vi resan ner från bergen mot lodgen Orchids Paradise, och gjorde några stopp för skådning längs vägen. Förutom fin utsikt mot vulkanen Sumaco obsade vi Powerful Woodpecker, Black-billed Mountain-Toucan, Slaty-backed Chat-Tyrant, White-tailed Hillstar, Rufous-crested Tanager, Black Caracara.

Orchids Paradise låg på lägre höjd än San Isidro, och landskapet var här delvis uppodlat. Det märktes även att det bodde mer folk i dessa trakter jämfört med de folktomma bergen där vi varit i ett par dagar, och även antalet insekter hade mångdubblats. Efter att ha lämnat in packningen i våra lodger, som luktade rätt konstigt av antimögelmedel, skådade vi först inne på området vilket gav en del nya arter för resan, t.ex. en snabb överglidande King Vulture, Band-rumped Swift, Lafresnaye's Piculet, Turquoise Tanager, Short-tailed Swift, Tropical Palm-Swift, Lemon-chested Greenlet och Black-throated Mango.

På eftermiddagen åkte vi genom samhället Archidona där vi bevittnade en slags maskerad med anledning av julfirandet och skådade sedan längs San Pablo Road mot Rio Hollin i ett trevligt delvis uppodlat område. Där hade vi Ruddy Ground-Dove, Black Phoebe och en Band-bellied Owl som satt nära vägen vid floden. Vi träffade även på några blöta fransmän som paddlat forskajak en längre sträcka utan någon egentlig tanke på hur de skulle komma tillbaka. De blev glada när vi kunde erbjuda dem och deras kajaker skjuts till Archidona i vår rymliga buss.

Vi återvände mycket trötta till Orchids Paradise och åt middag.



Chestnut-breasted Coronet - *Boissonneaua matthewsii*

24 december Dagen inleddes med frukost 05.30. Stellan, Anders och Christian hade lite magbesvär vilket enligt vår guide Boris kunde bero på att vi under gårdagen hade kommit ner från högre höjd. Eller så var de bara spända eftersom detta var julafton. Vi åkte tillbaka dit vi var i går, San Pablo Road, men nu ända fram till Tapir Lodge och området El Para tills bussen inte kunde köra längre eftersom vägen hade skurit sönder. Vi gick därför av och skådade längs vägen i ett område med bambu. Det var mycket bra skådning men riktigt varmt och fuktigt och stundtals rejäla regnskurar. En tarantella hade sitt bo i en spricka i en trädstock och när Stellan sträckte fram en liten kvist framför spindeln högg den tag rejält i kvisten till Stellans förskräckelse. I området hade vi Little Tinamou, Speckled Chacalaca (djungelns pajas?), Chestnut-eared Aracari, White-eyed Parakeet, Mouse-colored Antshrike, Warbling Antbird, Thrush-like Antpitta, White-lore Antpitta, Yellow-bellied Dacnis, Golden-winged Tody-Flycatcher, White-lore Euphonia, Green-and-gold Tanager, White-shouldered Tanager, Long-tailed Tyrant, Black-crowned Tityra, White-bearded Hermit, Black-throated Hermit, flera Black-throated Mango, Black-throated Brilliant, Golden-tailed Sapphire, Chestnut-headed Crake, Ecuadorian Cacique (kanske resans bästa art enligt Boris) och Olive Oropendola.



Bussen. Innan stötdämparna pajade.

Väl tillbaka vid bussen upptäckte vi att stötdämparna slutat fungera och det gungade rejält på den gropiga vägen tillbaka mot Orchids Paradise där vi åt lunch och skådade lite från terrassen. Utsikten för de seriösa skådarna stördes tyvärr något av en blek ölaning som badade i lodgens pool istället för att jobba in arterna. Anders kände sig nu rejält hängig, men teorierna om varför varierade mellan härsket snus, artfrossa eller höjdproblem.

Eftermiddagens skådning genomfördes i området omkring byn Batancocha, ganska nära lodgen. Egentligen skulle vi åkt till ett annat ställe men eftersom bussens stötdämpning var trasig skulle vi nog inte tagit oss dit enligt vår utmärkte chaufför Wilson. Vi åkte istället upp mot Batancocha, ett område relativt nära lodgen som erbjöd fin skådning längs en grusväg i ett delvis bebott område. Förutom nyfikna men väluppfostrade barn omkring oss hade vi Olivatious Flatbill, Violet-headed

Hummingbird, Glittering-throated Emerald, Little Woodpecker, White-lined Tanager.

Tillbaka på lodgen åt vi en god middag och försökte känna efter om det verkligen var julafton.

25 december Uppstigning strax före klockan fem. Idag kände sig både Anders och Stellan risiga i magen, även om Anders var betydligt piggare mot igår. Vi åkte Loreto Road upp mot Wild Sumaco och hade några riktigt bra stopp längs vägen med Black-billed Treehunter, Buff-throated Saltator, Large-headed Flatbill, Streaked Xenops, Lined Antshrike, Blue-fronted Lancebill och Buff-rumped Warbler. Ett av stoppen var vid en klippavsatts där vi kunde njuta av några röda Cliff Flycatcher. Vi stannade vid ett fik som sålde Coca-cola och skådade lite omkring barackerna vilket bl.a. gav Blue Dacnis och Grey-rumped Swift. I backen upp mot lodgen Wild Sumaco stannade vi till vid något som kallades för "The Residence" och åt medhavd lunch.

Här fanns en del nya arter på de feeders som fanns här, t.ex. Violet-fronted Brilliant, Gould's Jewelfront, Violet-headed Hummingbird, Brown Violetear, Ecuadorian Piedtail, Northern White-crowned Tapaculo. Efter lunchen skådade vi längs de fina stigarna som löpte upp och ner längs den branta bergssidan och hade Copper-chested Jacamar, White-crowned Manakin, Musician Wren, American Redstart, Foothill Antwren, Ornate Antwren, Black-streaked Puffbird. Ett kraftigt skrik ovanför trädskronorna fick Boris att reagera, Military Macaw! Trots en blixtsnabb språngmarsch ut ur den täta skogen fick vi tyvärr inte se denna drömmart denna gång.

Därefter åkte vi upp till lodgen Wild Sumaco, en nybyggd liten lodge på krönet av en bergsrygg med fantastisk utsikt från terrassen över den skogsklädda dalgången nedanför. Lodgen och rummen var väldigt fina, maten var suverän och det kändes mycket lyxigt att få vara här. Efter att ha installerat oss på rummen gick vi Lanisoma Trail en liten bit från lodgen där vi spelade fram Plainbacked Antpitta och Short-tailed Antthrush. I övrigt hade vi Buff-tailed Sicklebill, Spotted Nightingale-Thrush, Barred Forest Falcon, Scaled Pigeon och Chestnut-crowned Gnatcatcher. Vi gick utanför stigarna i den täta djungeln och Stellan och Boris trampade i ett jordgatingbo och fick trots en imponerande hög fart ut ur skogen ett flertal stick på kroppen. Dessbättre blev det inga större svullnader som följd.

Lodgen Wild Sumaco ägdes av ett amerikanskt par med anknytning till Jonas och Andean Birding. Till kvällen hade de lagat en amerikansk julmiddag med kalkon och potatispuré, och vi mädde verkligen prima.

26 december Morgonen inleddes vid 6-tiden på de fina stigarna Manakin trail, Piha Trail, Step Trail och Waterfall Trail längs bergssidan en liten bit från lodgen. Det fanns mycket fågel och vi fick bra obsar på Barred Forest Falcon, Golden-collared Toucanet, Blue-rumped Manakin, Blue-fronted Lancebill, Rufous-rumped Foliage-gleaner, Rufous-rumped Antwren, Gray-tailed

Piha, Blue-rumped Manakin, White-fronted Tyrannulet, Equadorian Tyrannulet, Collared Trogon och en cool och nästan klotrund Amazon Bamboo Rat som satt i ett träd ovanför stigen och trodde den var osynlig. En Cook-of-the-Rock, eller rättare sagt en Hen-of-the-Den, låg och ruvade i en ravin vid ett vattenfall.



Golden-collared Toucanet - *Selenidera reinwardtii*

Tillbaka för 3-rätters lunch på Wild Sumaco och lite slö skådning från terrassen. Blue-headed Parrot drog förbi och Anders upptäckte en Orange-breasted Falcon i ett träd på en bergsrygg, och en Short-crested Flycatcher hördes. Vi passade även på att tvätta lite kläder som hjälpligt torkade i den varma solen.

Därefter åkte vi upp mot byn Pacto Sumaco beläget ovanför lodgen och gick där en promenad i delvis uppodlat landskap. Vid byn hördes först Blackish Rail i en liten pöl. Promenaden gav sedan Chestnut-fronted Macaw, några korta glimtar av Military Macaw som flög på långt håll. Häftigast var den vackra White Hawk som flög över oss på låg höjd. I övrigt hade vi Crested Quetzal (1:a för WS-området), Smoky-brown Woodpecker och Foothill Elaenia.

Innan middag försökte vi oss på ugglelyssning längs vägen nedanför Wild Sumaco men ugglorna var tröga och gav trots play-back bara några korta rop från Band-bellied Owl, men glädjande nog Foothill Screech Owl. Även Watted Guan hördes.

27 december Under natten regnade och åskade det kraftigt, men strax efter frukost slutade det passande nog och vi kunde påbörja skådningen. Vi tog bussen ner till starten för Step Trail och gick sedan längs vägen, men det var tyvärr tystare i skogen idag. Hade i alla fall Black-mandibled Toucan, Rufous-breasted Wood-quail, Olivaceous Woodcreeper, Many-spotted Hummingbird, Olive-spotted Hummingbird, Yellow-breasted Antwren, Estern Wood Pewee, Gray-mantled Wren, Tropical Parula, Blackpoll Warbler, Bronze-green Euphonia och Blue-browed Tanager. Åkte senare upp till Pacto Sumaco där det (eventuellt) hade setts Vermillion Tanager strax innan men vi hittade ingen sådan.

Lunch på Wild Sumaco och skådning från terrassen. En Chestnut-tipped Toucanet visade sig kort och 2 stycken

Military Macaw kom flygande ned mot dalen. Vi påbörjade sedan bussresan mot staden Coca som var utgångspunkt för den kommande veckan i Amazonas. I det ursprungliga programmet från Andean Birding skulle vi egentligen åka buss tillbaka till Quito (8 timmar) och sedan flugit till Coca dagen därpå, men det kändes ju helkorkat när Coca bara var några timmar härifrån. En förklaring till detta var antagligen att veckan på Sani Lodge i Amazonas säljs inklusive flyturen vare sig man vill eller inte. Som tur var kunde Boris och Wilson planera om sin verksamhet och vi åkte direkt till Coca.

Vi stannade längs vägen för skådning på några ställen. Vid Amazon Viewpoint där Amazonas enorma skogsklädda yta bredde ut sig framför oss hade vi en Short-tailed Hawk, efter staden Loreto stannade vi i ett skogsparti och hade Great Antshrike, Cinnamon-throated Woodcreeper, Blue-crowned Motmot, White-fronted Nunbird, Blue-crowned Manakin och tillbaka vid bussen hade chauffören Wilson hittat resans enda White-necked Puffbird.

I Coca, som var en rätt sjaskig stad, tog vi in på ett turisthotell med pool och allt invid Napo-floden där ett dubbelrum kostade 30 dollar. Vi åt middag på terrassen invid floden och här nere på endast 300 meter över havet var den fuktiga värmen tryckande. Ett antal tjuvaktiga apor sprang runt och försökte sno vår mat, men icke! Chrille visade klassen och artade snabbt den Laughing Gull som flög förbi längs floden. En Sand-colored Nighthawk som jagade fram och tillbaka över floden i skymningen gav större bestämningsbekymmer innan vi kom på vad det var.

Efter vår första vecka på Andernas östra sida hade vi nått upp till ca 400 arter.



Pacto Sumaco

28 december Wilson hade kvällen innan kört tillbaka till Quito så för skådningen innan båten till Sani avgick hyrde vi en bil och chaufför för att kunna besöka några lokaler längs andra sidan floden. Dock var bron över floden trasig och all trafik skeppades över med några pråmar på ett väldigt krångligt sätt med enorma köer som följde. Att tillbringa några timmar i kö passade vårt schema illa, så vi pratade med polisen som försökte hålla ordning på kön och vi fick åka med pråmen på relativt

omgående. Vi skådade västerut längs floden till Lamina la Conde och hade Pearl Kite, Collared Plover, Lettered Aracari, Spot-breasted Woodpecker, Red-stained Woodpecker, Blue-winged Parrotlet, Straight-billed Hermit, White-eared Jacamar, Scarlet-crowned Barbet, Cinnamon-throated Woodcreeper, Eastern Kingbird, Pale-eyed Blackbird (ny för Boris), Solitary Caciue, Orange-backed Troupial och hörde Bright-rumped Attila och White-throated Tinamou. Denna extra förmiddag och gårdagen gav oss en del arter vi skulle missat om vi åkt buss tillbaka till Quito som Andean Birding planerat.

Väl tillbaka i Coca mötte vi upp med personalen från Sani Lodge som även hade hand om transporten nedför floden med en lång och smal motorbåt. Resan tog 2,5 timme på floden som verkade mycket svårnavigerad. Floden för med sig oerhörda mängder slam och söker hela tiden nya vägar, öar försvinner och bildas hela tiden. Ibland åkte vi över områden som varit skog bara några månader tidigare. För att spara pengar hade vi inte med oss Andean Birding och Boris till Sani, utan vi hade fått tips på att vi skulle försöka få tag på en av Sanis guider vid namn Domingo som skulle vara duktig på fåglar. Guidning ingick i priset på Sani men fågelkunskaperna brukar ju vara högst varierande hos normala guider. Vi hade tur, Domingo var riktigt duktig och tog omhand oss hela tiden och vi slapp ha med oss några vanliga turister. I princip körde vi fulla dagar även här, med avbrott för mat och vila vid lunchtid. De andra gästerna och deras guider höll ett helt annat tempo så det vore rena katastrofen att hamna i en sådan grupp.

Längs floden hade vi bl.a. Roseate Spoonbill, Yellow-billed Tern, Large-billed Tern och Swallow-winged Puffbird.



Sani Lodge

Sani Lodge ligger vid en lagun, en bit från huvudflodfåran. Det var lågvatten nu och vi var därför tvungna att gå en sträcka i djungeln innan vi kunde ta en liten kanot sista biten fram till lodgen. Innan lagunen såg vi en Limpkin i träden ovan vattnet. Lodgen ligger väldigt fint vid lagunen, gästerna bor i bungalows och alla måltider intas gemensamt i kökshuset. Värmen var intensiv och fuktig här i djungeln, och andelen småkryp mångdubblades jämfört med skogen uppe i bergen. Vi var riktigt svettiga och kläderna var fuktiga hela tiden, och

enda sättet att de inte skulle mögla var att låta bli att byta dem under veckan.

På kvällen tog vi en tur i en rätt ranglig kanotliknande båt som paddlades av två unga tjejer som skolades in till guider. Att glida runt ljudlöst och skåda längs de smala vattenvägarna och på lagunen, alldeles i kanten på djungeln var riktigt härligt. Vi hade Bat Falcon, Agami Heron, Undulated Tinamou, Cream-colored Woodpecker, Red-capped Cardinal, Laddertailed Nightjar och hörde Common Potoo, Broad-billed Motmot, White-chinned Jacamar och Long-billed Woodcreeper.



Ord överflödiga!

Det fanns en hel del småkryp i och runt Bungalowerna. Ovanför dörren till mitt och Chrilles hus satt varje natt en riktigt fet Tarantella på nästan exakt samma ställe, och kackerlackor i olika färger och storlekar sprang runt inomhus. Ett av de mer användbara djungeltipsen var att kolla kängorna innan man stoppade ner foten.

29 december Uppstigning 04.45 och efter en snabb frukost iväg i paddelkanoten till Napo-floden. Pauraque, Ferruginous Pygmy Owl och Spectacled Owl kunde höras från bryggan. Mycket hägrar fanns längs stränderna och i träden över vattnet innan gryningen, bl.a. Agami Heron, Striated Heron, Boat-billed Heron, Rufescent Tiger-Heron och Black-capped Night-Heron. I övrigt Rufous-headed Woodpecker och Plumbeous Antbird. Sedan motorbåt ca 40 min uppströms till ett "salt-lick" för papegojor, dvs ett ställe på en klippa där det kommer fram salter och mineraler som papegojor gillar. Lite turistigt med spång och gömsle men kul att kunna få bidra (20 \$) till att bevara papegojorna och skogen. Vi såg Blue-headed Parrot, Yellow-crowned Amazon, Dusky-headed Parrot och Mealy Amazon.

Därefter ytterligare 10 minuter båtfärd uppströms och fram till ett nytt salt-lick med bättre papegoj-utdelning. Där fanns Scarlet-shouldered Parrot, Orange-cheeked Parrot, och ett kraftigt skrik uppe från trädkronorna indikerade Scarlet Macaw! Aran kom dock inte ner till salt-licket men vi såg den bra uppe i trädet. Vi gick även en promenad i den omgivande djungeln och hade 2 stycken Crested Owl, Golden-headed Manakin, Striped Manakin och hörde Great-billed Hermit, Red-throated Caracara, Black-faced Antthrush. Ute vid floden hade vi

Black Caracara, Great Potoo på en trädstam med en unge, White-flanked Antwren, Mottled-backed Elaenia, Drab Water-Tyrant och Umbrellabird.



Crested Owl - *Lophotrix cristata*

Vi återvände till Sani för lunch och bad i lagunen. Tog man ficklampan och lös över lagunen på natten reflekterades ljuset i kajmanernas ögon. Black Caiman blir upp till 5 meter lång och i sällsynta fall kan den ge sig på människor, men tydligen ska kajmanen hålla sig inne i vassen på dagtid. Lite läskigt var det ändå att plaska runt i det varma vattnet bland kajmaner och pirayor.

På eftermiddagen gjorde vi en ny kanottur längs smala vattendrag i omgivningen och hade Azure Gallinule, Sungrebe, Marbled Wood-Quail, drömobs på den svåra Long-billed Woodcreeper vilken Domingo visslade fram. Den endemiska Cocha Antshrike spelades fram, och Red Howling Monkey vrålade i bakgrunden.


Eftersom middagstiderna på lodgen var gemensamma för alla var det lätt att komma i samspråk med de andra gästerna. Gränsen för trevligt passerades dock av en amerikansk ex-soldat som kväll efter kväll mycket högljutt redogjorde för sina äventyr i mellanöstern och sin dåliga whiskeysmak; ”Fuckin Jonnie Walker red label, that’s fuckin premium whiskey, dude”.

30 december Avfärd med kanoten halv sex och sedan motorbåt uppströms i 25 minuter då vi såg River Tyrannulet och en oväntad Barn Swallow. Här steg vi i land på en sandö, La Isla, som bildats för ett antal år sedan och som erbjuder en miljö med vassbälten och buskar som vissa fåglar specialiserat sig på. Även om arterna på ön var relativt få så var det flera arter som bara kunde ses på liknande platser. En flock med 3 arter spinetails, White-bellied, Parker’s och Plain-crowned var bra för vår lista och vi hade i övrigt Least Sandpiper, Lesser Hornero, Spotted Tody-Flycatcher, Willow Flycatcher, Long-billed Gnatwren, Northern Waterthrush och Castelnau’s Antshrike svarade på playback.

Fram på förmiddagen blev det rejält varmt i solen och vi återvände, via en titt på en sovande Common Potoo, till lodgen för bad, lunch, vila och rovfågelspan som gav Snail Kite och King Vulture.

Under eftermiddagen gick vi en stig från lodgen och hade bl.a. 3 magnifika Blue-and-yellow Macaw som flög över skogen, Yellow-crowned Elaenia, Purple-throated Fruiterow, Lawrence’s Thrush och hörde Amazonian Barred Woodcreeper, Black-spotted Bare-eye och Cinereous Mourner.

Christian hade under natten utvecklat en rejäl nackspärr som han trodde berodde på att nacken blivit kall i vinddraget i motorbåten. Vi andra undrade stilla hur något kunde bli kallt i denna dygnet-runt-bastu, men ont i nacken hade han, det var tydligt och huvudet gick knappt att vrida. En stor del av lodgens gäster och personal engagerades i problemet och Christian fick allt från massage av vackra flickor och massage av barska gubbar, till behandling med kokta blad med läkande effekt som lades på det onda området. Till detta fick han av en tysk kvinna ett stort glas vatten med iblandade homeopatiska preparat som skulle drickas i små klunkar under två dygn. Glaset ställde han dock bredvid mitt vattenglas och jag tog i törsten fel och svepte hela medicinalblandningen innan misstaget insågs. Behandlingen av nacken gav i alla fall resultat och dagen därpå var alla besvär nästan borta.



Cocha Antshrike - *Thamnophilus praecox*

31 december Inledde skådningen strax efter sex i ett ”canopy tower”, ett ca 30 meter högt torn som var byggt runt en hög trädstam en bit från lodgen. Här tillbringade vi hela morgonen fram till lunch och hade Great Black-Hawk, Black Hawk-Eagle, ganska många Blue-and-yellow Macaw, Scarlet Macaw, Red-bellied Macaw, Amazonian Violaceous Trogon, Purplish Jacamar, Scaly-breasted Woodpecker, Southern Beardless Tyrannulet, Yellow-browed Tody-Flycatcher, Sulphury Flycatcher, Pink-throated Becard, White-browed Purpletuft, Spangled Cotinga, Opal-rumped Tanager, Flame-crested Tanager och Moriche Oriole. Vi kunde även studera en morgontrött vrålapa i en trädskrona intill. Apan verkade ha varit ute och vrålat rätt sent kvällen innan för han vaknade till först fram mot klockan 10, efter att ha snoozat flera gånger. Flera av arterna från tornet såg vi endast här och en tur till tornet är alltså ett måste. Längs stigen tillbaka hade vi Collared Puffbird, Plain-winged Antshrike.

Lunch och bad vid lodgen, därefter en ny promenad på stigar runt omkring lodgeområdet tills en stund efter skymning. Här hade vi Double-toothed Kite, Brown Nunlet, Dusky-throated Antshrike, Plain-throated Antwren, Rufous-capped Antthrush och hörde Great Tinamou, Great Potoo, Great Jacamar, Bicolored Antbird, Striated Antthrush, Rusty-belted Tapaculo. Coolast var den vrålapa som satte och vrålade i ett träd ovanför oss. Det lät som det var typ 100 stycken vrålände individer, men Domingo sa att det bara var en enda apa. Imponerande röstresurs!

Middagen denna nyårsafton var mycket trevlig, Anders hade med glögg och pepparkakor hemifrån och någon ställde fram Ecuadorisk whiskey. Det hela övergick i ett partaj och Chrille och Anders stängde baren fram mot klockan tre, efter att bartendern redan hade däckat.

1 januari Det nya året inleddes med en rejäl uppförsbacke. Grundplanen var uppgång klockan fem för att leta efter Zig-Zag Heron, men vi försov oss och vaknade först klockan sex. Domingo var rejält sliten efter nattens firande och först fram mot halv åtta kom vi iväg. Då var hägern sedan länge körd och vi försökte istället leta efter Rufous Potoo som brukade sitta dagkvist på ett och samma ställe, det kändes lagom svårt för oss denna dag. Från kanoten hade vi Yellow-billed Tern, Least Bittern och hörde Ruddy Quail-Dove. Tyvärr satt inte potoon på plats, vi hade otur med Potoos denna resa. Vi hade i alla fall Wire-tailed Manakin, Spix's Woodcreeper (framspelad). Regnskogen gjorde även skäl för sitt namn idag efter några dagar med oförskämt fint väder. Det blev störtregn och riktigt lerigt och jag gick för säkerhets skull även ner mig till midjan i ett träsk.

På eftermiddagen åkte vi till en ö (inte samma som igår) i Napo-floden. Ok skådnig med ett magnifikt ljus när solen bröt genom de mörka regnmolnen. Barred Antshrike, Mouse-colored Tyrannulet, Lesser Wagtail-Tyrant och ca 30 Chestnut-fronted Macaw var några av de roliga. Tillbaka för middag fick vi chockbeskedet att ölen på lodgen var slut, allt dracks upp igår. Och något kokt vatten fanns knappast heller att dricka, personalen hade helt festat bort sina förpliktelser. Vilken prövning denna dag utvecklade sig till.

2 januari Idag skulle vi försöka igen på Zig-Zag Heron, och gick upp kvart i fem. Domingo dök dock inte upp nedanför sitt hus som avtalat. Efter långvarigt bultande på dörren staplade Domingo ut, full som en indian! Domingo måste ha krökat hela natten för han kunde knappt hålla sig på stigen bort till platsen för hägern, och vårt humör sjönk en aning i hällregnet. Dessutom var man tvungen att spela fram hägern om man skulle ha en chans att se den och ingen hade något ljudspår, så vi återvände till lodgen. Frukosten skulle ha serverats klockan sex men hela personalstyrkan var helt ur slag och knappt något fanns att äta förrän strax innan sju. Lite senare påbörjade vi resan från Sani, en vistelse som varit väldigt trevlig och lyckad förutom avslutningen där man helt klart kunde ha synpunkter på personalens

beteende. Vi kan verkligen rekommendera Sani, men se till att få Domingo som guide, de andra har ingen koll på fåglar.

Efter båtresa till Coca, halvskumpig flygresa till Quito och taxi till hotell San Sebastian var vi plötsligt i en storstad igen. Vi tvättade kläder i badkaret och tog en promenad i kvarteret intill hotellet. Risken för personrån hade tydligen ökat kraftigt i Quito det senaste året, och vi hade fått rådet att inte springa runt för mycket med kameror och kikare i staden.

Reselistan efter en vecka på östra sluttningen och en vecka i Amazonas innehöll 556 arter.



Sword-billed Hummingbird - *Ensifera ensifera*

3 januari Efter frukost vid 06 blev det ett kärt återseende att träffa Boris och Wilson från Andean Birding igen. Vi begav oss upp mot Yanacocha för att spendera vår sista vecka längs den västra sluttningen av Anderna. En del fåglar var givetvis repris från veckan på östra sidan, men en hel del var nytt. Vädet var soligt och ett fotostopp en bit upp i bergen gav förutom vacker utsikt Paramo Pipit och Black-tailed Trainbearer. Sedan gick vi en grusväg, "Inca Trail", som löpte längs en brant bergssida och omgiven av buskar. Mestadels var det inte så mycket fåglar men på några ställen fanns feeders och därmed kolibris som Great Sapphirewing, Sword-billed Hummingbird, Buff-winged Starfrontled, Sapphire-vented Puffleg, Golden-breasted Puffleg, Tyrian Metaltailed. Tyvärr såg vi inte den mycket hotade Black-breasted Puffleg som troligen bara finns just här. I övrigt hade vi Bar-bellied Woodpecker, White-browed Spinetail, Smoky Bush Tyrant, Black-and-white Becard, Black-chested Mountain-Tanager, Superciliaried Hemispingus och hörde Tawny-breasted Tinamou, Undulated Antpitta, Chestnut-naped Antpitta, Chestnut-breasted Chlorophonia och Golden-crowned Tanager. När dimmoln omfamnade oss återvände vi till bussen och begav oss mot Bellavista.

Längs vägen stannade vi i en fin dalgång (Nono Road) och skådade på omkring 2800 möh strax innan skylten "Ingreso Cascada Caminata Ecologica" och hade bland mycket annat Cinerous Conebill och Rufous-chested Tanager. Vi försökte senare också på Beautiful Jay på

flera ställen och efter en del slit satt plötsligt den vackre i en buske bredvid vägen. Dessutom Sickle-winged Guan, men vi missade Lyre-tailed Nightjar som man kan ha här.

Vid halv åtta var vi framme vid lodgen Bellavista där vi bodde i en märklig byggnad helt konstruerad av sviktande runda bambustammar. Hörde Mottled Owl runt campen.

4 januari Tidigt i gryningen vid klockan 06 kunde vi från lodgen höra Giant Antpitta och Rufous-bellied Nighthawk. Därefter letade vi den sällsynta och vackra Tanager Finch och fick väldigt fina obsar på några stycken invid Mindo Road. En hel del fina blandflockar rörde sig också uppe i trädkronorna och som vanligt när man är 4 skådare som ropar ut arter blev det ganska rörigt. Hade bl.a. Sepia-brown Wren och hörde Grass-green Tanager. Sedan gick vi i typiskt väder med dimma och stundtals duggregn Bellavista Research Station Road som gick i fin miljö med en del ängar inne i skogen. Vi såg ovanligt många Plate-billed Mountain Toucan hörde Dark-backed Wood Quail, den svåra Spot-fronted Swift och en mycket fin obs på Cliff Swallow som var kryss för Boris.



Booted Racket-tail - *Ocreatus underwoodii*

Åter till Bellavista för lunch och skådning bland deras feeders där vi på 1 meters håll ganska många arter, bl.a. de häftiga Booted Racket-tail.

På eftermiddagen gick vi några stigar, bl.a. H, ovanför lodgen men det regnade och var relativt låg aktivitet, men några bra arter fick vi i alla fall in, t.ex 8 Barred Parakeet, Flammulated Treehunter, Striped Treehunter och Handsome Flycatcher. Vid lodgen såg vi 2 stycken Kinkajou klättra runt i träden.

I mörkret efter middagen satt en Common Potoo på en stolpe utanför huset.

5 januari Upp kvart i sex, efter en snabb kaffe gick vi ut innan gryningen på stigen märkt H. På den leriga stigen kunde vi se tydliga spår efter en puma med unge, och i övrigt hade i Slaty-backed Nightingale-Thrush. Tillbaks för frukost och sedan buss mot en kanjon som innehöll oilbirds. Eftersom Chrille befarade att han under dagen skulle uppnå 3000 världskryss stannade vi och köpte en flaska Grand Duval Classico Reserva Especial längs vägen. Vägen var dessutom hal och lerig och resans

enda trafikincident var när bussen gled ner i diket, lyckligtvis åt rätt håll och inte nedför stupet på andra sidan vägen. Efter lite micklande fick vi upp bussen och kunde fortsätta till Mira Valle där oljefåglarna skulle finnas. Där fick vi först åka traktorkärra en bit, och sedan via stegar klättra ned i en kanjon. Väl nere kunde vi se några av dessa oerhört märkliga fåglar flyga runt och skrika medan andra låg och ruvade. I omgivningen hade vi Striped Cuckoo, Rufous-tailed Jacamar, Dot-winged Antwren, Scaled Antpitta, Dusky-capped Flycatcher, Whiskered Wren, Olive-crowned Yellowthroat, Yellow-faced Grassquit

Medhavd lunch avnjöts senare i diket längs vägen upp ur dalen och vi hade en del bra arter, t.ex. Slaty Antwren, Chocó Toucan och Chocó Warbler. Stellan kunde visa upp märkliga utslag på de centrala delar av kroppen som normalt täcks av kläder och vi spekulerade i om det kunde vara fukteksem, chiggers eller något annat.

Därefter åkte vi till Mindo Loma och det ställe där Boris familj bodde. De hade byggt ut sitt ställe för att kunna ta mot gäster och vi skådade på tomten i tilltagande regn, t.ex. Orangebreasted Fruiteater. Chrille fick in de sista arterna och passerade 3000 kryss ståndsmässigt med Moustasched Antpitta så vi fick anledning att öppna den införskaffade flaskan innan middag.

6 januari Under natten regnade det kraftigt, men det upphörde efter frukost strax före sex. På en stolpe utanför satt en Strongbilled Woodcreeper. Vi åkte upp mot Paz de la Avez där en herre vid namn Angel Paz har blivit kompis med ett gäng antpittor. Vi gick ner till ån i botten av dalgången och där kunde vi se när Angel visslade fram Cariña (Giant Antpitta) och en Yellow-breasted Antpitta som dock var lite tjurig. Antpittorna hoppade fram helt öppet och åt de maskar Angel lagt fram. Makalöst. Lite skådning i den fina ravinen gav Wedge-billed Hummingbird, Purple-bibbed Whitetip, Crimson-rumped Toucanet, Andean Cock-of-the-rock sedan fikade vi uppe vid husen och tittade bl.a. på Broad-winged Hawk och White-rumped Hawk.



Yellow-breasted Antpitta - *Grallaria flavotincta*

När vi var tillbaka för lunch i Mindo Loma hade det börjat regna igen. Från lunchbordet kunde vi i alla fall se Golden-naped Tanager. Efter lunch åkte vi ner till

området kring Milpe Road. Bra skådning ner till Cloude Forest Reserve, Buff-fronted Foliage-gleaner, Silver-throated Tanager, Yellow-green Bush-Tanager, Black-striped Sparrow sedan blev det ösregn i en timme, lyckligtvis kunde vi sitta under tak. Därefter promenad på stigar i området, hade White-whiskered Hermit, Green Thorntail, Green-crowned Brilliant, Guayaquil Woodpecker, Slaty Becard, Moss-backed Tanager innan vi i skymningen återvände upp till Mindo Loma.



Green-crowned Brilliant - *Heliodoxa jacula*

7 januari I väg vid halv sju till en fin dalgång, El Pachijal, på lägre höjd än Mindo Loma. Vi gick och skådade längs grusvägen och Wilson kom efter med bussen. Stellan och Anders hade idag lite magbekymmer igen. Stellan lyckades trots det hänga in en Pacific Tufted Cheek. I övrigt hade vi 5 st Blue-fronted Parrotlet, Glistening-green Tanager och hörde Cloud-forest Pygmy-Owl. Dessutom en väldigt fin obs på Scarlet-rumped Cacique, första fyndet för området kring Mindo Loma.



Barred Forest Falcon - *Micrastur ruficollis*

Tillbaka för lunch i Mindo Loma och sedan ner till Milpe Road igen. Skådade längs stigarna vid Cloude Forest Reserve som gav Club-winged Manakin och Guiera Tanager. Åkte sedan vidare längs vägen, hade Tiny Hawk, Yellow-bellied Elaenia och hörde White-throated Crake. Vid vägens slut fortsatte vi gående ned mot en liten flod och letade efter framförallt Stripe-billed Aracari, tyvärr utan framgång trots en massa andra Aracarids. Såg i alla fall Chocó Trogon, Chestnut-

mandibled Toucan, Brown-billed Scythebill, Stub-tailed Antbird och hörde Berlepsch's Tinamou. Inväntade skymningen för att lyssna efter Chocó men när det blivit lagomt mörkt började det, tokregna. När vi kom upp till Mindo Loma var vi rätt trötta men piggade till lite när det satt en Barred Forest Falcon inne i matrummet. Skogsfalken hade flugit in genom ett fönster och verkade inte alls sugen på att ge sig ut i regnet. Efter en stund hoppade den ut på balkongen där den i alla fall satt under tak. Hörde även Mountain Coati på kvällen.

8 januari Ösregn under hela natten. Efter frukost gick vi en stig i skogen bakom huset och när regnet slutade var det mycket fågel i rörelse, som vanligt en mängd arter i en och samma flock. Uppe i en bäckravin letade vi efter den lokala specialiteten Hoary Puffleg, och efter en liten stund kom den flygande och satte sig nära. I övrigt Chocó Woodpecker, bra obs av Pacific Tuftedcheek, Spotted Barbtail, Rusty-winged Barbtail, Tyrannine Woodcreeper och Bronze-olive Pygmy Tyrant.

Sedan lunch och avfärd mot Rio Palenque som vi nådde vid 16-tiden. Ju längre västerut vi kom, och därmed ner till lägre höjd, desto mer oljepalms- och bananplantager och upplagade områden. Boris berättade att en del skogslevande arter på senare tid påträffats högre upp på nya områden och att det troligen berodde på att skogen skövlat på lägre höjd. Passerade även genom den trista staden Santo Domingo. Trafiken i Ecuador var generellt rätt sansad och i vår buss kände vi oss trygga.

2 timmar effektiv skådning i Rio Palenque som är en skyddad låglandsregnskog och som delvis gränsar till ett planterat område gav en del nya arter, Ecuadorian Ground Dove, Pacific Parrotlet, Pacific Pygmy Owl, White-whiskered Puffbird, Pacific Elaenia, Common Tody-Flycatcher, Tropical Gnatcatcher, Crimson-breasted Finch, Yellow-tailed Oriole. Här på ca 200 möh var det även betydligt mer insekter, grodor och det fanns en del orm i skogen, även om vi inte såg någon under dagen.

Vi bodde i ett hus ovanför floden Rio Baba inne på området där parkförvaltningen hade sitt kontor, tillsynes var vi de enda gästerna. Vid skymningen tog vi en öl på terrassen och hade Short-tailed Nighthawk överflygande.



Kärlek vid första ögonkastet!

9 januari Frukosten var rätt dålig, och efter att ha ätit upp de torra brödsnivorna gick vi grusvägen från huset vidare in i skogen och skådade med bra resultat, Western White-tailed Trogon, Barred Puffbird, Buff-throated Foliage-gleaner, Red-billed Scythebill, Dusky-faced Tanager. En kort bit med bussen och vi nådde ända fram till floden på andra sidan parken. Invid floden fanns en skylt om att det var förbjudet att både fiska och jaga med sprängmedel, men trots avsaknad av detta hade vi Least Grebe, Pied-billed Grebe, Little Blue Heron, Hook-billed Kite, Wattled Jacana, Gray-capped Flycatcher, Black-lored Yellowthroat och hörde Rufous-headed Chachalaca. Sedan skådade vi på stigarna märkta 3 och 6, något av det vi såg i området var Baron's Hermit, White-tipped Sicklebill, Red-rumped Woodpecker, Western Slaty-Antshrike, One-colored Becard, Grey-and-gold Warbler och hörde Pied Puffbird. En vackert randig korallorm (*Micrurus dumerilii*) på stigen gjorde man nog både för ormen och sig själv bäst att inte trampa på.

Vid lunch var vi tillbaka vid huset och tänkte få lite mat. Efter en stunds förvirring visade det sig att maten var slut, vem som nu hade ätit upp den. När Boris skulle betala vistelsen körde de även med tricket att ingen växel fanns... alltsammans typiskt ju närmre kusten man kom enligt Boris. Vi åt i stället en mycket billig men helt ok lunch längs vägen efter Santo Domingo. Vi var nu på väg tillbaka längs samma väg som vi kom på igår och skulle nu till Rio Silanche/Pedro Vicente, beläget alldeles invid stora vägen. Vid "km 126" tog vi av norrut på en grusväg "Rio Silanche Road" och skådade längs vägen förbi en bergtäckt, hade Laughing Falcon, Purple-chested Hummingbird, Olivaceous Piculet, Grey-and-gold Tanager.



Hängebukgroda!?

Vid skymningen åkte vi vidare på stora vägen någon km till Pedro Vicente Maldonado och inkvarterade oss i små hus vid ett slags semesterhotel. Här var vi också i princip ensamma, men under turistsäsongen var här tydligen fullt med folk. Under middagen hällregnade det.

10 januari Frukost vid halv sex och buss tillbaka till km 126 och in på grusvägen mot Rio Silanche där vi skådade igår. Nu åkte vi dock längre in på vägen, tills den tog slut (?) och gick ut där och skådade längs en stig i

skogen. Regnet som fallit hela natten slutade precis när vi kom fram och vi hade en fin skådning, Gray-headed Kite, spelande Rufous-fronted Wood Quail, Rose-faced Parrot, bra obs av den svåra Western Woodhaunter, Plain Xenops, Spotted Woodcreeper, Checker-throated Antwren, Ochre-breasted Tanager och hörde Spotted-crowned Antwren. Tiden mellan nio och lunch tillbringade vi i ett högt fågeltorn "canopy tower", och hade stundtals bra flockar och annat, t.ex., Zone-tailed Hawk, Brown-capped Tyrannulet, Scarlet-breasted Dacnis, Scarlet-thighed Dacnis, Golden-hooded Tanager, Rufous-winged Tanager, samt hörde Slaty-capped Shrike-Vireo.



Violet-tailed Sylph - *Agelaiocercus coelestis*. Female

Sedan åkte vi tillbaka till Mindo Loma för lunch och därefter vidare mot Quito. Men först var vi tvungna att återigen laga punktering och lägga 2 minuter på Ekvatormonumentet, fullständigt fantastiskt. Dagens sista skådning blev vid San Antonio Pichincha, som låg alldeles vid vägen ner mot Quito, omkring en gammal övergiven galoppbana. Här fick vi slita lite för att få in målarterna, White-tailed Shrike-Tyrant, Giant Hummingbird, Common Ground Dove, Rusty Flowerpiercer, Ash-breasted Sierra Finch mm. Anders såg dessutom en Andean Fox bland buskarna.

På kvällen anlände vi till hotel San Sebastian.

11 januari Detta var den sista skåardagen på resan, och vi tillbringade den på hög höjd eftersom vi skulle upp till Antisana. Visserligen hade vi fått in ganska många av höghöjdsarterna tidigare under resan, men det kunde vi inte veta när vi planlade turen. Dessutom fanns det sådant vi saknade och sedan vore det ändå kul att komma upp till Paramon efter ett par veckor i skogen, så vi höll oss till vår plan.

Antisana ligger öster om Quito och består av trädlösa hedar upp mot 4000 möh och högre berg och tar ca 2 timmar att åka till. Vi åkte längs vägen in i området med korta stopp för höghöjdspecialiteterna, Andean Gull, Black-faced Ibis, Andean Lapwing, Cinereous Harrier, Black-winged Ground Dove, Streak-backed Canastero upp mot sjöarna där vägen tar slut. Tyvärr missade vi Aplomado Falcon, även om vi hade en bra kandidat på håll. Vi fick i alla fall nya obsar på kondor och en fin obs på Andean Fox.

I en bäckravin halvvägs ner satt en Band-winged Nightjar på en klippshylla, på samma plats även Ecuadorian Hillstar, Andean Siskin, Hooded Siskin, Black-billed Shrike-Tyrant.



Andean (Black-faced) Ibis - *Theristicus branickii*

Från bussen på väg ner i Quito hängde vi in en Harris's Hawk.

Ett sista desperat försök att nå 800-gränsen för antal researter gjordes i en villaförort Pifo. Där fick vi in Western Emerald, Blue-and-Yellow Tanager och givetvis en sista punktering. Trots hårt slit insåg vi att det skulle bli tufft att nå 800, och sent på eftermiddagen begav vi oss ner till hotel San Sebastian där vi åt en avslutningsmiddag med Boris och Jonas från Andean Birding.

12 januari Tidig avfärd mot flygplatsen och efter en liten batalj med en sur Delta-kärring som inte accepterade att Stellan väska vägde 2 kg för mycket, trots att våra andras väskor vägde långt under gränsen var vi på väg hemåt. Christian skulle guida i Costa Rica så han var inte med på vår flight. Vi andra tog oss via Atlanta hem mot Sverige och för Andreas del blev sista researten Gulbrynad sparv vid en feeder vid Säbysjön innan hemmet nåddes.

SAMMANFATTNING

Totalt kom vi upp i 795 arter i Ecuador. Alla såg givetvis inte allt, individuellt såg vi omkring 780 arter. Det är som vanligt svårt att utnämna något som bäst, personligen var de stora arorna, de små kolibrierna och molnskogarna i bergen några av favoriterna.

Vi hade rätt gynnsamt väder, men visst tillhör regn det naturliga i regnskog.

RESTIPS

Ecuador är ett fantastiskt land att skåda i, en oerhörd artrikedom på ett ganska litet område, rätt så väl utbyggt vägnät, hyffsad mat och vänliga människor. Dessutom finns ett flertal bra lodger och platser som erbjuder bra service till skådare. Risken är snarast att det blir för mycket nya arter (där alla verkar heta något med Ant...) och att man hur otroligt det än kan låta nästan känner sig lite mätt.

Vi valde som sagt att anlita Andean Birding för att ordna med allt de praktiska, men det skulle inte vara några större problem att resa runt själv. Priset skulle givetvis bli bra mycket lägre, vi hamnade på 4385 \$ per person inklusive lokala transporter, mat, boende och guide. Som alltid kan man argumentera för om detta är dyrt eller billigt (och komma fram till det svar man själv vill), vi är i alla fall mycket nöjda med Andean Birding, och då framförallt Boris och Wilson. De två gjorde allt för att vi skulle få en så bra upplevelse som möjligt och alltid med ett leende. Boris var mycket bra som fågelguide och trevlig som person. Tittar man på vad lodgerna (speciellt Sani) vi bodde på tar betalt av gästerna ser man att de är rätt dyra, så vill man verkligen resa billigt skall man bo i byarna och samhällena där de som inte är turister från väst bor. Men samtidigt är ju skådningen i och omkring lodgerna bland det bästa med själva resan så...

REFERENSER

Ridgely, Robert S. & Greenfield, Paul J. 2001. **The Birds of Ecuador** volume II. Christopher Helm, London. (Utan tvekan den bästa fältbestämningsboken för Ecuador)

Restall et.al. 2006. **Birds of Northern South America – An Identification Guide**, vol 1 & 2. Christopher Helm, London.

(Kan möjligen användas som supplement men med endast denna fältbestämningsbok i Ecuador skulle utan tvekan många arter bli felbestämda. Vi upptäckte en hel del felaktigheter. Kanske en del kan förklaras av geografiska variationer och raser.)

BIRD LIST

The taxonomy follows **Larsson et.al. 2008. Birds of the World ver. 2.0 (BW)**. Subspecies name is added after species name when possible. When more than one subspecies seen these are separated in the record list. Subspecies mainly identified by geographical distribution. English name in brackets indicate name used in The Birds of Ecuador by Ridgely and Greenfield. Taxonomic notes are included in square brackets.

Great Tinamou *Tinamus major peruvianus*
Heard 2 days in Sani.

White-throated Tinamou *Tinamus guttatus guttatus*
1 heard Lamina la Conde.

Tawny-breasted Tinamou *Nothocercus julius julius*
1 heard Yanacocha.

Berlepsch's Tinamou *Crypturellus berlepschi berlepschi*
1 heard Milpe area and 1 heard Rio Silanche Reserve.
[BW: "Sometimes treated as a subspecies of *Crypturellus cinereus*."]

Little Tinamou *Crypturellus soui*
ssp. *nigriceps* – Heard 4 days on eastern slope and 1 seen briefly near Sani Lodge.

ssp. *harterti* – Heard 2 days on western slope.

Undulated Tinamou *Crypturellus undulatus yapura*
Heard 2 days in Sani.

Torrent Duck *Merganetta armata colombiana*
1 pair + 1 imm. Chalpi Grande, San Isidro and 1 pair + 1 imm. Baeza "bypass", San Isidro.

Speckled Teal (Andean Teal) *Anas flavirostris andium*

Seen 2 days in Cayambe Coca reserve and ca 10 Antisana. [BW: "ssp. *andium* sometimes treated as a separate species, *Anas andium* Andean Teal..."]

Yellow-billed Pintail *Anas georgica spinicauda*
2 at lake near Papallacta. [BW: "Sometimes treated as a separate species, *Anas spinicauda*."]

Andean (Ruddy-) Duck *Oxyura ferruginea ferruginea*
Ca 15 in lake near Papallacta and 3 Antisana. [BW: "Sometimes treated as a subspecies of *Oxyura jamaicensis*"]

Rufous-headed Chachalaca *Ortalis erythroptera erythroptera*
Heard at Rio Palenque.

Speckled Chachalaca *Ortalis guttata guttata*
1 heard El Para reserve and 1 heard Wild Sumaco.

Andean Guan *Penelope montagnii brooki*
1 Chalpi Grande trail.

Wattled Guan *Aburria aburri aburri*
Heard 2 days in San Isidro and Wild Sumaco.

Sickle-winged Guan *Chamaepetes goudotii fagani*
1 Nono road, Bellavista and 1 Paz de las Aves.

Marbled Wood Quail *Odontophorus gujanensis buckleyi*
Heard 2 days in Sani.

Rufous-fronted Wood Quail *Odontophorus erythrops parambae*
One flock (4-5 birds) heard in Rio Silanche reserve.

Dark-backed Wood Quail *Odontophorus melanonotus melanonotus*
1 heard Mindo road and 1 heard Paz de las Avez.

Rufous-breasted Wood Quail *Odontophorus speciosus soderstromii*
1 heard Wild Sumaco.

Least Grebe *Tachybaptus dominicus brachyrhynchus*
1 Rio Palenque.

Pied-billed Grebe *Podilymbus podiceps antarcticus*
2 Rio Palenque.

Silvery Grebe *Podiceps occipitalis juninensis*
3 Papallacta and 1 Antisana. [BW: "The form *juninensis* is probably a distinct species, *Podiceps juninensis*..."]

Roseate Spoonbill *Ajaia ajaja ajaja*
1 Rio Napo.

Andean Ibis (Black-faced Ibis) *Theristicus branickii branickii*
ca 10 Antisana. [BW: "*Theristicus branickii* is often treated as a subspecies of *Theristicus melanopis*..."]

Capped Heron *Pilherodius pileatus pileatus*
1-2 birds seen 4 days in Sani.

Cocoi Heron *Ardea cocoi cocoi*
2-3 birds seen 4 days in Sani.

Great Egret *Casmerodius albus egretta*
5-10 seen 3 days in Rio Napo and 1 along the road Mindo – Rio Palenque.

Little Blue Heron *Egretta caerulea caerulea*
1 Coca and 1 Rio Palenque.

Snowy Egret *Egretta thula thula*
Seen 5 days in Sani and Rio Palenque.

Cattle Egret *Bubulcus ibis ibis*
Seen 9 days.

Striated Heron *Butorides striata striata*
A few birds seen 5 days in Sani and 1 Rio Palenque.

Agami Heron *Agamia agami agami*
1 seen 2 days in Sani.

Black-crowned Night-Heron *Nycticorax nycticorax hoactli*
1 imm. Coca.

Boat-billed Heron *Cochlearius cochlearius cochlearius*
1-2 birds seen 4 days in Sani.

Rufescent Tiger Heron *Tigrisoma lineatum lineatum*
2-3 birds seen 5 days in Sani.

Least Bittern *Ixobrychus exilis limoncochae*
3 Sani.

Neotropic Cormorant *Phalacrocorax brasilianus brasilianus*
Seen 9 days.

Anhinga *Anhinga anhinga anhinga*
1 + 2 Sani.

Turkey Vulture *Cathartes aura*
Very common. Seen 14 days.

Greater Yellow-headed Vulture *Cathartes melambrotus melambrotus*
Seen 5 days in Sani.

Black Vulture *Coragyps atratus atratus*
Very common. Seen 18 days.

King Vulture *Sarcoramphus papa papa*
1 Orchids Paradise and seen 2 days in Sani.

Andean Condor *Vultur gryphus gryphus*
1 ad ♂ Papallacta and 1 pair Antisana.

Osprey *Pandion haliaetus*
Seen 4 days in Sani and 1 Rio Palenque.

Pearl Kite *Gampsonyx swainsonii*
ssp. *leoniae* 3 Lamina la Conde.

ssp. *magnus* 2 along the road Rio Palenque – Rio Silanche and 1 at Rio Silanche.

Double-toothed Kite *Harpagus bidentatus bidentatus*
1 Sani.

Hook-billed Kite *Chondrohierax uncinatus uncinatus*
1 Rio Palenque.

Grey-headed Kite *Leptodon cayanensis cayanensis*
1 ad Rio Silanche.

Swallow-tailed Kite *Elanoides forficatus*
Very common. Seen 13 days.

Crested Eagle *Morphnus guianensis guianensis*
1 Sani.

Tiny Hawk *Hieraspiza superciliosa fontanieri*
1 imm. Milpe Road.

Cinereous Harrier *Circus cinereus cinereus*
1 ♀ Antisana.

Snail Kite *Rostrhamus sociabilis sociabilis*
1 Sani and 1 ad Rio Silanche reserve.

Great Black Hawk *Buteogallus urubitinga urubitinga*
1 ad Sani.

Roadside Hawk *Rupornis magnirostris magnirostris*
Common, seen 13 days (more common on eastern slope).

Harris's Hawk *Parabuteo unicinctus*
1 ad Pifo near Quito.

White-rumped Hawk *Pernohierax leucorrhous leucorrhous*
2 Paz de las Aves.

Black-breasted Buzzard (Black-chested Buzzard-Eagle) *Buteo melanoleucus australis*
1 Cayambe Coca reserve, 1 + 1 Yanacocha, 1 San Antonio de Pichincha and 1 Antisana.

Grey-lined Hawk (Grey Hawk) *Buteo nitidus costaricensis*
1 2K + 1 Rio Palenque.

Broad-winged Hawk *Buteo platypterus*
1 San Isidro and 1 at Paz De La Avez.

Short-tailed Hawk *Buteo brachyurus brachyurus*
1 dark morph along the road from Sumaco to Coca and 1 Rio Silanche reserve.

Variable Hawk *Buteo polyosoma polyosoma*
1 imm. Papallacta, 1 Cayambe Coca reserve and several seen in Antisana.

Zone-tailed Hawk *Buteo albonotatus albonotatus*
1 Rio Silanche reserve.

White Hawk *Leucopternis albicollis albicollis*
1 Pacto Sumaco.

Black Hawk-Eagle *Spizaetus tyrannus serus*
1 seen from the canopy tower in Sani.

Black Caracara *Daptrius ater ater*
1 Guacamayos ridge, 1 El Para reserve and 1 Rio Napo, Sani.

Red-throated Caracara *Ibycter americanus americanus*
2 heard Saladero de Pericos, Napo.

Carunculated Caracara *Phalcoboenus carunculatus carunculatus*
3 seen along the road from Quito to Papallacta and in Antisana common.

Yellow-headed Caracara *Milvago chimachima chimachima*
Fairly common in Sani.

Laughing Falcon *Herpetotheres cachinnans cachinnans*
1 seen Km 126.

Barred Forest Falcon *Micrastur ruficollis*
ssp. *interstes* 1 inside the restaurant in Mindo Loma and 1 heard El Pachijal.

ssp. *zonothorax* 1 + 1 seen Sumaco.

American Kestrel *Falco sparverius aequatorialis*
Seen 6 days in small numbers (mostly on western slope).

Bat Falcon *Falco rufigularis rufigularis*
1 bird seen 3 days in Sani.

Orange-breasted Falcon *Falco deiroleucus deiroleucus*
1 Wild Sumaco.

Peregrine Falcon *Falco peregrinus cassini*
1 Rio Napo, Sani.

Limpkin *Aramus guarauna guarauna*
1 seen in Sani.

Sungrebe *Heliornis fulica fulica*
1 ad with 1 chick + 1 ad Sani.



Chestnut-headed Crake *Anurolimnas castaneiceps coccineipes*
Heard in El Para reserve and at Loreto Rd.

White-throated Crake *Laterallus albigularis albigularis*
1 heard Milpe Road and 1 heard at km 126 Rio Palenque – Rio Silanche.

Grey-breasted Crake *Laterallus exilis exilis*
1 heard Archidona, 1 heard El Para reserve and 1 heard Rio Napo, Sani.

Grey-necked Wood Rail *Aramides cajanea cajanea*
4-5 birds seen 2 days in Sani.

Blackish Rail *Pardirallus nigricans nigricans*
1 heard Pacto Sumaco.

Azure Gallinule *Porphyrio flavirostris flavirostris*
1 + 2 seen Sani.

Andean Coot *Fulica ardesiaca atrura*
3 Papallacta and 2 Antisana (white and yellow frontal shield morph seen).

Pied Plover *Vanellus cayanus cayanus*
2 Lamina la Conde, seen 3 days Sani and 2 Rio Palenque.

Andean Lapwing *Vanellus resplendens resplendens*
ca 15 Antisana.

Collared Plover *Charadrius collaris collaris*
2 Lamina la Conde and 1 Sani.

Rufous-bellied Seedsnipe *Attagis gayi latreillii*
2 Papallacta.

Wattled Jacana *Jacana jacana scapularis*
3 Rio Palenque.

Noble Snipe *Gallinago nobilis nobilis*
1 Papallacta.

Spotted Sandpiper *Actitis macularius macularius*
Fairly common, seen 9 days.

Greater Yellowlegs *Tringa melanoleuca melanoleuca*
Seen 6 days Rio Napo, Sani and 1 Antisana.

Least Sandpiper *Calidris minutilla minutilla*
1 Rio Napo, Sani.

Yellow-billed Tern *Sternula superciliaris superciliaris*
2 Rio Napo and 2 Sani.

Large-billed Tern *Phaetusa simplex simplex*
1 + 1 Rio Napo, Sani.

Andean Gull *Larus serranus serranus*
3 Papallacta lake and common Antisana.

Laughing Gull *Larus atricilla*
1 Rio Napo, Coca.

Black-winged Ground Dove *Metriopelia melanoptera saturatior*
Common Antisana.

Blue Ground Dove *Claravis pretiosa pretiosa*
1 Mira Valle and several heard Rio Palenque.

Common Ground Dove *Columbina passerina quitensis*
3 San Antonio de Pichincha.

Ecuadorian Ground Dove *Columbina buckleyi buckleyi*

Common Rio Palenque. [BW: "May be conspecific with *Columbina talpacoti*."]]

Ruddy Ground Dove *Columbina talpacoti talpacoti*
2 + 2 Archidona and 10 at Lamina La Conde, Coca.
[BW: "May be conspecific with *Columbina buckleyi*."]]

Common Pigeon *Columba livia*
Common. (Introduced)

Scaled Pigeon *Patagioenas speciosa*
1 + 1 Wild Sumaco.

Band-tailed Pigeon *Patagioenas fasciata albilinea*
Seen 7 days in Wild Sumaco and western slope.

Pale-vented Pigeon *Patagioenas cayennensis*
ssp. *andersoni* 2 + 2 Sani.

ssp. *occidentalis* seen and heard 4 days western slope.

Plumbeous Pigeon *Patagioenas plumbea*
ssp. *delicata* seen 8 days eastern slope.

ssp. *chapmani* 3 days western slope.

Ruddy Pigeon *Patagioenas subvinacea berlepschi*
1 heard Mindo cloud forest and 1 Milpe road. [BW: "The taxon *berlepschi* may be a species sui generis, *Patagioenas berlepschi*."]]

Dusky Pigeon *Patagioenas goodsoni goodsoni*
1 seen and few heard Rio Silanche reserve.

Eared Dove *Zenaida auriculata hypoleuca*
4 days in and around Quito.

White-tipped Dove *Leptotila verreauxi*
ssp. *decipiens* heard Loreto road and 1 Rio Napo, Sani.

ssp. *decolor* 3 days western slope.

Grey-fronted Dove *Leptotila rufaxilla dubusi*
Seen 3 days Sani.

Pallid Dove *Leptotila pallida pallida*
1 heard + 1 Rio Palenque.

White-throated Quail-Dove *Geotrygon frenata*
ssp. *erythropareia* 1 heard Guacamayos ridge and 1 heard Sumaco.

ssp. *bourcierii* 1 + 1 and 1 imm. Bellavista.

Ruddy Quail-Dove *Geotrygon montana montana*
1 heard Sani.

Blue-and-yellow Macaw *Ara ararauna ararauna*
3 + ca 5 Sani.

Military Macaw *Ara militaris militaris*
Several heard and seen 3 days Sumaco. [BW: May be conspecific with *Ara ambiguus*.]

Scarlet Macaw *Ara macao macao*
1 + 3 + 2 Sani.

Chestnut-fronted Macaw *Ara severus castaneifrons*
Seen 7 days in Sumaco and Sani.

Red-bellied Macaw *Orthopsittaca manilata manilata*
1 + 2 Sani.

White-eyed Parakeet *Aratinga leucophthalma callogenys*
Seen 4 days eastern slope, e.g. 10 Pacto Sumaco.

Dusky-headed Parakeet *Aratinga weddellii*
Seen 4 days eastern slope, e.g. ca 100 Saladero de Loros, Napo.

Maroon-tailed Parakeet *Pyrrhura melanura*
ssp. *melanura* seen 6 days eastern slope.

ssp. *pacifica* seen 4 days western slope.

Barred Parakeet *Bolborhynchus lineola tigrinus*
4 + 8 Bellavista.

Blue-winged Parrotlet *Forpus xanthopterygius crassirostris*
5 Lamina la Conde.

Pacific Parrotlet *Forpus coelestis coelestis*
3 + 3 Rio Palenque.

Cobalt-winged Parakeet *Brotogeris cyanoptera cyanoptera*
6 days eastern slope.

Scarlet-shouldered Parrotlet *Touit huetii huetii*
Ca 50 Saladero de Pericos, Napo.

Blue-fronted Parrotlet *Touit dilectissimus dilectissimus*
5 El Pachijal.

Black-headed Parrot *Pionites melanocephalus pallidus*
3 + 2 Sani.

Rose-faced Parrot *Gypopsitta pulchra pulchra*
3 Rio Silanche reserve.

Orange-cheeked Parrot *Gypopsitta barrabandi aurantiigena*
ca 20 Saladero de Pericos, Napo.

Blue-headed Parrot *Pionus menstruus menstruus*
1 Pacto Sumaco, 3 Sani and ca 30 Saladero de Loros, Napo.

Red-billed Parrot *Pionus sordidus*
ssp. *corallinus* 3 Loreto road and 2 Pacto Sumaco.

ssp. *mindoensis* seen 4 days western slope.

White-capped Parrot *Pionus seniloides seniloides*
8 Guacamayos ridge, 2 Yanacocha and 2 Mindo road.
[Sometimes regarded as a subspecies of *Pionus tumultuosus*.]

Bronze-winged Parrot *Pionus chalcopterus chalcopterus*
Seen 5 days western slope.

Yellow-crowned Amazon *Amazona ochrocephala nattereri*
Ca 20 Saladero de Loros, Napo.

Orange-winged Amazon *Amazona amazonica amazonica*
Seen 5 days in Sani.

Scaly-naped Amazon *Amazona mercenaria canipalliata*
Seen 3 days.

Mealy Amazon *Amazona farinosa farinosa*
Seen 4 days Sani.

Squirrel Cuckoo *Piaya cayana*
ssp. *mesura* seen 3 days on eastern slope.
ssp. *nigricrissa* seen 5 days on western slope.

Little Cuckoo *Coccyua minuta gracilis*
1 + 1 Rio Palenque.

Greater Ani *Crotophaga major major*
Seen 3 days in Sani.

Smooth-billed Ani *Crotophaga ani ani*
Very common.

Striped Cuckoo *Tapera naevia naevia*
1 Mira Valle and 1 Rio Silanche reserve.

Hoatzin *Opisthocomus hoazin hoazin*
Common in Sani.

Tropical Screech Owl *Megascops choliba crucigerus*
Heard 4 days in Sani.

Tawny-bellied Screech Owl *Megascops watsonii watsonii*
Heard 3 days Sani.

Napo (Foothill) Screech Owl *Megascops napensis napensis*
1 heard Wild Sumaco. [Sometimes treated as a subspecies of either *Megascops vermiculatus* or *Megascops roraimae*.]

White-throated Screech Owl *Megascops albogularis albogularis*
2 heard Guacamayos ridge.

Mottled Owl *Strix virgata virgata*
1 heard Bellavista.

Black-banded Owl *Ciccaba huhula*
1 ad San Isidro. [BW: "San Isidro Owl at 2000 m on the E slope of the Andes intermediate in plumage between *Ciccaba huhula* and *Ciccaba nigrolineata*. It has not yet been taxonomically assessed. Possibly an undescribed taxon."]

Crested Owl *Lophotrix cristata cristata*
2 ad Saladero de Pericos, Napo.

Band-bellied Owl *Pulsatrix melanota melanota*
1 Rio Hollin and heard 2 days Wild Sumaco.

Cloud-forest Pygmy Owl *Glaucidium nubicola nubicola*
1 + 1 imm. heard El Pachijal. [BW: "Recently described by ROBBINS & STILES (1999). Molecular data from the mitochondrial cytochrome-b gene shows it to be closely related to *Glaucidium costaricanum* and *Glaucidium gnoma*."]

Ferruginous Pygmy Owl *Glaucidium brasilianum ucayalae*
Heard 4 days Sani.

Pacific Pygmy Owl *Glaucidium peruanum peruanum*
1 heard Rio Palenque.

Oilbird *Steatornis caripensis caripensis*
Ca 10 Mira Valle.

Great Potoo *Nyctibius grandis grandis*
1 ad and 1 chick along Rio Napo, Sani.



Common Potoo *Nyctibius griseus*
ssp. *griseus* 2 + 1 heard Sani, 1 ad Rio Napo, Sani.
ssp. *panamensis* 1 ad Bellavista.

Short-tailed Nighthawk *Lurocalis semitorquatus*
1 heard and seen Rio Palenque.

Rufous-bellied Nighthawk *Lurocalis rufiventris rufiventris*
5 San Isidro, 1 Guacamayos ridge and 1 heard 2 days in Bellavista.

Sand-colored Nighthawk *Chordeiles rupestris rupestris*

1 flying over Rio Napo in Coca at dusk.

Pauraque *Nyctidromus albicollis*

ssp. *albicollis* heard and seen 4 days Sani + 2 seen along Milpe road at dusk.

Band-winged Nightjar *Caprimulgus longirostris*

1 ad ♂ Antisana.

Ladder-tailed Nightjar *Hydrosalis climacocerca schomburgki*

1 + 1 Sani and Rio Napo.

Swallow-tailed Nightjar *Uropsalis segmentata segmentata*

1 Guacamayos ridge.

Spot-fronted Swift *Cypseloides cherriei cherriei*

1 Mindo road.

Chestnut-collared Swift *Streptoprocne rutila brunnitorques*

Fairly common.

White-collared Swift *Streptoprocne zonaris*

Very common. (ssp. *altissima* at high elevation and ssp. *subtropicalis* at lower elevation).

Band-rumped Swift *Chaetura spinicaudus aetherodroma*

2 Milpe road.

Grey-rumped Swift *Chaetura cinereiventris*

ssp. *sclateri* 5 Loreto road and 5 at Rio Hollin.

ssp. *occidentalis* seen 3 days on western slope. [BW: "Sometimes regarded as conspecific ... with *Chaetura egregia*.]

Short-tailed Swift *Chaetura brachyura brachyura*

Common in eastern lowlands.

Neotropical Palm Swift *Tachornis squamata squamata*

Fairly common in lowlands of east.

Lesser Swallow-tailed Swift *Panyptila cayennensis cayennensis*

1 Rio Hollin, 1 Sani, 2 km126 on western slope and 2 Rio Silanche reserve.

White-tipped Sicklebill *Eutoxeres aquila heterurus*

1 Rio Palenque.

Buff-tailed Sicklebill *Eutoxeres condamini condamini*

1 Wild Sumaco.

Bronzy Hermit *Glaucis aeneus aeneus*

1 Rio Palenque. [BW: "Sometimes treated as a subspecies of the larger *Glaucis hirsutus* ..."]

Band-tailed Barbthroat *Threnetes ruckeri ruckeri*

2 Rio Palenque and 2 Rio Silanche reserve.

White-whiskered Hermit *Phaethornis yaruqui yaruqui*

A few birds seen in Mindo cloud forest, Milpe, Rio Palenque and Mindo

Green Hermit *Phaethornis guy apicalis*

1 + 1 Wild Sumaco.

White-bearded Hermit *Phaethornis hispidus hispidus*

1 ♂ El Para reserve.

Baron's Hermit *Phaethornis baroni baroni*

1 Rio Palenque. [Sometimes treated as a subspecies *Phaethornis superciliosus*, or of *Phaethornis longirostris*.]

Great-billed Hermit *Phaethornis malaris moorei*

2 Saladero de Pericos, Napo.

Tawny-bellied Hermit *Phaethornis syrmatophorus*

ssp. *columbianus* 1 San Isidro.

ssp. *syrmatophorus* seen 5 days on western slope.

Straight-billed Hermit *Phaethornis bourcieri bourcieri*

1 Lamina la Conde.

Black-throated Hermit *Phaethornis atrimentalis atrimentalis*

1 at El Para reserve.

Stripe-throated Hermit *Phaethornis striigularis subrufescens*

1 Rio Palenque.

Grey-chinned Hermit *Phaethornis griseogularis griseogularis*

1 at Wild Sumaco.

Green-fronted Lancebill *Doryfera ludovicae ludovicae*

1 seen 2 days in San Isidro.

Blue-fronted Lancebill *Doryfera johannae johannae*

1 Loreto road and 1 Wild Sumaco.

Napo Sabrewing *Campylopterus villaviscensio villaviscensio*

1 ♂ at the feeders at Wild Sumaco.

White-necked Jacobin *Florisuga mellivora mellivora*

1 at Batan Cotcha.

Brown Violetear *Colibri delphinae delphinae*

1 Wild Sumaco.

Green Violetear *Colibri thalassinus cyanotus*

5 San Isidro and ca 5 Wild Sumaco.

Sparkling Violetear *Colibri coruscans coruscans*

Fairly common. Seen 9 days in Quito and on eastern slope.

Black-throated Mango *Anthracothorax nigricollis nigricollis*
1 ♀ Orchids Paradise.

Violet-headed Hummingbird *Klais guimeti guimeti*
1 ♂ Archidona and 1 ♀ at the feeders at Wild Sumaco.

Green Thorntail *Discosura conversii conversii*
2 - 3 Mindo Cloud Forest, 1 at Mindo Loma and 1 Rio Silanche reserve.

Western Emerald *Chlorostilbon melanorhynchus melanorhynchus*
1 ♂ Pifo.

Green-crowned Woodnymph *Thalurania fannyi verticeps*
Seen 5 days on western slope.

Fork-tailed Woodnymph *Thalurania furcata viridipectus*
1 ♂ Loreto road, 5 – 6 at the feeders at Wild Sumaco and 1 Sani. [BW: “Sometimes *Thalurania ridgwayi*, *Thalurania colombica*, *Thalurania fannyi* & *Thalurania hypochlora* are regarded as subspecies ... ”]

Violet-bellied Hummingbird *Damophila julie felicianae*
2 + 1 Rio Palenque.

Golden-tailed Sapphire *Chrysuronia oenone oenone*
4 days on eastern slope.

Olive-spotted Hummingbird *Leucippus chlorocercus chlorocercus*
2 Rio Napo, Sani.

Many-spotted Hummingbird *Taphrospilus hypostictus hypostictus*
1 Wild Sumaco.

Rufous-tailed Hummingbird *Amazilia tzacatl jucunda*
Seen 6 days on western slope.

Andean Emerald *Amazilia franciae viridiceps*
1 Mindo Loma, 1 + 1 Paz de las Aves. [BW: The taxon *viridiceps* is sometimes treated as a separate species, *Amazilia viridiceps*, or as a subspecies of *Amazilia versicolor*.]

Glittering-throated Emerald *Amazilia fimbriata fluviatilis*
1 Archidona.

Purple-chested Hummingbird *Amazilia rosenbergi rosenbergi*
1 km126 western slope.

Speckled Hummingbird *Adelomyia melanogenys melanogenys*
4 days on eastern slope (Guango lodge, San Isidro and Wild Sumaco).

Ecuadorian Piedtail *Phlogophilus hemileucurus hemileucurus*
1 Wild Sumaco.

Gould's Jewelfront *Heliodoxa aurescens aurescens*
1 Wild Sumaco.

Fawn-breasted Brilliant *Heliodoxa rubinoides ssp. cervinigularis* 2 San Isidro.
ssp. aequatorialis seen 6 days on western slope.

Violet-fronted Brilliant *Heliodoxa leadbeateri sagitta*
1 at the feeders and 1 along one of the tracks at Wild Sumaco.

Black-throated Brilliant *Heliodoxa schreibersii schreibersii*
1 El Para reserve and 1 + 1 Wild Sumaco

Empress Brilliant *Heliodoxa imperatrix imperatrix*
Seen 5 days on western slope.

Green-crowned Brilliant *Heliodoxa jacula jamesoni*
App. 10 Mindo Cloud Forest and 1 Rio Silanche reserve.

White-tailed Hillstar *Urochroa bougueri ssp. leucura* 2 Guacamayos ridge and 4 Loreto road.
ssp. bougueri 1 Mindo road.

Buff-tailed Coronet *Boissonneaua flavescens tinochlora*
2 Guango lodge eastern slope and seen 6 days on western slope.

Chestnut-breasted Coronet *Boissonneaua matthewsii matthewsii*
Guango lodge and San Isidro fairly common.

Velvet-purple Coronet *Boissonneaua jardini jardini*
Seen 5 days on western slope.

Shining Sunbeam *Aglaeactis cupripennis cupripennis*
5 + ca 10 Cayambe Coca reserve.

Ecuadorian Hillstar *Oreotrochilus chimborazo jamesonii*
1 ♂ Papallacta and 2 Antisana. [BW: Often regarded as a subspecies of *Oreotrochilus estella*, but the striking morphological differences suggest allospecies treatment...]

Mountain Velvetbreast *Lafresnaya lafresnayi saul*
2 Chalpi Grande trail, 3 Guango lodge and 1 San Antonio de Pichincha.

Bronzy Inca *Coeligena coeligena obscura*
1 San Isidro and 1 at Orchid's Paradise.

Brown Inca *Coeligena wilsoni wilsoni*
Seen 6 days on western slope.

Collared Inca *Coeligena torquata*
ssp. torquata seen 3 days on eastern slope (Guango, San Isidro).

ssp. fulgidigula ca 10 Bellavista.

Buff-winged Starfrontlet *Coeligena lutetiae*
ssp. lutetiae 2 Guango lodge.

ssp. albimaculata fairly common Yanacocha.
[Recently (2006) described subspecies.]

Sword-billed Hummingbird *Ensifera ensifera*
ensifera
ca 5 Guango lodge and 3 Yanacocha.

Great Sapphirewing *Pterophanes cyanopterus*
peruvianus
1 Cayambe Coca reserve and 5 Yanacocha.

Giant Hummingbird *Patagona gigas peruviana*
3 San Antonio de Pichincha and 1 Antisana.

Gorgeted Sunangel *Heliangelus strophianus*
strophianus
1 seen 2 days Bellavista.

Tourmaline Sunangel *Heliangelus exortis exortis*
Only seen at Guango lodge where fairly common.

Glowing Puffleg *Eriocnemis vestita smaragdinipectus*
1 Guango lodge.

Sapphire-vented Puffleg *Eriocnemis luciani luciani*
Ca 20 Yanacocha.

Golden-breasted Puffleg *Eriocnemis mosquera*
mosquera
Ca 20 Yanacocha.

Hoary Puffleg *Haplophaedia lugens lugens*
1 Mindo Loma.

Purple-bibbed Whitetip *Urosticte benjamini*
benjamini
1 at Paz De La Avez and 1 at Mindo Loma.

Booted Racket-tail *Ocreatus underwoodii*
melanantherus
Seen 3 days on western slope (Bellavista) and 1 at Paz De La Avez.

Black-tailed Trainbearer *Lesbia victoriae victoriae*
1 Yanacocha and ca 10 San Antonio de Pichincha.

Tyrian Metaltail *Metallura tyrianthina*
ssp. tyrianthina Ca 5 Guango lodge

ssp. quitensis 1 Yanacocha.

Viridian Metaltail *Metallura williami primolinus*
1 ♀ + ca 10 Cayambe Coca reserve.

Blue-mantled Thornbill *Chalcostigma stanleyi*
stanleyi
1 ♀ Papallacta.

Long-tailed Sylph *Agelaiocercus kingi mocoa*
Fairly common on eastern slope where seen 4 days.
[BW: “*Agelaiocercus kingi sensu lato* shows a complicated taxonomy where *mocoa* (with *emmae* and possibly *caudatus*) may be distinct species (and sometimes so treated), *Agelaiocercus mocoa*.”]

Violet-tailed Sylph *Agelaiocercus coelestis coelestis*
Fairly common on western slope where seen 6 days.

Wedge-billed Hummingbird *Augastes geoffroyi*
albugularis
1 + 1 Paz de las Aves.

Purple-crowned Fairy *Heliathryx barroti barroti*
1 ad + 1 imm Rio Palenque and 1 Rio Silanche reserve.

Purple-throated Woodstar *Calliphlox mitchellii*
mitchellii
Seen 5 days on western slope.

White-bellied Woodstar *Chaetocercus mulsant*
mulsant
Fairly common Guango lodge and 1 ♀ + 1 ♂ San Antonio de Pichincha.

Amazonian White-tailed Trogon *Trogon viridis*
viridis
1 Loreto road (Sumaco-Coca) and 1 ♀ + 1 heard Sani.

Western White-tailed Trogon *Trogon chionurus*
chionurus
1 heard Rio Palenque. [BW: “*Trogon chionurus* is usually treated as a subspecies of *Trogon viridis*, but they differ strikingly in their songs...”]

(Amazonian) Violaceous Trogon *Trogon violaceus*
ramonianus
1 Sani canopy tower.

Collared Trogon *Trogon collaris*
ssp. collaris 1 heard Wild Sumaco and 1 Sani.

ssp. virginialis 1 at Rio Palenque and 1 pair Rio Silanche reserve.

Masked Trogon *Trogon personatus*
ssp. personatus 1 ♀ Guacamayos ridge.

ssp. assimilis 1 ♀ Bellavista seen 2 days and 1 ♀ Paz de las Aves.

Ecuadorian Trogon *Trogon mesurus mesurus*
Heard + 1 pair Rio Palenque.

Choco Trogon *Trogon comptus comptus*
1 Milpe road and 2 km126.



Golden-headed Quetzal *Pharomachrus auriceps auriceps*
Seen and heard 2 days on eastern slope and 4 days on western slope.

Crested Quetzal *Pharomachrus antisianus antisianus*
3 San Isidro and Pacto Sumaco.

American Pygmy Kingfisher *Chloroceryle aenea aenea*
Seen 3 days in Sani.

Green-and-rufous Kingfisher *Chloroceryle inda inda*
Seen 3 days in Sani.

Green Kingfisher *Chloroceryle americana*
ssp. *americana* seen 3 days in Sani.

ssp. *cabanisii* 1 Rio Palenque.

Amazon Kingfisher *Chloroceryle amazona amazona*
Seen 5 days Rio Hollin and Sani.

Ringed Kingfisher *Megaceryle torquata torquata*
Seen 5 days Sani and Rio Palenque.

Broad-billed Motmot *Electron platyrhynchum*
ssp. *pyrrholaemum* 3 days in Sani.

ssp. *platyrhynchum* 1 Milpe road.

Rufous Motmot *Baryphthengus martii*
ssp. *martii* 1 + heard Saladero de Pericos, Napo.

ssp. *semirufus* seen 4 days on western slope.

Blue-crowned Motmot *Momotus momota*
ssp. *microstephanus* 1 heard Loreto road (Sumaco – Coca) and 1 + 1 heard Sani.

ssp. *argenticinctus* 1 heard Rio Palenque.

Highland Motmot *Momotus aequatorialis aequatorialis*
1 San Isidro.

White-eared Jacamar *Galbalcyrhynchus leucotis leucotis*
4 Lamina la Conde and 2 Sani.

Rufous-tailed Jacamar *Galbula ruficauda melanogenia*
1 heard Mira Valle and 1 Rio Palenque. [BW: “The Central American form *melanogenia* is sometimes considered to be a separate species, *Galbula melanogenia*...”]

Coppery-chested Jacamar *Galbula pastazae pastazae*
Heard and seen 3 days in Wild Sumaco.

White-chinned Jacamar *Galbula tombacea tombacea*
1 + heard Sani.

Purplish Jacamar *Galbula chalcothorax chalcothorax*
2 Sani canopy tower.

Great Jacamar *Jacamerops aureus isidori*
1 heard Sani.

White-necked Puffbird *Notharchus macrorhynchos hyperrhynchus*
2 Loreto road (Sumaco – Coca).

Pied Puffbird *Notharchus tectus subtectus*
1 heard Rio Palenque.

Collared Puffbird *Bucco capensis dugandi*
1 Sani.

Barred Puffbird *Nystalus radiatus radiatus*
1 heard Rio Palenque.

Striolated Puffbird *Nystalus striolatus striolatus*
1 heard along Loreto road.

Black-streaked Puffbird *Malacoptila fulvogularis fulvogularis*
1 pair + 1 Wild Sumaco.

White-whiskered Puffbird *Malacoptila panamensis poliopis*
1 + 2 + 2 Rio Palenque.



Brown Nunlet *Nonnula brunnea brunnea*
1 Sani.

Black-fronted Nunbird *Monasa nigrifrons nigrifrons*
Seen 3 days in Sani.

White-fronted Nunbird *Monasa morphoeus peruana*
1 Loreto road (Sumaco – Coca) and 5 Sani.

Swallow-winged Puffbird *Chelidoptera tenebrosa tenebrosa*
3 + 2 along Rio Napo, Sani.

Scarlet-crowned Barbet *Capito aurovirens aurovirens*
2 Lamina la Conde and seen 3 days in Sani.

Orange-fronted Barbet *Capito squamatus squamatus*
1 pair Rio Palenque and 1 heard Rio Silanche reserve.

Gilded Barbet *Capito auratus punctatus*
Seen and heard 3 days on the Eastern slope and 2 from the Canopy tower, Sani.

Lemon-throated Barbet *Eubucco richardsoni richardsoni*
1 at Archidona.

Red-headed Barbet *Eubucco bourcierii ssp. orientalis* seen 3 days in Wild Sumaco.

ssp. aequatorialis seen and heard at El Pachijal and km 126.

Toucan Barbet *Semnornis ramphastinus ramphastinus*
Seen 6 days on western slope.

Emerald Toucanet *Aulacorhynchus prasinus albivitta*
1 + 1 heard San Isidro and 2 Guacamayos ridge.

Chestnut-tipped Toucanet *Aulacorhynchus derbianus derbianus*
1 Wild Sumaco.

Crimson-rumped Toucanet *Aulacorhynchus haematopygus sexnotatus*
1 Paz de las Aves.

Golden-collared Toucanet *Selenidera reinwardtii reinwardtii*
2 Wild Sumaco and a few seen 2 days at Sani.

Plate-billed Mountain Toucan *Andigena laminirostris laminirostris*
Ca 10 Bellavista and 2 at Mindo Loma.

Black-billed Mountain Toucan *Andigena nigrirostris spilorhynchus*
5 Guacamayos ridge.

Lettered Aracari *Pteroglossus inscriptus humboldti*
2 Lamina la Conde and 4 from the canopy tower at Sani.

Ivory-billed Aracari *Pteroglossus azara flavirostris*
7 – 8 from the canopy tower at Sani.

Chestnut-eared Aracari *Pteroglossus castanotis castanotis*
1 at El Para reserve, 2 Loreto road and 3 - 4 Sani.

Many-banded Aracari *Pteroglossus pluricinctus pluricinctus*
Seen 2 days in Wild Sumaco and 2 days in Sani.

Pale-mandibled Aracari *Pteroglossus erythropygius erythropygius*
Seen 5 days on western slope.

Choco Toucan *Ramphastos brevis brevis*
1 heard Mira Valle, 2 Milpe road and 1 Rio Silanche reserve.

Yellow-ridged (Channel-billed) Toucan *Ramphastos culminatus culminatus*
Seen 6 days Wild Sumaco and Sani. [BW: “*Ramphastos culminatus* is often, and perhaps better so, treated as a subspecies of *Ramphastos vitellinus...*”]

White-throated Toucan *Ramphastos tucanus cuvieri*
2 from the canopy tower and 2 seen from the bar at Sani. [BW: “The taxon *cuvieri* is often treated as a separate species, Cuvier's Toucan *Ramphastos cuvieri...*”]

Black-mandibled Toucan *Ramphastos ambiguus ambiguus*
1 heard + 1 Wild Sumaco.

Chestnut-mandibled Toucan *Ramphastos swainsonii swainsonii*
1 Milpe road.

Lafresnaye's Piculet *Picumnus lafresnayi lafresnayi*
1 Orchids paradise and 1 Loreto road.

Olivaceous Piculet *Picumnus olivaceus harterti*
2 km 126.

Black-cheeked Woodpecker *Melanerpes pucherani pucherani*
Seen 4 days on western slope.

Yellow-tufted Woodpecker *Melanerpes cruentatus cruentatus*
Fairly common eastern slope and Sani.

Yellow-vented Woodpecker *Veniliornis dignus baezae*
1 San Isidro.

Bar-bellied Woodpecker *Veniliornis nigriceps equifasciatus*
1 Yanacocha.

Smoky-brown Woodpecker *Veniliornis fumigatus*
ssp. fumigatus 1 ♀ Pacto Sumaco + 1 El Pachijal
(ssp.?)

Little Woodpecker *Veniliornis passerinus agilis*
1 pair at El Para Reserve and 1 heard Rio Napo.

Red-rumped Woodpecker *Veniliornis kirkii ceciliae*
3 + 1 Rio Palenque.

Choco Woodpecker *Veniliornis chocoensis*
chocoensis
1 Mindo Loma.

Red-stained Woodpecker *Veniliornis affinis hilaris*
1 pair Lamina la Conde and 1 ♀ Sani.

Golden-olive Woodpecker *Piculus rubiginosus*
ssp. buenavistae 1 Wild Sumaco.

ssp. rubripileus 1 Mindo Loma and 2 km126 on
western slope.

Crimson-mantled Woodpecker *Piculus rivolii*
brevirostris
2 San Isidro, 2 + 1 Mindo road and 1 Mindo Loma.

Spot-breasted Woodpecker *Colaptes punctigula*
guttatus
1 Lamina la Conde.

Scaly-breasted Woodpecker *Celeus grammicus*
verreauxii
1 pair Sani canopy tower.

Cream-colored Woodpecker *Celeus flavus*
4 + 2 Sani.

Rufous-headed Woodpecker *Celeus spectabilis*
spectabilis
1 heard Sani.

Lineated Woodpecker *Dryocopus lineatus*
ssp. lineatus 1 + 1 Sani.

ssp. fuscipennis 1 heard at Milpe.

Powerful Woodpecker *Campephilus pollens pollens*
2 Guacamayos ridge and 1 heard Bellavista.

Crimson-crested Woodpecker *Campephilus*
melanoleucos melanoleucos
Heard and seen 5 days in El Para reserve, Wild
Sumaco and Sani.

Guayaquil Woodpecker *Campephilus gayaquilensis*
gayaquilensis
1 Mindo cloud forest and 1 Milpe road. [BW:
"Sometimes treated as a subspecies of *Campephilus*
melanoleucos."]]

Stout-billed Cinclodes *Cinclodes excelsior excelsior*
2 Papallacta, 1 Cayambe Coca reserve and fairly
common Antisana.

Bar-winged Cinclodes *Cinclodes fuscus albidiventris*
4 Papallacta and fairly common Antisana.

Pacific Hornero *Furnarius cinnamomeus*
cinnamomeus
Seen 6 days in west.

Lesser Hornero *Furnarius minor minor*
1 + 1 Rio Napo Island.

Andean Tit-Spinetail *Leptasthenura andicola*
andicola
1 seen and 5 heard Papallacta.

White-chinned Thistletail *Schizoeaca fuliginosa*
fuliginosa
1 Papallacta and 5 Cayambe Coca reserve.

Azara's Spinetail *Synallaxis azarae ochracea*
A few heard at San Isidro, 2 Nono road and 1 seen + 5
heard Bellavista.

Dark-breasted Spinetail *Synallaxis albigularis*
albigularis
Seen 3 days on eastern slope in Archidona and Wild
Sumaco.

Rufous Spinetail *Synallaxis unirufa unirufa*
2 Guacamayos ridge.

Slaty Spinetail *Synallaxis brachyura nigrofumosa*
Seen 3 days on western slope.

White-bellied Spinetail *Synallaxis propinqua*
propinqua
3 Rio Napo island.

Dusky Spinetail *Synallaxis moesta brunneicaudalis*
1 Wild Sumaco.

Plain-crowned Spinetail *Synallaxis gujanensis*
huallagae
2 seen + 1 heard Rio Napo island.

White-browed Spinetail *Hellmayrea gularis gularis*
1 Yanacocha.

Parker's Spinetail *Cranioleuca vulpecula vulpecula*
2 Rio Napo island.

Red-faced Spinetail *Cranioleuca erythropus erythropus*
1 seen + 1 heard Milpe road and 2 at Mindo Loma.

Streak-backed Canastero *Asthenes wyatti*
aequatorialis
Ca 5 Antisana.

Many-striped Canastero *Asthenes flammulata*
flammulata
1 Papallacta and ca 5 Antisana.

Rusty-winged Barbtail *Premmornis guttuligera*
guttuligera
1 + 2 Mindo Loma.

Spotted Barbtail *Premnoplex brunnescens brunnescens*
2 heard Mindo Loma.

Pearled Treerunner *Margarornis squamiger perlatus*
Seen 4 days on eastern slope and 3 Mindo road.

Pacific Tuftedcheek *Pseudocolaptes johnsoni johnsoni*
1 El Pachijal and 2 Mindo Loma.

Streaked Tuftedcheek *Pseudocolaptes boissonneautii ssp. orientalis* 1 Guacamayos ridge.

ssp. boissonneautii 2 + 1 + 1 Mindo road.

Scaly-throated Foliage-gleaner *Anabacerthia variegaticeps temporalis*
1 Paz de las Aves, 1 Milpe road and 2 at Mindo Loma.

Montane Foliage-gleaner *Anabacerthia striaticollis montana*
Seen 3 days Wild Sumaco.

Lineated Foliage-gleaner *Syndactyla subalaris subalaris*
1 + 1 + 1 Bellavista and 2 Mindo Loma.

Western Woodhaunter *Hylocistetes virgatus assimilis*
1 Rio Silanche reserve.

Rufous-rumped Foliage-gleaner *Philydor erythrocercum subfulvum*
1 Wild Sumaco.

Buff-fronted Foliage-gleaner *Philydor rufum riveti*
1 + 1 Milpe road.

Uniform Treehunter *Thripadectes ignobilis ignobilis*
1 at El Pachijal.

Black-billed Treehunter *Thripadectes melanorhynchus melanorhynchus*
1 Loreto road.

Striped Treehunter *Thripadectes holostictus striatidorsus*
1 seen + 1 heard Mindo road.

Streak-capped Treehunter *Thripadectes virgaticeps virgaticeps*
1 Paz de las Aves and 1 + 1 Mindo Loma.

Flammulated Treehunter *Thripadectes flammulatus flammulatus*
1 Bellavista.

Buff-throated Foliage-gleaner *Automolus ochrolaemus pallidigularis*
2 Rio Palenque.

Ruddy Foliage-gleaner *Automolus rubiginosus nigricauda*
1 Rio Palenque and heard Rio Silanche reserve.

Plain Xenops *Xenops minutus littoralis*
1 Rio Silanche reserve.

Streaked Xenops *Xenops rutilans heterurus*
1 along Loretto Road.

Wedge-billed Woodcreeper *Glyphorhynchus spirurus ssp. castelnaudii* 1 Wild Sumaco

ssp. sublestus 2 at El Pachijal and 1 Rio Palenque.

Olivaceous Woodcreeper *Sittasomus griseicapillus amazonus*
4 Wild Sumaco.

Tyrannine Woodcreeper *Dendrocincla tyrannina tyrannina*
1 Mindo Loma.

Plain-brown Woodcreeper *Dendrocincla fuliginosa ridgwayi*
1 Mira Valle, 1 Rio Palenque and 1 Km126.

Amazonian Barred Woodcreeper *Dendrocolaptes certhia radiolatus*
1 heard Sani.

Strong-billed Woodcreeper *Xiphocolaptes promeropirhynchus ignotus*
1 heard + 1 + 2 Mindo Loma and 1 Paz de las Aves.

Long-billed Woodcreeper *Nasica longirostris longirostris*
1 + 1 heard and 1 seen Sani.



Cinnamon-throated Woodcreeper *Dendrexetastes rufigula devillei*
1 Loreto road (Sumaco – Coca) and 2 at Lamina La Conde, Coca.

Red-billed Scythebill *Campylorhamphus trochilirostris thoracicus*
1 Rio Palenque.

Brown-billed Scythebill *Campylorhamphus pusillus pusillus*
1 at the end of Milpe Road and 1 at Km 126 Rio Palenque – Rio Silanche.

Elegant Woodcreeper *Xiphorhynchus elegans ornatus*

1 Sani. [BW: “*Xiphorhynchus elegans* is traditionally regarded as conspecific with *Xiphorhynchus spixii*, but recently treated as a separate species...”]

Lafresnaye's Woodcreeper *Xiphorhynchus guttatoides guttatoides*

Seen 3 days in Sani. [BW: “*Xiphorhynchus guttatoides* is traditionally regarded as a subspecies of *Xiphorhynchus guttatus*, but recently ALEIXO (2002) proposed *guttatoides* to be a distinct species.”]

Spotted Woodcreeper *Xiphorhynchus erythropygius aequatorialis*

2 Rio Silanche reserve.

Olive-backed Woodcreeper *Xiphorhynchus triangularis triangularis*

5 San Isidro and 1 Rio Hollin.

Streak-headed Woodcreeper *Lepidocolaptes souleyetii esmeraldae*

1 Km 126.

Montane Woodcreeper *Lepidocolaptes lacrymiger aequatorialis*

Seen 2 days on eastern slope and 4 days on western slope.

Great Antshrike *Taraba major*

ssp. melanurus 1 heard along Loreto Road and 1 pair Sani.

ssp. transandeanus 1 heard and 1 seen at Rio Palenque.

Barred Antshrike *Thamnophilus doliatus radiatus*

1 Rio Napo island.

Lined Antshrike *Thamnophilus tenuipunctatus tenuifasciatus*

1 pair Loreto road and 2 Wild Sumaco.

Cocha Antshrike *Thamnophilus praecox praecox*

1 ♂ + heard Sani.

Castelnau's Antshrike *Thamnophilus cryptoleucus cryptoleucus*

1 Sani.

Uniform Antshrike *Thamnophilus unicolor unicolor*

1 heard Paz de las Aves and 1 heard and 1 ♂ seen at El Pachijal.

Plain-winged Antshrike *Thamnophilus schistaceus capitalis*

1 pair Sani.

Mouse-colored Antshrike *Thamnophilus murinus canipennis*

1 heard at El Para reserve.

Western Slaty Antshrike *Thamnophilus atrinucha atrinucha*

1 ♀ Rio Palenque.

Plain Antvireo *Dysithamnus mentalis aequatorialis*

1 Rio Palenque.

Spot-crowned Antvireo *Dysithamnus puncticeps flemmingi*

1 heard Rio Silanche reserve.

Bicolored Antvireo *Dysithamnus occidentalis punctitectus*

1 Guacamayos ridge.

Dusky-throated Antshrike *Thamnomanes ardesiacus ardesiacus*

1 heard at Sani.

Cinereous Antshrike *Thamnomanes caesius glaucus*

2 Saladero de Pericos and 1 ♂ + 2 Sani.

Plain-throated Antwren *Myrmotherula hauxwelli suffusa*

1 ♂ Sani.

Checker-throated Antwren *Myrmotherula fulviventris fulviventris*

1 ♂ Rio Silanche reserve.

Foothill Antwren *Myrmotherula spodionota spodionota*

1 Wild Sumaco.

Ornate Antwren *Myrmotherula ornata saturata*

1 ♂ Wild Sumaco and 1 heard Sani.

White-flanked Antwren *Myrmotherula axillaris*

ssp. melaena 1 pair Saladero de Pericos, Sani.

ssp. albigula 1 pair + heard Rio Silanche reserve.

Slaty Antwren *Myrmotherula schisticolor schisticolor*

1 pair Mira Valle and 1 pair at the end of Milpe Road.

Yellow-breasted Antwren *Herpsilochmus axillaris aequatorialis*

1 Wild Sumaco.

Rufous-winged Antwren *Herpsilochmus rufimarginatus frater*

1 heard + 2 seen Wild Sumaco.

Dot-winged Antwren *Microrhopias quixensis consobrina*

1 Mira Valle and 1 pair Rio Palenque.

Striated Antbird *Drymophila devillei devillei*

1 heard El Para reserve.

Long-tailed Antbird *Drymophila caudata caudata*

Seen 3 days on eastern slope and 2 Mindo road.

Rufous-rumped Antwren *Terenura callinota callinota*
1 at Sumaco.

Blackish Antbird *Cercomacra nigrescens aequatorialis*
1 heard Loreto road, 2 Pacto Sumaco and 1 at Sumaco.

White-browed Antbird *Myrmoborus leucophrys leucophrys*
1 at Archidona.

Black-faced Antbird *Myrmoborus myotherinus napensis*
1 at El Para reserve, 1 pair Saladero de Pericos and 1 ♂ + 1 Sani.

Peruvian Warbling Antbird *Hypocnemis peruviana saturata*
1 heard and 1 seen El Para reserve. [BW: Split from *Hypocnemis cantator*.]

Silvered Antbird *Sclateria naevia*
1 ♂ + 2 Sani.

Spot-winged Antbird *Schistocichla leucostigma subplumbea*
1 pair Rio Hollin, 1 heard at El Para Reserve and 1 heard + 2 Sani.

Chestnut-backed Antbird *Myrmeciza exsul maculifer*
1 Rio Palenque and 1 heard Rio Silanche reserve.

Stub-tailed Antbird *Myrmeciza berlepschi berlepschi*
1 Milpe road.

Plumbeous Antbird *Myrmeciza hyperythra hyperythra*
1 ♂ Sani.

White-shouldered Antbird *Myrmeciza melanoceps melanoceps*
1 pair + 1 pair Sani.

Sooty Antbird *Myrmeciza fortis fortis*
1 pair Rio Hollin.

Bicolored Antbird *Gymnopithys leucaspis castaneus*
1 at Sani.

Black-spotted Bare-eye *Phlegopsis nigromaculata nigromaculata*
1 Sani.

Rufous-capped Antthrush *Formicarius colma nigrifrons*
1 Sani.

Black-faced Antthrush *Formicarius analis zamorae*
1 heard Rio Napo.

Black-headed Antthrush *Formicarius nigricapillus destructus*
2 + 1 heard Rio Palenque.

Short-tailed Antthrush *Chamaeza campanisona punctigula*
Heard and seen 3 days in Wild Sumaco.

Striated Antthrush *Chamaeza nobilis rubida*
1 heard Sani.

White-lored Antpitta *Hylopezus fulviventris fulviventris*
1 heard at El Para reserve and 1 seen Sani.

Thrush-like Antpitta *Myrmothera campanisona signata*
1 heard at El Para reserve and 1 heard at Sani.

Giant Antpitta *Grallaria gigantea hylodroma*
1 heard at Bella Vista, 1 seen Paz De La Avez ("Coriño"). Mr Angel Paz call them out from the forrest and feed them with big worms. 1 heard El Pachijal. [BW: "The form *hylodroma* with its distinctive plumage and range may be a separate species...]

Undulated Antpitta *Grallaria squamigera squamigera*
1 heard Yanacocha.

Scaled Antpitta *Grallaria guatimalensis regulus*
1 heard Mira Valle and 1 heard Rio Silanche reserve.

Moustached Antpitta *Grallaria alleni*
1 heard 3 days Mindo Loma. [BW: "May be conspecific with *Grallaria guatimalensis* or *G. chthonia*."]

Plain-backed Antpitta *Grallaria haplonota parambae*
Heard and seen 3 days Wild Sumaco and 1 heard Yanacocha.

Tawny Antpitta *Grallaria quitensis quitensis*
Ca 20 Papallacta, heard Cayambe Coca reserve and heard Antisana.

Yellow-breasted Antpitta *Grallaria flavotincta flavotincta*
1 Paz de las Aves.

Chestnut-naped Antpitta *Grallaria nuchalis obsoleta*
1 heard Yanacocha.

Chestnut-crowned Antpitta *Grallaria ruficapilla ruficapilla*
1 Chalpi Grande trail, 1 San Isidro, 1 Nono road and 1 Bella Vista.

Rufous Antpitta *Grallaria rufula rufula*
1 Cayambe Coca reserve and 1 heard Yanacocha.

Slaty-crowned Antpitta *Grallaricula nana nana*
1 heard San Isidro and 5 heard Guacamayos ridge.

Chestnut-crowned Gnateater *Conopophaga castaneiceps castaneiceps*
1 heard Wild Sumaco.

Rusty-belted Tapaculo *Liosceles thoracicus erithacus*
1 heard Sani.

Ocellated Tapaculo *Acropternis orthonyx infuscatus*
1 heard Yanacocha and 1 heard Bellavista.

Northern White-crowned Tapaculo *Scytalopus atratus confusus*
1 heard Wild Sumaco.

Long-tailed Tapaculo *Scytalopus micropterus micropterus*
1 heard Baeza by-pass. [BW: “*Scytalopus micropterus* is usually treated as subspecies of *Scytalopus femoralis* Rufous-vented Tapaculo, but recently treated as a separate species...”]

Nariño Tapaculo *Scytalopus viciniior viciniior*
1 heard and seen Bellavista and 1 heard Mindo Loma.

Spillmann's Tapaculo *Scytalopus spillmanni spillmanni*
1 Nono road, ca 10 heard and seen Mindo road and heard Bellavista.

Paramo Tapaculo *Scytalopus canus opacus*
2 Papallacta and 1 + 1 heard Cayambe Coca reserve.

Blackish Tapaculo *Scytalopus latrans latrans*
Heard 2 days at San Isidro and 1 heard Yanacocha. [BW: “Traditionally *Scytalopus latrans* is treated as a subspecies of *S. unicolor*. It differs constantly in song from the *subcinereus* of *S. unicolor*.... The *latrans* group is treated as a separate species by CLEMENTS & SHANY (2001)...”]

Ash-colored Tapaculo *Myornis senilis senilis*
1 heard Guacamayos ridge and 1 Yanacocha.

Cinereous Mourner *Laniocera hypopyrra hypopyrra*
1 heard Sani.

White-browed Purpletuft *Iodopleura isabellae isabellae*
1 pair from the canopy tower Sani.

Masked Tityra *Tityra semifasciata ssp. fortis* 2 Pacto Sumaco.

ssp. nigriceps 1 Rio Palenque and 1 at Rio Silanche.

Black-crowned Tityra *Tityra inquisitor*
2 El Para reserve.

Black-tailed Tityra *Tityra cayana cayana*
1 Loreto road, 1 Lamina la Conde and seen 2 days in Sani.

Barred Becard *Pachyramphus versicolor versicolor*
2 ♂ and 1 ♀ San Isidro, 1 Guacamayos and 1 heard Mindo Loma.

Slaty Becard *Pachyramphus spodiurus spodiurus*
1 at Mindo cloud forest.

Cinnamon Becard *Pachyramphus cinnamomeus cinnamomeus*
1 + 1 Mindo cloud forest and 4 at km 126.

Black-and-white Becard *Pachyramphus albogriseus guayaquilensis*
1 at Yanacocha.

One-colored Becard *Pachyramphus homochrous homochrous*
1 subad ♂ Rio Palenque.

Pink-throated Becard *Pachyramphus minor minor*
1 heard Sani.

Green-and-black Fruiteater *Pipreola riefferii ssp. confusa* 1 heard and seen Guacamayos ridge
ssp. occidentalis 4 Bellavista.

Orange-breasted Fruiteater *Pipreola jucunda jucunda*
1 heard Mindo Loma.

Black-chested Fruiteater *Pipreola lubomirskii lubomirskii*
1 heard San Isidro.

Red-crested Cotinga *Ampelion rubrocristatus rubrocristatus*
1 Papallacta, 2 Cayambe Coca reserve and 2 along Nono Road.

Andean Cock-of-the-rock *Rupicola peruvianus ssp. aequatorialis* 1 ♀ on nest Waterfall trail Wild Sumaco.

ssp. sanguinolentus 1 heard Nono road and 1 heard Paz de las Aves.

Grey-tailed Piha *Snowornis subalaris subalaris*
1 heard Wild Sumaco.

Olivaceous Piha *Snowornis cryptolophus mindoensis*
1 + 2 Paz de las Aves and 1 Mindo Loma.

Purple-throated Fruitcrow *Querula purpurata purpurata*
1 pair + 2 Sani and 1 ♀ + 2 ♂ Rio Palenque.

Amazonian Umbrellabird *Cephalopterus ornatus ornatus*
1 + 2 Sani.

Plum-throated Cotinga *Cotinga maynana maynana*
1 Loreto road and 1 + 1 Sani.

Spangled Cotinga *Cotinga cayana cayana*
1 Sani canopy tower.

Dusky Piha *Lipaugus fuscocinereus fuscocinereus*
1 + 1 Guacamayos ridge.

Screaming Piha *Lipaugus vociferans vociferans*
1 heard Saladero de Pericos, Rio Napo and 2 heard Sani.

Bare-necked Fruitcrow *Gymnoderus foetidus foetidus*
1 + 2 from the Canopy tower Sani.

Wire-tailed Manakin *Pipra filicauda filicauda*
1 + 1 ♂ Sani.

Golden-headed Manakin *Pipra erythrocephala berlepschi*
2 Saladero de Pericos, Rio Napo.

Blue-crowned Manakin *Lepidothrix coronata coronata*
1 Loreto road (Sumaco – Coca).

Blue-rumped Manakin *Lepidothrix isidorei isidorei*
1 ♂ Wild Sumaco.

White-crowned Manakin *Dixiphia pipra coracina*
1 Wild Sumaco.

Golden-winged Manakin *Masius chrysopterus coronulatus*
1 ♀ Paz de las Aves and 1 Milpe road.

White-bearded Manakin *Manacus manacus leucochlamys*
1 pair Rio Palenque and 1 heard Rio Silanche reserve.

Western Striped Manakin *Machaeropterus striolatus striolatus*
1 ♂ Saladero de Pericos, Rio Napo. [BW: "Until recently *Machaeropterus striolatus* was included in *Machaeropterus regulus*..."]

Club-winged Manakin *Machaeropterus deliciosus deliciosus*
1 Milpe road.

White-fronted Tyrannulet *Phyllomyias zeledoni leucogonyx*
1 Wild Sumaco.

Sooty-headed Tyrannulet *Phyllomyias griseiceps griseiceps*
1 Mira Valle and 2 Rio Palenque.

Yellow-crowned Tyrannulet *Tyrannulus elatus elatus*
1 Archidona and 1 heard Sani.

Forest Elaenia *Myiopagis gaimardii*
1 Pacto Sumaco.

Grey Elaenia *Myiopagis caniceps*
ssp. *cinerea* 1 Sani canopy tower.

ssp. *parambae* 1 km 126.

Pacific Elaenia *Myiopagis subplacens subplacens*
1 Rio Palenque.

Yellow-crowned Elaenia *Myiopagis flavivertex flavivertex*
1 Sani.

Yellow-bellied Elaenia *Elaenia flavogaster semipagana*
1 Milpe road.

White-crested Elaenia *Elaenia albiceps griseigularis*
1 San Isidro and 1 Mindo road.

Mottle-backed Elaenia *Elaenia gigas gigas*
1 Rio Napo, Sani.

Sierran Elaenia *Elaenia pallatangae pallatangae*
1 Mindo road and 1 El Pachijal.

Brown-capped Tyrannulet *Ornithion brunneicapillus brunneicapillus*
1 heard Rio Silanche reserve.

Southern Beardless Tyrannulet *Camptostoma obsoletum*
ssp. *olivaceum* 1 Sani.

ssp. *sclateri* 1 Milpe road and 1 Pifo.

White-tailed Tyrannulet *Mecocerculus poecilocercus poecilocercus*
Seen 3 days on western slope, e.g. 4 Mindo road.

White-banded Tyrannulet *Mecocerculus stictopterus stictopterus*
2 Chalpi grande trail and 2 Yanacochoa.

White-throated Tyrannulet *Mecocerculus leucophrys rufomarginatus*
1 Cayambe Coca reserve and 1 Yanacochoa.

Sulphur-bellied Tyrannulet *Mecocerculus minor minor*
1 San Isidro.

Tufted Tit-Tyrant *Anairetes parulus aequatorialis*
1 Yanacochoa, fairly common San Antonio de Pichincha and also seen in Antisana.

Agile Tit-Tyrant *Anairetes agilis agilis*
1 Cayambe Coca reserve.

River Tyrannulet *Serpophaga hypoleuca hypoleuca*
1 Rio Napo, Sani.

Mouse-colored Tyrannulet *Phaeomyias murina*
1 Rio Napo, Sani.

Yellow Tyrannulet *Capsiempis flaveola magnirostris*
2 Milpe road and 1 Rio Palenque.

Bronze-olive Pygmy Tyrant *Pseudotriccus pelzelni annectens*
1 + 1 Mindo Loma.

Rufous-headed Pygmy Tyrant *Pseudotriccus ruficeps ruficeps*
2 Guacamayos ridge.

Lesser Wagtail-Tyrant *Stigmatura napensis napensis*
1 Rio Napo, Sani.

Slender-footed Tyrannulet *Zimmerius gracilipes gracilipes*
1 Archidona and 1 heard Sani.

Golden-faced Tyrannulet *Zimmerius chrysops*
ssp. *chrysops* seen 5 days on eastern slope.
ssp. *albigularis* seen 6 days on western slope.

Ecuadorian Tyrannulet *Phylloscartes gualaquizae gualaquizae*
1 heard + 1 seen Wild Sumaco.

Variegated Bristle Tyrant *Pogonotriccus poecilotis poecilotis*
1 Guacamayos ridge.

Spectacled Bristle Tyrant *Pogonotriccus orbitalis orbitalis*
1 San Isidro.

Slaty-capped Flycatcher *Leptopogon superciliaris superciliaris*
1 + 1 Wild Sumaco.

Rufous-breasted Flycatcher *Leptopogon rufipectus rufipectus*
5 San Isidro.

Streak-necked Flycatcher *Mionectes striaticollis*
ssp. *columbianus* 1 Pacto Sumaco.
ssp. *viridiceps* 2 Bellavista.

Ochre-bellied Flycatcher *Mionectes oleagineus*
ssp. *oleagineus* 1 El Para Reserve and 2 Saladero de Pericos.

ssp. *pacificus* 1 Rio Palenque.

Ornate Flycatcher *Myiotriccus ornatus*
ssp. *phoenicurus* seen 3 days Wild Sumaco, eastern slope.

ssp. *stellatus* seen 4 days western slope.

Scale-crested Pygmy Tyrant *Oncostoma pileatum*
ssp. *pileatum* 2 Wild Sumaco.

ssp. *squamaecrista* seen 4 days western slope.

Rufous-crowned Tody-Flycatcher *Poecilotriccus ruficeps ruficeps*
2 Guacamayos ridge.

Golden-winged Tody-Flycatcher *Poecilotriccus calopterus calopterus*
1 heard at El Para Reserve and 1 ♂ Loreto road.

Spotted Tody-Flycatcher *Todirostrum maculatum signatum*
1 ♂ + 1 Sani.

Common Tody-Flycatcher *Todirostrum cinereum sclateri*
1 Mira Valle and 1 Rio Palenque.

Yellow-browed Tody-Flycatcher *Todirostrum chrysocrotaphum guttatum*
1 Sani.

Yellow-olive Flatbill *Tolmomyias sulphurescens aequatorialis*
1 Rio Palenque.

Olive-faced Flatbill *Tolmomyias viridiceps viridiceps*
1 Archidona.

Flavescent Flycatcher *Myiophobus flavicans flavicans*
1 Bellavista and 1 El Pachijal.

Handsome Flycatcher *Myiophobus pulcher pulcher*
1 Bellavista.

Olive-chested Flycatcher *Myiophobus cryptoxanthus cryptoxanthus*
1 El Para reserve, 1 Loreto road and 1 Wild Sumaco.

Bran-colored Flycatcher *Myiophobus fasciatus crypterythrus*
1 Milpe road and 1 + 1 Rio Palenque.

Cinnamon Flycatcher *Pyrrhomyias cinnamomeus pyrrhopterus*
5 San Isidro.

Cliff Flycatcher *Hirundinea ferruginea sclateri*
2 Loreto road.

Willow Flycatcher *Empidonax traillii*
3 + 1 Rio Napo, Sani.

Olive-sided Flycatcher *Contopus cooperi cooperi*
Seen 3 days eastern slope (Guacamayos ridge and Wild Sumaco).

Smoke-colored Pewee *Contopus fumigatus*
Seen 2 days on the eastern slope and 5 days on the western slope.

Western Wood Pewee *Contopus sordidulus*
App. 10 during 3 days at Sumaco also seen at Paz de las Aves and El Pachijal. Must be heard to separate from Eastern Wood Pewee.

Eastern Wood Pewee *Contopus virens virens*
1 at Sumaco and 1 at Sani. Many seen but must be heard to separate from Western.

Black Phoebe *Sayornis nigricans angustirostris*
1 seen 2 days at Rio Hollin and 1 at Rio Palenque.

Vermilion Flycatcher *Pyrocephalus rubinus piurae*
1 ♂ at Baeza Bypass, seen 2 days along the road to and from Rio Palenque and 1 ♂ at Pifo in Quito.

Crowned Chat-Tyrant *Ochthoeca frontalis frontalis*
1 at Yanacochoa.

Yellow-bellied Chat-Tyrant *Ochthoeca diadema gratiosa*
2 heard and 1 seen at Bellavista.

Slaty-backed Chat-Tyrant *Ochthoeca cinnamomeiventris cinnamomeiventris*
2 ♂♂ along the road between Guacamayos and Orchid's paradise and 1 heard at Paz de las Aves.

Rufous-breasted Chat-Tyrant *Ochthoeca rufipectoralis obfusca*
2 at Guango.

Brown-backed Chat-Tyrant *Ochthoeca fuscicolor brunneifrons*
1 at Antisana, 1 at Cayambe Coca Reserve and 2 at Yanacochoa.

Drab Water Tyrant *Ochthornis littoralis littoralis*
1 along Rio Napo.

Masked Water Tyrant *Fluvicola nengeta atripennis*
1 at Milpe Road and 2 + 1 seen 2 days at Rio Palenque.

Smoky Bush Tyrant *Myiotheretes fumigatus fumigatus*
1 at Yanacochoa.

Black-billed Shrike-Tyrant *Agriornis montanus solitarius*
2 at Antisana.

White-tailed Shrike-Tyrant *Agriornis andicola andicola*
1 at San Antonio De Pichincha.

Paramo Ground Tyrant *Muscisaxicola alpinus alpinus*
2 at Papallacta and app. 10 at Antisana.

Long-tailed Tyrant *Colonia colonus fuscicapillus*
1 at El Para Reserve.

Piratic Flycatcher *Legatus leucophaeus leucophaeus*
1 at El Para Reserve, 1 at low elevation Sumaco and seen 2 days at Sani.

Rusty-margined Flycatcher *Myiozetetes cayanensis hellmayri*
2 at Milpe road 2 days and 1 Km126 (PVM).

Social Flycatcher *Myiozetetes similis*
ssp. *similis* seen 5 days on the eastern slope
ssp. *grandis* 1 Mira Valle.

Grey-capped Flycatcher *Myiozetetes granadensis*
ssp. *obscurior* 1 at Orchid's Paradise
ssp. *occidentalis* 1 at Rio Palenque.

Great Kiskadee *Pitangus sulphuratus*
Seen 2 days around the lake at Sani.

Lesser Kiskadee *Pitangus lictor lictor*
Common around the lake at Sani.

Lemon-browed Flycatcher *Conopias cinchoneti cinchoneti*
2 at San Isidro.

Golden-crowned Flycatcher *Myiodynastes chrysocephalus minor*
2 at San Isidro and seen 4 days on the Western slope.

Streaked Flycatcher *Myiodynastes maculatus*
2 + 2 at Sani and app. 5 at Rio Palenque (ssp. *chapmani* in W)

Boat-billed Flycatcher *Megarynchus pitangua*
ssp. *pitangua* 2 at El Para Reserve and seen 4 days at Sani
ssp. *chrysogaster* 2 days at Rio Palenque.

Sulphury Flycatcher *Tyrannopsis sulphurea sulphurea*
1 from the Canopy tower, Sani.

Snowy-throated Kingbird *Tyrannus niveigularis niveigularis*
Seen 4 days on the Western slope.

Tropical Kingbird *Tyrannus melancholicus melancholicus*
Widespread and common. Seen 17 days.

Eastern Kingbird *Tyrannus tyrannus tyrannus*
2 at Lamina La Conde, Coca.

Dusky-capped Flycatcher *Myiarchus tuberculifer nigriceps*
1 at Mira Valle and 1 Milpe road.

Short-crested Flycatcher *Myiarchus ferox ferox*
1 at Wild Sumaco and 1 on a River Island in Rio Napo.

Pale-edged Flycatcher *Myiarchus cephalotes cephalotes*
2 at San Isidro.

Bamboo (Large-headed) Flatbill *Ramphotricon megalophthalmum pectorale*
1 Loreto road close to Orchid's Paradise.

Cinnamon Attila *Attila cinnamomeus cinnamomeus*
Seen 3 days at Sani.

Ochraceous Attila *Attila torridus torridus*
1 at Rio Palenque seen 2 days. Probably not the same bird.

Bright-rumped Attila *Attila spadiceus spadiceus*
1 at Lamina La Conde, Coca.

Black-billed Peppershrike *Cyclarhis nigrirostris nigrirostris*
3 at San Isidro and 1 heard at Sumaco.

Slaty-capped Shrike-Vireo *Vireolanius leucotis mikettae*
1 heard at Rio Silanche. (answered on playback)

Brown-capped Vireo *Vireo leucophrys*
ssp. *leucophrys* 2 at San Isidro

ssp. *josephae* Seen 4 days on the Western slope.

Red-eyed Vireo *Vireo olivaceus*
ssp. *solimoensis* 1 at El Para Reserve, 2 days at Sani.

ssp. *griseobarbatus* seen 4 days on the Western slope.

Yellow-green Vireo *Vireo flavoviridis*
1 at the Orchid's Paradise garden, 1 at a small village close to Orchid's and 1 at Sumaco.

Lemon-chested Greenlet *Hylophilus thoracicus*
1 at the Orchid's Paradise garden.

Olivaceous Greenlet *Hylophilus olivaceus olivaceus*
1 at Loreto Road and a few seen 2 days at Sumaco.

Lesser Greenlet *Hylophilus decurtatus minor*
4 + 5 seen the 2 days at Rio Palenque.

Turquoise Jay *Cyanolyca turcosa turcosa*
Seen 5 days on east and west slope.

Beautiful Jay *Cyanolyca pulchra pulchra*
2 along Nono road and 1 along the road from Bellavista to Mindo Loma.

Violaceous Jay *Cyanocorax violaceus violaceus*
Seen 8 days on eastern slope and Sani.

Inca Jay *Cyanocorax yncas yncas*
Seen 3 days on east slope.

Sand Martin *Riparia riparia*
Seen 4 days along Rio Napo.

White-winged Swallow *Tachycineta albiventer albiventer*
Fairly common along Rio Napo.

Grey-breasted Martin *Progne chalybea chalybea*
Fairly common along Rio Napo and seen 3 days on the Western slope.

Brown-bellied Swallow *Notiochelidon murina murina*
App. 10 at Papalacta, 2 Cayambe Coca Reserve and 1 at Yanacochoa.

Blue-and-white Swallow *Pygochelidon cyanoleuca cyanoleuca*
Common on both slopes.

White-banded Swallow *Atticora fasciata fasciata*
App. 20 seen in the area around Orchid's paradise. Fairly common along Rio Napo.

White-thighed Swallow *Neochelidon tibialis*
ssp. *griseiventris* 1 at Coca

ssp. *minima* Seen 3 days on the Western slope

Southern Rough-winged Swallow *Stelgidopteryx ruficollis*
Common bird, Seen 12 days on different locations. (ssp. *uropygialis* on W slope and ssp. *ruficollis* on east slope.

Barn Swallow *Hirundo rustica erythrogaster*
1 along Rio Napo, Sani. [BW: The North American *erythrogaster* is possibly a separate species..."]

American Cliff Swallow *Petrochelidon pyrrhonota*
1 at Bellavista

Black-capped Donacobius *Donacobius atricapilla nigrodorsalis*
1 heard at El Para Reserve, Common around the lake at Sani.

Grey-mantled Wren *Odontorchilus branickii*
1 along the road down from Sumaco.

Wing-banded Wren *Microcerculus bambla albigularis*
1 singing Loreto Road, app. 5 seen and heard at Sumaco.

Southern Nightingale-Wren *Microcerculus marginatus*
ssp. *marginatus* App. 5 seen and heard San Isidro and 1 heard at Sani

ssp. *taeniatus* Seen and heard 4 days on the Western slope.

Southern House-Wren *Troglodytes musculus*
Seen 1 day On the Eastern slope (Loreto Road), 2 days at Sani and 6 days on the Western slope.

Mountain Wren *Troglodytes solstitialis*
2 at Guango and 2 at San Isidro.

Sedge Wren *Cistothorus platensis aequatorialis*
1 app. 1000 m down on E slope from Papalacta.

Thrush-like Wren *Campylorhynchus turdinus hypostictus*
Seen 3 days at Sumaco and 1 seen at Sani.

Grey-breasted Wood Wren *Henicorhina leucophrys*
ssp. *leucophrys* Seen 3 days on the Eastern slope
ssp. *brunneiceps* Seen days on the Western slope.

White-breasted Wood Wren *Henicorhina leucosticta*
ssp. *hauxwelli* Seen 3 days on the Eastern slope.

ssp. *inornata* Seen 4 days on the Western slope

Rufous Wren *Cinnycerthia unirufa unibrunnea*
1 at Gunago and heard at Guacamayos ridge and 1
seen at Yanacochoa.

Sepia-brown Wren *Cinnycerthia olivascens*
olivascens
1 singing at Bellavista.

Plain-tailed Wren *Thryothorus euophrys*
ssp. *longipes* 1 singing and 2 seen at Guango and 2
seen at San Isidro.

ssp. *euophrys* 1 at Nono road close to Bellavista and 3
at Bellavista.

Whiskered Wren *Thryothorus mystacalis mystacalis*
2 at Mira Valle and 1 singing Rio Palenque.

Coraya Wren *Thryothorus coraya*
1 heard at El Para Reserve, 1 at Loreto road and app. 5
at Sumaco.

Bay Wren *Thryothorus nigricapillus nigricapillus*
1 at Milpe Road and 1 + 1 seen 2 days at Rio Palenque.

Musician Wren *Cyphorhinus arada salvini*
1 singing and 1 + 1 seen at Sumaco.

Long-billed Gnatwren *Ramphocaenus melanurus*
duidae
1 heard at Sani.

Tropical Gnatcatcher *Polioptila plumbea*
ssp. *innotata*: 1 from the Canopy tower Sani

ssp. *bilineata*: 2 one day and 3 the next day at Rio
Palenque

Andean Solitaire *Myadestes ralloides*
ssp. *venezuelensis* Seen. 2 days on the Eastern slope

ssp. *plumbeiceps* Seen 3 days on the Western slope.
Few.

Ecuadorian Thrush *Turdus maculirostris*
maculirostris
1 singing at Paz de las Aves and a few seen 2 days at
Rio Palenque.

Lawrence's Thrush *Turdus lawrencii lawrencii*
1 at Sani.

Black-billed Thrush *Turdus ignobilis debilis*
Seen 6 days on the Eastern slope and 1 day at Sani and
1 at Yanacochoa.

Great Thrush *Turdus fuscater quindio*
Common on higher elevation.

Glossy-black Thrush *Turdus serranus fuscobrunneus*
3 at San Isidro and a few seen 2 days at Bellavista.

White-necked Thrush *Turdus albicollis*
spodiolaemus
App. 10 at Orchid's Paradise and seen 2 days at Sani.

Slaty-backed Nightingale-Thrush *Catharus fuscater*
fuscater
1 Nono Road and 1 singing at Bellavista.

Spotted Nightingale-Thrush *Catharus dryas*
ssp. *maculatus* 1 singing Wild Sumaco

ssp. *dryas* 1 at El Pachijal.

Swainson's Thrush *Catharus ustulatus*
Seen 6 days on the Eastern slope and 2 days on the
Western slope.

White-capped Dipper *Cinclus leucocephalus*
leuconotus
1 at Guango and 1 at Paz de las Aves.

House Sparrow *Passer domesticus*
1 ♀ inside of Quito and fairly common in the lowland
around Rio Palenque.

Paramo Pipit *Anthus bogotensis bogotensis*
1 heard at Yanacochoa and app. 10 seen at Antisana.

Andean Siskin *Carduelis spinescens spinescens*
1 ♂ and 2 ♀♀ at Antisana.

Hooded Siskin *Carduelis magellanica capitalis*
A few at Papallacta, 4 at San Antonio De Pichincha
and 1 at Antisana.

Olivaceous Siskin *Carduelis olivacea olivacea*
1 singing at Baeza Bypass and 1 at Pacto Sumaco and
2 along the road at Sumaco.

Yellow-bellied Siskin *Carduelis xanthogastra*
xanthogastra
1 ♀ at El Pachijal and 3 at Km 126 on the road from
Rio Palenque

Tropical Parula *Parula pitiayumi*
ssp. *alarum* 1 at Wild Sumaco

ssp. *pacifica* seen 5 days on the Western slope.

Blackpoll Warbler *Dendroica striata striata*
1 at Wild Sumaco and 1 ♀ Milpe Road.

Blackburnian Warbler *Dendroica fusca fusca*
A common bird on both slopes.

Cerulean Warbler *Dendroica cerulea cerulea*
1 pair near Orchid's Paradise. A few seen 2 days at
Wild Sumaco.

Black-and-white Warbler *Mniotilta varia varia*
1 at San Isidro.

American Redstart *Setophaga ruticilla ruticilla*
1 at Wild Sumaco.

Northern Waterthrush *Seiurus noveboracensis noveboracensis*
1 on a River Island in Rio Napo.

Olive-crowned Yellowthroat *Geothlypis semiflava semiflava*
1 on the way between Bellavista and Mira Valle, 1 at rio Palenque.

Black-lored Yellowthroat *Geothlypis auricularis auricularis*
4 seen at Rio Palenque.

Canada Warbler *Wilsonia canadensis canadensis*
Seen 5 days on the Eastern slope.

Slate-throated Whitestart *Myioborus miniatus ballux*
Seen 5 days on the Eastern slope and 5 days on the Western slope.

Spectacled Whitestart *Myioborus melanocephalus ruficoronatus*
Seen 2 days on the Eastern slope and 2 days on the Western slope on higher elevation.

Grey-and-gold Warbler *Basileuterus fraseri ochraceicrista*
1 at Rio Palenque.

Choco Warbler *Basileuterus chlorophrys chlorophrys*
1 at Mira Valle and 1 at Mindo Loma.

Citrine Warbler *Basileuterus luteoviridis luteoviridis*
3 at Guango.

Black-crested Warbler *Basileuterus nigrocristatus nigrocristatus*
1 at Guango and app. 10 during the 2 days at San Isidro.

Russet-crowned Warbler *Basileuterus coronatus orientalis*
Fairly common Guango and San Isidro.

Three-striped Warbler *Basileuterus tristriatus daedalus*
Seen 4 days on the Western slope.

Buff-rumped Warbler *Phaeothlypis fulvicauda ssp. fulvicauda* 1 at Loreto road.
ssp. semicervina 1 at Rio Palenque.

Olive Oropendola *Psarocolius yuracares yuracares*
1 at El Para Reserve and app. 6 seen from the canopy tower at Sani.

Crested Oropendola *Psarocolius decumanus decumanus*
Seen 2 days on the Eastern slope and 2 days at Sani.

Russet-backed Oropendola *Psarocolius angustifrons angustifrons*
Common on the Eastern slope and in the Amazonas.

Solitary Cacique *Procacicus solitarius solitarius*
1 at Lamina la Conde (Coca) and a few seen at Sani.

Yellow-rumped Cacique *Cacicus cela cela*
Common at lower elevation at the Eastern slope and in the Amazonas.

Subtropical Cacique *Cacicus uropygialis uropygialis*
Common at San Isidro.

Scarlet-rumped Cacique *Cacicus microrhynchus pacificus*
1 at El Pachijal (New for this area), a few seen at Mindo Loma and Rio Palenque.

Northern Mountain Cacique *Cacicus leucoramphus leucoramphus*
1 at Guacamayos Antennas.

Ecuadorian Cacique *Cacicus sclateri sclateri*
2 at El Para reserve.

Moriche Oriole *Icterus chrysocephalus chrysocephalus*
3 from the Canopy tower at Sani.

Yellow-tailed Oriole *Icterus mesomelas taczanowskii*
2 Rio Palenque.

Orange-backed Troupial *Icterus croconotus croconotus*
2 + 3 at Sani.

Oriole Blackbird *Gymnomystax mexicanus mexicanus*
Seen 4 days at Sani.

Pale-eyed Blackbird *Agelasticus xanthophthalmus*
2 Lamina la Conde (Coca)

Scrub Blackbird *Dives warszewiczi warszewiczi*
Common Rio Palenque area.

Shiny Cowbird *Molothrus bonariensis aequatorialis*
Seen 6 days at the Western slope.

Giant Cowbird *Molothrus oryzivorus oryzivora*
Seen 2 days along Rio Napo and 2 days in Bellavista area.

Bananaquit *Coereba flaveola*
Fairly common on both slopes.

Rufous-collared Sparrow *Zonotrichia capensis*
Common on both slopes.

Yellow-browed Sparrow *Ammodramus aurifrons aurifrons*
Seen 5 days on the Eastern slope and 2 days at Sani.

Plumbeous Sierra Finch *Phrygilus unicolor geospizopsis*
Common at Papallacta, 3 at Cayambe Coca reserve and common at Antisana.

Ash-breasted Sierra Finch *Phrygilus plebejus ocularis*
3 at San Antonio De Pichincha and 1 at Pifo (an area inside of Quito).

Band-tailed Sierra Finch *Phrygilus alaudinus bipartitus*
1 at San Antonio De Pichincha and 2 at Antisana.

Blue-black Grassquit *Volatinia jacarina peruviansis*
Seen 5 days on both slopes.

Caqueta Seed-eater *Sporophila murallae murallae*
1 ♂ on Rio Napo River Island.

Variable Seed-eater *Sporophila corvina ophthalmica*
Seen 6 days at the Western slope.

Black-and-white Seed-eater *Sporophila luctuosa luctuosa*
Seen 5 days at the Eastern slope.

Yellow-bellied Seed-eater *Sporophila nigricollis vivida*
Seen 3 days on the Western slope and at Antisana.

Chestnut-bellied Seed-eater *Sporophila castaneiventris castaneiventris*
Seen 5 days on the Eastern slope and 2 days at Sani.

Lesser Seed Finch *Oryzoborus angolensis angolensis*
Seen 4 days on the Eastern slope.

Thick-billed Seed Finch *Oryzoborus funereus aethiops*
3 at Km 126 (near Rio Silanche).

Band-tailed Seed-eater *Catamenia analis soederstromi*
1 at San Antonio de Pichincha and fairly common Antisana.

Plain-colored Seed-eater *Catamenia inornata minor*
3 at Cayambe Coca reserve and common at Antisana.

Paramo Seed-eater *Catamenia homochroa homochroa*
1 pair at Cayambe Coca Reserve.

Yellow-faced Grassquit *Tiaris olivaceus pusillus*
2 at Mira Valle and 2 Paz de las Avez.

Orange-billed Sparrow *Arremon aurantirostris* ssp. *spectabilis* Seen 2 days at Wild Sumaco.
ssp. *occidentalis* Seen 3 days on the Western Slope.

Black-striped Sparrow *Arremonops conirostris striaticeps*
2 at Milpe Road.

Pale-naped Brush Finch *Atlapetes pallidinucha papallactae*
1 + 3 at Cayambe Coca Reserve.

Rufous-naped Brush Finch *Atlapetes latinuchus spodionotus*
2 at Papallacta and 1 Nono road.

White-rimmed Brush Finch *Atlapetes leucopis leucopis*
5 along Nono Road and seen 2 days at Bellavista.

Tricolored Brush Finch *Atlapetes tricolor crassus*
2 at Bellavista and 1 El Pachijal.

Slaty Brush Finch *Atlapetes schistaceus schistaceus*
1 at Chalpi Grande, Guango

White-winged Brush Finch *Atlapetes leucopterus leucopterus*
App. 5 along Nono road and seen 2 days at Bellavista.

Chestnut-capped Brush Finch *Buarremon brunneinucha frontalis*
Seen 4 days on the Western slope.

Stripe-headed Brush Finch *Buarremon torquatus assimilis*
2 at Chalpi Grande, Guango and 1 heard at along Nono road

Tanager Finch *Oreothraupis arremonops arremonops*
1 pair Bellavista

Black-backed Bush Tanager *Urothraupis stolzmanni stolzmanni*
3 at Cayambe Coca Reserve.

Crimson-breasted Finch *Rhodospingus cruentus cruentus*
1 pair seen days at Rio Palenque.

Red-capped Cardinal *Paroaria gularis gularis*
1 at Sani Lodge. Seen two days.

Magpie Tanager *Cissopis leverianus leverianus*
Seen 4 days on the Eastern slope.

Rufous-crested Tanager *Creurgops verticalis verticalis*
1 along the road from Guacamayos to Orchid's Paradise

Dusky-faced Tanager *Mitrospingus cassinii cassinii*
5 at Rio Palenque

Black-capped Hemispingus *Hemispingus atropileus atropileus*
10 at Guango and 2 at Guacamayos ridge.

Oleaginous Hemispingus *Hemispingus frontalis frontalis*
1 at San Isidro

Black-eared Hemispingus *Hemispingus melanotis melanotis*
5 + 3 seen 2 days at San Isidro

Western Hemispingus *Hemispingus ochraceus ochraceus*
1 at Bellavista and 1 at Mindo Loma.

Superciliaried Hemispingus *Hemispingus superciliaris nigrifrons*
1 at Yanacocha.

Grey-hooded Bush Tanager *Cnemoscopus rubrirostris rubrirostris*
4 – 5 Guango and 3 along Nono Road.

Rufous-chested Tanager *Thlypopsis ornata ornata*
2 along Nono road

Flame-crested Tanager *Tachyphonus cristatus fallax*
1 pair from the canopy tower at Sani.

White-shouldered Tanager *Tachyphonus luctuosus ssp. panamensis* 1 at El Para Reserve
ssp. luctuosus 2 in Mira Valle and 2 at Milpe Road.

White-lined Tanager *Tachyphonus rufus rufus*
Seen 3 days on the Eastern slope and 3 days on the Western slope.

Masked Crimson Tanager *Ramphocelus nigrogularis nigrogularis*
3 at Rio Hollin and seen 2 days in Sani.

Silver-beaked Tanager *Ramphocelus carbo carbo*
Common on the Eastern Slope and also seen in Sani.

Flame-rumped Tanager *Ramphocelus flammigerus icteronotus*
Seen 6 days on western slope, where fairly common.

Blue-grey Tanager *Thraupis episcopus*
One of the most common Tanagers. Many seen on both slopes. One bird even seen in Sani in the Amazonas. (*ssp. coelestis* on east slope and *ssp. quaesita* on west slope)

Palm Tanager *Thraupis palmarum*
One of the most common Tanagers. Many seen on both slopes. (*ssp. melanopectera* – Eastern slope. and *ssp. violilavata* – Western slope.)

Blue-capped Tanager *Thraupis cyanocephala cyanocephala*
1 at Nono road and 2 at Bellavista.

Blue-and-yellow Tanager *Thraupis bonariensis darwinii*
4 at Pifo. A place inside of Quito.

Moss-backed Tanager *Bangsia edwardsi edwardsi*
1 at Mindo Cloud Forrest.

Hooded Mountain Tanager *Buthraupis montana cucullata*
2 at Guacamayos antennas and 4 at Bellavista

Black-chested Mountain Tanager *Buthraupis eximia chloronota*
1 at Yanacocha and heard in Mindo Loma

Lacrimose Mountain Tanager *Anisognathus lacrymosus palpebrosus*
3 at Guacamayos antennas.

Scarlet-bellied Mountain Tanager *Anisognathus igniventris erythrotus*
2 in the polylepis forrest at Papallacta.

Blue-winged Mountain Tanager *Anisognathus somptuosus*
ssp. baezae Seen 2 days on the Eastern slope.

ssp. cyanopectus Seen 5 days on the Western slope.

Black-chinned Mountain Tanager *Anisognathus notabilis notabilis*
1 at Paz de las Aves and 3 at Mindo loma.

Grass-green Tanager *Chlorornis riefferii riefferii*
1 at Guacamayos and few seen 2 days at Bellavista.

Buff-breasted Mountain Tanager *Dubusia taeniata taeniata*
1 at Chalpi grande trail and 5 at Nono Road between Yanacocha and Bellavista.

Golden-crowned Tanager *Iridosornis rufivertex subsimilis*
1 heard at Yanacocha. Answered to playback but we didn't find it.

Fawn-breasted Tanager *Pipraeidea melanonota venezuelensis*
1 ♀ at Sumaco and seen 4 days on the Western slope.

Glistening-green Tanager *Chlorochrysa phoenicottis phoenicottis*
1 at El Pachijal.

Orange-eared Tanager *Chlorochrysa calliparaea bourcieri*
1 ♂ at Baeza Bypass and 3 at Guacamayos.

Grey-and-gold Tanager *Tangara palmeri palmeri*
1 at km 126 between Rio Palenque and Rio Silanche and 2 from the canopy tower at Rio Silanche.

Turquoise Tanager *Tangara mexicana boliviana*
4 at Orchids Paradise 2 days and 2 at Sani.

Paradise Tanager *Tangara chilensis chilensis*
Seen 5 days on the Eastern slope.

Green-and-gold Tanager *Tangara schrankii schrankii*
1 at El Para Reserve.

Golden Tanager *Tangara arthus*
ssp. *aequatorialis* Seen 4 days on the Eastern slope.

ssp. *goodsoni* Seen 7 days on the Western slope.

Silver-throated Tanager *Tangara icterocephala*
icterocephala
1 at Milpe road.

Saffron-crowned Tanager *Tangara xanthocephala*
venusta
Seen 2 days at San Isidro area. Only 1 bird both days.

Golden-eared Tanager *Tangara chrysotis chrysotis*
1 ♂ at San Isidro.

Flame-faced Tanager *Tangara parzudakii*
ssp. *parzudakii* 2 at San Isidro.

ssp. *lunigera* Seen 3 days on the Western slope in Mindo Loma area.

Yellow-bellied Tanager *Tangara xanthogastra*
xanthogastra
2 along Loreto road and seen one day at Sani.

Spotted Tanager *Tangara punctata zamorae*
1 along Loreto road and 1 at Sumaco.

Rufous-throated Tanager *Tangara rufigula rufigula*
5 seen 2 days at Milpe road.

Bay-headed Tanager *Tangara gyrola*
ssp. *catharinae* Seen 2 days in Sumaco area.

ssp. *nupera* Seen 6 days on the Western slope.

Rufous-winged Tanager *Tangara lavinia lavinia*
1 pair at the canopy tower Rio Silanche.

Golden-naped Tanager *Tangara ruficervix leucotis*
Seen 3 days at Mindo Loma area.

Metallic-green Tanager *Tangara labradorides*
labradorides
1 at Mindo Loma trails.

Blue-browed Tanager *Tangara cyanotis lutleyi*
1 pair along the road at Sumaco.

Blue-necked Tanager *Tangara cyanicollis*
ssp. *caeruleocephala* Seen 6 days at the Eastern slope.

ssp. *cyanopygia* Seen 5 days at the Western slope.

Golden-hooded Tanager *Tangara larvata fanny*
1 at Rio Silanche.

Beryl-spangled Tanager *Tangara nigroviridis*
Seen 2 days on the Eastern slope (ssp. *nigroviridis*)
and 5 days on the Western slope (ssp. *cyanescens*).

Blue-and-black Tanager *Tangara vassorii vassorii*
1 at Cayambe Coca reserve and 2 at Bellavista.

Black-capped Tanager *Tangara heinei heinei*
Seen 3 days on the Eastern slope and 2 days at the
Western slope. Few.

Opal-rumped Tanager *Tangara velia iridina*
2 from the Canopy tower at Sani.

Swallow Tanager *Tersina viridis occidentalis*
Seen 3 days on the Eastern slope and 1 seen at Paz de
las Aves.

Yellow-tufted Dacnis *Dacnis egregia aequatorialis*
Seen 2 days at Rio Palenque, few and 1 pair at Rio
Silanche.

Yellow-bellied Dacnis *Dacnis flaviventer flaviventer*
1 ♂ at El Para reserve and 1 at canopy tower, Sani.

Scarlet-thighed Dacnis *Dacnis venusta fuliginata*
1 ♂ at Rio Silanche.

Blue Dacnis *Dacnis cayana*
ssp. *glaucogularis* Seen 3 days on the Eastern slope
ssp. *baudoana* 4 days on the Western slope.

Scarlet-breasted Dacnis *Dacnis berlepschi berlepschi*
1 at Rio Silanche.

Purple Honeycreeper *Cyanerpes caeruleus*
ssp. *microrhynchus* Seen 4 days on the Eastern slope
ssp. *chocoanus* 2 days on the Western slope.

Green Honeycreeper *Chlorophanes spiza*
ssp. *caerulescens* 1 ♂ at the canopy tower Sani lodge.

ssp. *exsul* 4 days on the Western slope.

Guira Tanager *Hemithraupis guira guirina*
1 pair at Milpe Road, 1 pair Km 126 on the road from
Rio Palenque and 1 pair Rio Salanche.

Cinereous Conebill *Conirostrum cinereum fraseri*
1 at Nono Road and app. 10 at San Antonio De
Pichincha.

Blue-backed Conebill *Conirostrum sitticolor*
sitticolor
1 at Guango area and 1 at Yanacocha.

Capped Conebill *Conirostrum albifrons atrocyaneum*
Seen 4 days on the Western slope.

Giant Conebill *Oreomanes fraseri fraseri*
1 at the polylepsis forrest close to Papplacta.

Rusty Flowerpiercer *Diglossa sittoides decorata*
App. 10 at San Antonio De Pichincha.

Glossy Flowerpiercer *Diglossa lafresnayii lafresnayii*
1 at Cayambe Coca reserve and app. 10 at Yanacocha.

Black Flowerpiercer *Diglossa humeralis aterrima*
App. 5 in Papallacta area and 3 at Nono Road.

White-sided Flowerpiercer *Diglossa albilatera albilatera*
1 on the trail at Guacamayos Ridge and also 3 days at Bellavista area.

Bluish Flowerpiercer *Diglossopsis caerulescens*
Seen 2 days in San Isidro area.

Masked Flowerpiercer *Diglossopsis cyaneus cyaneus*
Seen 3 days on the Easter slope and 4 days on the Western slope. Comes to Hummingbird feeders.

Common Bush Tanager *Chlorospingus ophthalmicus phaeocephalus*
Seen three days at Guango and San Isidro. Few.

Dusky Bush Tanager *Chlorospingus semifuscus semifuscus*
App. 15 at Bellavista area during two days and 1 at Mindo Loma.

Yellow-throated Bush Tanager *Chlorospingus flavigularis marginatus*
Seen 2 days at Milpe Road. Few.

Yellow-green Bush Tanager *Chlorospingus flavovirens flavovirens*
Seen 2 days at Milpe road. Few.

Thick-billed Euphonia *Euphonia lanirostris hypoxantha*
Seen five days on the Western slope. Few.

Golden-rumped Euphonia *Euphonia cyanocephala*
1 at San Isidro, 1 ♀ at Sumaco and 5 at San Antonio De Pichincha

White-lored Euphonia *Euphonia chrysopasta chrysopasta*
1 ♂ at El Para reserve.

Bronze-green Euphonia *Euphonia mesochrysa mesochrysa*
1 pair along the road down from Sumaco.

Orange-bellied Euphonia *Euphonia xanthogaster*
ssp. *brevirostris* three days at Sani and five days on the Eastern slope.

ssp. *chocoensis* seen three days on the Western slope.

Yellow-collared Chlorophonia *Chlorophonia flavirostris flavirostris*
1 at El Pachijal and 1 at Mindo Loma.

Blue-naped Chlorophonia *Chlorophonia cyanea longipennis*
Seen three days in Sumaco area.

Chestnut-breasted Chlorophonia *Chlorophonia pyrrhophrys pyrrhophrys*
1 singing at Yanacochoa.

Plushcap *Catamblyrhynchus diadema diadema*
4-5 along the road to the left out from the lodge San Isidro. 2 along Nono road between San Isidro and Bellavista.

Ochre-breasted Tanager *Chlorothraupis stolzmanni*
1 heard and seen well at Rio Palenque.

Summer Tanager *Piranga rubra*
Seen three days on the Eastern slope and 4 days on the Western slope.

Scarlet Tanager *Piranga olivacea*
Seen five days on the Eastern slope.

White-winged Tanager *Piranga leucoptera ardens*
1 pair 2 km down along the road at Sumaco. 1 pair at Mira Valle.

Southern Yellow Grosbeak *Pheucticus chrysogaster chrysogaster*
Seen 4 days on the Western slope.

Slate-colored Grosbeak *Saltator grossus*
ssp. *grossus* 1 at El Para Reserve

ssp. *saturatus* 1 at Mira Valle and 1 at Rio Palenque

Buff-throated Saltator *Saltator maximus*
1 Wild Sumaco and 1 at Rio Palenque 2 days.

Black-winged Saltator *Saltator atripennis caniceps*
Seen 5 days on the Western slope.

Greyish Saltator *Saltator coerulescens azarae*
Seen 2 days in Wild Sumaco, 1 at Lamina La Conde (near Cocha) and 1 at Sani.

MAMMALS

The taxonomy follows **Don E. Wilson & DeeAnn M. Reeder (editors). 2005. Mammal Species of the World. A Taxonomic and Geographic Reference (3rd ed)**, Johns Hopkins University Press.

(<http://www.bucknell.edu/msw3/>)

Pygmy Marmoset *Callithrix (Cebuella) pygmaea*
Rio Napo island

Graells's (Napo) Tamarin *Saguinus graellsii*
4 Loreto road

Common Squirrel Monkey *Saimiri sciureus*
Sani

Red-bellied (Dusky) Titi *Callicebus moloch*
Sani

Venezuelan Red Howler *Alouatta seniculus*
Sani

Northern/Southern Amazon Red Squirrel *Sciurus igniventris / spadiceus*
1 Sani

Central American Agouti *Dasyprocta punctata*
Rio Napo island

Amazon Bamboo Rat *Dactylomys dactylinus*
1 Wild Sumaco

Brazilian Rabbit (Tapeti) *Sylvilagus brasiliensis*
5-6 Papallacta

“Fishing Bat”
Sani

“Long-nosed Bat”
Sani

Culpeo (Andean Fox) *Lycalopex culpaeus*
1 San Antonio de Pichincha and 1 Antisana

Mountain Coati *Nasuella olivacea*
Milpe Rd.

Kinkajou *Potos flavus*
Bellavista

Mountain Tapir *Tapirus pinchaque*
1 San Isidro

White-tailed Deer *Odocoileus virginianus*
1 Papallacta

REPTILES

Black Caiman *Melanosuchus niger*
Sani

Coral snake *Micrurus dumerilii*
1 Bellavista