



Stresemann's Bush-Crow

Ethiopia Trip Report Dec - Jan 2012/13

By Joakim Djerf
Östhammar, Sweden
(2013-06-07)

Ethiopia Trip Report, 21 December 2012 - 07 January 2013

A BIRDWATCHING TOUR PERFECTLY ARRANGED BY HÅKAN POHLSTRAND.

Participants: Joakim, Elisabeth, Adrian (16) and Nova (11) Djerf from Östhammar, Sweden.

Areas visited: Lake Ziway, Wondo Genet, Lake Bojo, Lake Awassa, Yabello area, Bobela Forest, Negele, Harenna, Sanetti, Dinsho, Awash area, Melka Ghebdu and Jemma.

Total number of bird species recorded: 439

Total number of mammal species recorded: 31

Top 21 bird species (our experience):

1. Stresemann's Bush-Crow
2. Prince Ruspoli's Turaco
3. Wattled Crane
4. Half-collared Kingfisher
5. Arabian Bustard
6. Fox Kestrel
7. Vulturine Guineafowl
8. African Long-eared Owl
9. Abyssinian Ground-Hornbill
10. Yellow-fronted Parrot
11. Sidamo Lark
12. Short-tailed Lark
13. Rouget's Rail
14. White-tailed Swallow
15. Sombre Chat
16. Abyssinian Catbird
17. Magpie Starling
18. Golden-breasted Starling
19. Eastern Paradise-Whydah
20. Straw-tailed Whydah
21. African Quailfinch

Important literature:

- ✓ Birds of the Horn of Africa (Redman, Stevenson, Fanshawe)
- ✓ Birds of Ethiopia and Eritrea (Ash & Atkins)
- ✓ Where to Watch Birds in Ethiopia (Spottiswoode, Gabremichael, Francis)
- ✓ Birding Ethiopia (Behrens, Barnes, Boix)
- ✓ The Kingdon pocket guide to African Mammals (Jonathan Kingdon)
- ✓ The Bradt Travel Guide: Ethiopia (Briggs)

Itinerary

| | |
|--------|-----------------------------|
| 21/12: | Addis - Wondo Genet |
| 22/12: | Wondo Genet - Lake Bojo |
| 23/12: | Lake Bojo - Lake Awassa |
| 24/12: | Lake Awassa - Yabello |
| 25/12: | Yabello |
| 26/12: | Yabello - Bobela Forest |
| 27/12: | Bobela Forest - Negele |
| 28/12: | Negele - Harenna |
| 29/12: | Harenna - Dinsho |
| 30/12: | Dinsho area |
| 31/12: | Dinsho - Awash |
| 1/1: | Awash |
| 2/1: | Awash |
| 3/1: | Awash - Melka Ghebdu |
| 4/1: | Melka Ghebdu - Debre Berhan |
| 5/1: | Debre Berhan - Jemma |
| 6/1: | Jemma |
| 7/1: | Jemma - Addis |

2012-12-20 -- 21 Travel

This trip started Thursday December 20 when we departed Arlanda airport, Stockholm at 20:00. After intermediate landing in Cairo (refueling only) we arrived Bole International airport Addis Ababa at 07:15 December 21.

2012-12-21 11:00 - 17:15 Drive to Wondo Genet via lake Ziway

We were met at the airport by Magic Land Safari's owner and our driver/guide for the whole stay **Brook Kassa**.

Efter en kort frukost i Addis påbörjade vi vår tour genom att köra söderut med målsättningen att ankomma Wondo Genet före skymningen och helst även hinna med lite skådning både där och längs vägen.



Malachite Kingfisher

Vi stannade och åt lunch i staden Ziway som naturligtvis ligger precis bredvid sjön Ziway. Under intagandet av lunchen kunde vi närstudera några nya arter som **White-breasted White-eye** och **Beautiful Sunbird**.

Efter lunchen gick vi ned på en slags pir mot sjön och kunde förundras över hur oskygga alla de närvarande fåglarna var. Även lokalbefolkningen var påtagligt närvarande, vilket skulle visas sig vara legio under hela resan. Men det var en fantastisk upplevelse att gå sida-vid-sida med **Marabou Stork** och **Great White Pelican** och var man än spanade så nog fanns det fågel - och i sjön även några **Common Hippopotamus**!

Vidare mot Wondo Genet passerade vi genom rastastaden Shashamane

och kunde insupa atmosfären. Väl framme i Wondo Genet möttes vi upp av fågelguiden Mekonen som, efter en snabb instuvning av vårt bagage på hotellrummen, tog med mig och sonen på resans första riktiga skådartur. Vi hann inte med så mycket, hade bara ca 40 minuter på oss innan blackout, men hann ändå se en hel del kul arter. Bäst var nog den stora och röda **Double-toothed Barbet!**

2012-12-22 Morning Wondo Genet and drive to Lake Bojo

Upp mycket tidigt för att hinna nyttja de viktiga morgontimmarna maximalt (och för att vi inte hade så mycket tid att spela med överhuvudtaget). Vi åkte med vårt fordon en kort stund och stannade när vi kommit så högt upp i bergen man kan komma med bil. När vi klev ur bilen hörde vi **Abyssinian Nightjar** spela för fullt och i gryningsljuset fortsatte vi sedan vidare uppåt till fots. Även om Mekonen inte sade så mycket i onödan, talade han om vad vi såg och hörde i fågelväg på ett mycket bra och kunnigt sätt. Snart kom vi i kontakt med ett par efterlysta **Yellow-fronted Parrot**. Det var fortfarande tidigt så ljusförhållandena för fotografering var inte de bästa. Den lilla viktiga **Abyssinian Woodpecker**, vi fick nöja oss med en hona, var näst i tur och slutligen även den ofta svåra **Spotted Creeper**. En mycket lyckad morgon!



Spotted Creeper

Bilen tillbaka till hotellet för frukost och samtidig skådning från hotelltaket. Mest imponerade blev vi nog av den **Hooded Vulture** som satte sig bara några meter bort och väntade på att vi skulle äta klart. Vi visste ju inte då att så här skulle det komma att bli under hela resan. Gamarten sågs i princip alltid och överallt, liksom **Black Kite**, vilket gjorde att euforinivån vid kommande munkgammöten inte var riktigt lika kraftig en bit in på resan. Behaglig morgontemperatur och bra utkik tillsammans med en hygglig frukost gjorde att vi var vid mycket gott mod när vi fortsatte mot dagens nästa mål - Arboriet.

Mekonen var med nu också och visade oss vant **Narina Trogon** och **Verreaux's Eagle-Owl**. Vi fick även fina obsar på bl.a. **Lemon Dove**, två **Green-backed Honeyguide** och även visuals på några **Scaly Francolin**.

Vi hade kunnat skåda minst en dag till i Wondo Genet (synd att vi inte hade åtminstone en halv dag till), vi hann inte med att se alla specialiteter och flera av dessa såg vi inte på resten av resan (t.ex. **Red-shouldered Cuckooshrike**).

Nu var det vidare mot Lake Bojo som gällde!

Vägen till Bojo var under ombyggnation men var ändå, enl. Brook, mycket bättre än sist han åkte här. Resan var fågelmässigt rätt så händelsefattig även om vi såg resans första **Northern Carmine Bee-eater**. Ankomsten till sjön blev mycket minnesvärd. Lägret var redan förberett och tälten resta av vår "tross" bestående av Tigestu (77 bast och allt-i-allo), Assfaw (kock) och Fekedu (chaufför till trossbilen) - ett väl intrimmat gäng som vi inte hade velat vara utan. Runt lägret stod ett större antal "locals" och granskade noga varje steg de exotiska gästerna från norr tog (dock utan att vara påträngande). Detta var också något som vi skulle komma att vänja oss vid under den fortsatta resan.



Wattled Crane

Vi hade fått höra att **Wattled Crane** skulle komma in sent eller precis i skymningen, men jag kunde naturligtvis inte låta bli att kolla ett varv med tuben direkt vid ankomst och visst stod det redan några på plats och väntade på att bli sedda!

Vår första fältsmåltid bestod av den berömda linssoipan, som nu även vi kan intyga är mycket god! Efter maten vandrade vi en bit runt sjön och fick nu mycket fina obsar på de eftertraktade tranorna, men även många andra roliga arter.

Kväll och första tältnatten följde. Vi sov mycket bra, väl medvetna om att vi noga övervakades av byborna.

2012-12-23 Morning Lake Bojo and drive to Awassa

Ytterligare en tur runt sjön, vi tog bilen den här gången för att komma lite längre. Naturligtvis ungefär samma arter som igår, men glädjande nog även en **Black Crowned-Crane** som vi inte hade lyckats hitta dagen innan. Efter frukost var det campprivning och skådning i närbuskarna, vilket inte var tokigt alls eftersom vi nu hittade några arter som vi inte skulle komma att se igen på resan. T.ex. **Buff-bellied Warbler**.

Samma väg tillbaka via Shashamane där vi f.ö. mötte upp med Mekonen igen. Det hade råkat bli ett missförstånd beträffande "dricksandet" och självfallet ville vi lämna en slant till honom för hans väl utförda arbete. Skönt att detta klarades ut, man vill ju inte bli ihågkommen som den där snåle svensken som inte lämnade en spänn i dricks...

Sedan snabbt vidare till Awassa och Haile Resort (ägd av löparstjärnan Gebre Haile Selassie), ett lyxhotell och sålunda viss kontrast mot campingen natten innan. Frun och dottern valde att stanna vid poolen medan Brook tog med mig och sonen på skådartur vid sjön. Vi spenderade mest tid vid ett ställe där **Allen's Gallinule** brukar ses, men någon sådan såg vi inte vilket (tyvärr) rimmar väl med vad jag läst mig till innan, att den arten är starkt årstidsbunden och ses vanligtvis inte (aldrig?) före februari månad. Vi såg dock mycket annat trevligt, t.ex. en **Woodland Kingfisher** på mycket nära håll. Även mycket hägrar, ankor och andra sumpfåglar.

Fin middag på hotellet, Brook och sonen avnjöt en finare fiskrätt, Nile Perch (Nilabborre), något de skulle komma att ångra.

2012-12-24 Morning Lake Awassa and drive to Yabello

Morgontur till Allen's Gallinulestället igen, dock med vissa avbrott för toabesök för både Brook och sonen. Nile Perch hade förmodligen inte transporterats på rätt sätt till vårt hotell, med facit i hand hade det nog varit bättre att välja en mer lokalt förekommande fisk. Deras besvär var dock inte av det allvarligare slaget utan mest en "annoyance". Det tog dock minst tre till fyra dagar innan Brook fick ordning på sin mage, Adrians återhämtade sig snabbare.

Vi såg ungefär samma arter som dagen innan. Vi gjorde också ett kort stopp vid den berömda "Fish market", vilket var en intressant fågelupplevelse, men även kul att se hur vissa fiskare rensade fångsten genom att använda munnen! Hade vi inte redan upplevt närheten till **Marabou Stork** och **Great White Pelican** vid Lake Ziwai hade naturligtvis upplevelsen av Awassa Fish Market varit ännu starkare, men den var fortfarande imponerande.



Awassa Fish Market

Större delen av dagens transportstrecka var relativt händelselös. Trångt på vägarna till en början, men detlättade när vi kom längre söderut. Lunch inmundigades i en mindre stad drygt halvvägs

När vi närmade oss Yabello blev vi uppmanade att börja spana efter **Stresemann's Bush-Crow**, något vi lyckades med kort därefter. De märkvärdiga svartvita kråkfåglarna gjordes oss inte besvikna, de var både snygga och speciella att se!

Kvällen närmade sig snabbt och vi hann inte leta efter så mycket annat även om vi stannade på ett ställe som skulle vara bra för **White-tailed Swallow**, dock utan framgång.

Vi ankom campen strax efter mörkrets inbrott så vi hann inte se hur det såg ut. Middag och antecknande av dagens obsar, som vanligt. På natten stördes vi av **African Scops-Owl**, **Abyssinian**- och **Freckled Nightjar**.

2012-12-25 Yabello - Soda

Den här dagen hade jag sett fram emot nästan mest av allt på hela resan, heldagsskådning i de allra sydligaste delarna av Etiopien med chans på mängder av läckra arter! Inledningsvis hade vi dock rätt så klen utdelning, detta mycket beroende på det vägarbete som pågick i princip hela vägen mellan Yabello och Soda-avfarten (som vi satt som "gräns syd" för vår dagsutflykt). Det var vägarbetande kineser överallt och inga vettiga möjligheter fanns för att stanna och skåda. Istället för att göra en bit ny väg i taget, hade man valt att bryta upp precis hela den gamla (enligt Brook helt acceptabla) vägen

och dirigerat ut trafiken till att köra i vägkanten med gropar och damm till förbannelse. Vi svor tillsammans med Brook över den ogenomtänkta tekniken och skrattade skadeglatt när vi såg en kinesisk vägarbetsledare som tappade en hel bunt med papper/ritningar som blåste iväg åt alla håll!

Vi stannade till på ett ställe med lite bebyggelse och hade turen att omgående träffa på inte mindre än tre **White-tailed Swallow** som ömsom flög runt och ömsom landade i ett träd som vi kunde stå under och svaltografera - rakt upp! Att få någon bra flyktbild på dessa snabba filurer hade nog tagit en stor del av dagen i anspråk, så vi lät det bero. Strax därefter fick vi tvärbromsa för en större flock med **Vulturine Guineafowl** som skulle visa sig bli resans enda möte med dessa snygga häonor!



Magpie Starling

Några kilometer innan Soda-avfarten kan man svänga österut på en liten småväg som vi läst om i diverse reseguider och reserapporter. Brook kände inte till den vägen, men han var medgörlig och jag fick som jag ville. Detta visade sig vara ett lyckokast! En fin liten väg, helt utan trafik, med mängder av roliga fåglar! Drygt 20-talet **Short-tailed Lark** och ca tio **Magpie Starling** var



Short-tailed Lark

tveklösa höjdpunkter.

Sedan blev det brådis tillbaka till Yabello eftersom Brook måste fixa tillstånd för nästa natts camping/vistelse i Bobelaskogen nära Arero.

2012-12-26 Morning Yabello and drive to Bobela Forest

Inte så lång transportsträcka idag, så vi hade morgonen och förmiddagen på oss att skåda vidare i Yabelloregionen. Vi provade först en bit österut på Arero-vägen, men där hade man anlagt jordbruk på det tidigare bra skådarstället. Vi for tillbaka och körde en bit söderut på samma vägarbetsväg som igår och stannade på ett erkänt bra ställe ca 25 km S Yabello. Vi parkerade bilen och skådade till fots. Först föreföll området vara i det närmaste heldött, sedan kom allt på en gång. Nya arter överallt! Kameran gick varm och Brook fick nästan tvinga in mig i bilen när klockan var slagen och det var dags att åka vidare.

Ytterligare en heldag i Yabelloområdet hade varit extremt uppskattat, men rutt är rutt och man hinner inte allt...

Väl framme i Arero var det lite trassel att få fatt i någon form av guide som vi inte behövde, men måste ha i alla fall. Vi åkte till Bobelaskogen utan guide, vi kunde hämta honom senare. Bobelaskogen ligger väldigt nära Arero, så det var ingen ko på isen. Däremot var det en stor misräkning för vårt sällskap att upptäcka att den vanliga campingplatsen blivit avskärmad av ytterligare ett stort vägarbete. Trossfolket tog dock resolut fram machetknivar och högg en väg fram till den plats där vi skulle campa - bra gjort!

Först går vi en tur i Bobelaskogen ledda av en annan "lokalguide" som bara dök upp på något sätt. Lokalguiden vill leda oss in i skogen för där skulle det vara fint och bra och finnas mycket Turacoer. Vi blev dock snabbt misstänksamma eftersom både jag, sonen och Brook, som gick sist, hittade **Prince Ruspoli's Turaco** i ett träd som inte lokalguiden reagerade på. Sedan hörde vi fler Turacoer, som inte lokalguiden heller reagerade på och vi verkade heller aldrig komma fram till det där fina stället... Till sist fick jag lov bli lite myndig och säga till att nu måste vi gå tillbaka, dels var vi hungriga och dels fanns det mycket fler Turacoer i skogskanten där vi började. Jag begriper fortfarande inte riktigt vad guiden höll på med eller varför. Hade varit mycket bättre att spendera den promenadtiden till att leta **Salvadori's Serin**! **Prince Ruspoli's Turaco** var dock inhängd och klar, vilket var det viktigaste.

Kvällen kom och vi fick, som vanligt, god middag och somnade senare, som vanligt, vaggade till tonerna av **African Scops-Owl** och **Abyssinian Nightjar**.

2012-12-27 Morning Bobela Forest and drive to Negele via Dawa River

Morgon, ny Turacopromenad i skogen, ny debatt med ny lokalguide (!) som också ville ha in oss i skogen och ett lite försenat återvändande till frukost. Jag var en smula stressad, måste jag erkänna, ville ha så mycket tid som möjligt att leta **Salvadori's Serin**, men ville samtidigt inte åka från Bobelaskogen utan ett bra möte med/foto på Prinsen. Det blev ett hyfsat foto, men Salvadori höll sig gömd. Fick dock intryck av att han inte var så långt borta när jag och sonen hittade fram till klipphällarna i skogskanten där serinen tidigare blivit siktrad (enl. GPS-punkter). **Reichenow's Seedeater** visade sig flerfald och ytterligare fler **Prince Ruspoli's Turaco** m.m. Med facit i hand skulle vi ha använt den korta tiden i Bobelaskogen effektivare. Turacon är inte svår, den är nog snarast svår att missa. Skådning i serinmarker, em och morgon, hade definitivt gett Turacon och betydligt mer chans-på-serintid. Jag minns att Håkan P. också sade åt oss att man INTE skulle in i skogen, när vi gick igenom rutten vid något tillfälle före resan. Det är dock inte så lätt att vara stursk när man är gäst och för första gången i landet.



Prince Ruspoli's Turaco

När campen rivits var det dags för avfärd mot Negele och Liben Plain, lokalen där den extremt sällsynta **Sidamo Lark** var tänkt att införlivas i artsamlingen. Resan gick genom spännande marker och på dåliga och ibland närmast obefintliga vägar. Vi stannade och skådade kortvarigt på ett par ställen, men hade gärna stannat mer om vi haft bättre med tid.

Det viktigaste stoppet gjorde vi vid Dawa River där förhoppningen var att vi skulle se **Juba Weaver** och **Black-bellied Sunbird**. Tidpunkten vi ankom lokalen, mitt på dagen när solen stod som högst och temperaturen i skuggan var runt 40°C, var naturligtvis inte optimal och utdelningen blev i det närmaste noll. Medan Brook förberedde lunch följde jag och sonen floden uppströms ca två km för att prova vår lycka på de ställen där målarterna tidigare observerats (enl. GPS-punkter). Vi avsåkte området så gott det gick, bland stora hål i marken och elaka taggbuskar som effektivt hindrade vissa passager. Tvärdött på fågelfronten, vi mötte dock en intressant orm som vi fortfarande inte lyckats identifiera. För att inte missa lunchen och inte heller äventyra ankomsttiden till Liben Plain fick vi

nästan springa tillbaka till bilen, en minnesvärd upplevelse i den höga temperaturen. Guldgrävorna som höll till längs floden undrade nog vad vi höll på med...



White-winged Collared-Dove

Den viktiga **White-winged Collared-Dove** var, som tur var, relativt lätthittad i byn Melka Guda. Den vita ögonringen är så tydlig så man kan nästan tro att någon målat dit den.

Väl framme vid Liben Plain blev det en kamp med klockan för att försöka hinna hänga in **Sidamo Lark** före skymningen. Vi hittade goda mängder **Somali Short-toed Lark**, men ingen Sidamo. Det började skymma och ingen idé att fortsätta söket. Resa på dålig väg in till staden

Negele där vi tillbringade natten på ett drägligt hotell.

2012-12-28 Negele to Hareenna via Liben Plain

Uppe tidigare än tuppen och snabbt åter till Liben Plain för inte ger man upp på en sådan viktig art. Nästan framme hade vi turen att hitta en mindre flock med **Coqui Francolin** och såg även en **Spotted Hyena**.

Men nu gick det bättre på **Sidamo Lark**-fronten! Vi hittade inte mindre än tre individer. Vi fick intryck av att en individ tiggde mat och detta skulle, om vi såg rätt, indikera att en framgångsrik häckning nyligen ägt rum, vilket vore mycket roligt (och välbehövligt för den utsatta arten).



Liben Plain

Efter välförtjänt frukost snabbt vidare norrut. Målet för dagen var Hareenna Forrest med stopp för skådning på vägen vid Genale River - även här finns chans att se **Juba Weaver** och **Black-bellied Sunbird**. Men tidpunkten för besöket blev, precis som igår, mitt på dagen och med andra ord olämpligt för skådning. Vi blev "guidade" av ett större antal barn längs floden och vi såg vävarbon (oklart vilken art) i de flodnära buskarna, men inga speciella fåglar förutom ett par **Gray-headed Kingfisher**.

Vi funderade både på plats och efteråt hur dessa mindre lyckade "mitt-på-dagen-upplevelser" hade kunnat undvikas. Några garantier för att se målarterna finns i och för sig inte eftersom specialarterna inte ses vid varje besök, även om de sker under morgontimmarna. Besöken vid de båda floderna blev dock lite av en besvikelse eftersom jag läst såpass mycket innan i diverse reserapporter hur bra skådningen där skulle vara.

Vi kom fram till Harena Forrest och Katcha Camp vid halv femtiden och hann därför med lite eftermiddagsskådning innan mörker och middag. Bland annat hörde vi vår första **Abyssinian Catbird** och fick även en fin obs på en **African Emerald Cuckoo**.

2012-12-29 Harena - Dinsho

En mycket spännande dag idag, vi ska åka högt upp i Bale Mountains till Sanetti Plateau som ligger på över 4000 meters höjd. I denna karga biotop har man goda chanser på flera unika djur- och fågelarter, viktigast för oss är tvivelsutan **Ethiopian Wolf** vars totala världspopulation är begränsad till omkring 400 exemplar, varav ca hälften finns i Bale Mountains.

Vi kör några kilometer genom Harena Forrest innan den riktiga stigningen börjar. Vi ser flera **Chestnut-naped Francolin** som står i väggkanten eller korsar vägbanan. En bit längre fram stannar vi och letar efter **Bale Parisoma**, men får nöja oss med två fina **Ethiopian Klipspringers**.



Lammergeier

Väl uppe på platån blir vi varse den extremt stora mängden gnagare som finns här. Överallt rör det sig och lyssnar man så hörs bl.a. visslingar från **Ethiopian Meadow Rat**. Vargens basföda här uppe, **Giant Root-Rat**, ser vi också - ett mycket egendomligt djur med nästan löjligt stort huvud. Naturligtvis drar även rovfåglarna nytta av den goda tillgången på föda, vi ser många **Steppe Eagle**, **Augur Buzzard** och även en **Lammergeier**.

I anslutning till de små vattensamlingar vi passerar ser vi bl.a. **Blue-winged Goose**, **Ruddy Shelduck** och, efter en stunds letande, även den första vargen. Den är ganska långt bort, men vi ser den bra i tubkikaren. Lite senare får vi kontakt med en annan varg som turligt nog är mycket närmare och som dessutom är på väg åt vårt håll. Vi får förnämliga observationer på detta långbenta och mycket vackra hunddjur när det passerar oss på knappt 50 meters avstånd!



Ethiopian Wolf

Vår GPS registrerade 4125 m som dagens toppnotering. Nedfärden på bergens nordsida gick snabbt och strax var vi nere på måttliga 2500 m.ö.h. när vi stannade och tog en kaffe i staden Goba. Härlig, plan asfalt gjorde att sista etappen till Dinsho gick i ett nafs. Vi var framme vid 15:00 och checkade in till vårt boende i Dinsho HQ, i ett hus som gick under benämningen "Nyala Lodge".

Vi hann inte pusta många minuter innan den lokale fågelguiden Abdullah kom för att ta oss med på en "game walk" i närområdet. Vi blev påvisade många ståtliga **Gedemsa** (Mountain Nyala), några **Ethiopian Highlands** (Menelik's) **Bushbuck** och även gott om **Common Warthog**. Djuren var både fina och extremt nära, men det var nog den på dagkvist fint sittande **African Long-eared Owl** som vi blev gladast för.



African Long-eared Owl

Efter en välsmakande middag, signerad vår egen kock Assfaw, förberedde vi oss för natten genom att krypa ner under tjocka lager med filter och sovsäckar på madrasser utlagda direkt på golvet. Vår outhärlige allt-i-allo, Tigestu, hade flyttat ut Nyala-lodgens trasiga sängar och hade, trots obefintliga förutsättningar, lyckats få det nästan mysigt i rummet där familjen skulle sova! Utetemperaturen var mycket låg och huset definitivt

felkonstruerat. Trots att vi eldade för fulla muggar i den öppna spisen, påverkades inte det råa och kalla inomhusklimatet knappast något. Att huset hade stora hål i taket, kan också ha gjort sitt till...

2012-12-30 Dinsho

I gryningen var det ett par minusgrader ute och frost syntes i vägkanten. Vi styrde mot Gaysay Valley och på vägen dit fick vi stifta efterlängtat bekantskap med den oblyge **Rouget's Rail**, en trevlig upplevelse och arten visade sig vara tämligen allmän då vi noterade ca 35 stycken under resten av dagen. Drygt 100 **Spot-breasted Lapwing** fanns också till beskådande och mycket annat smått och gott i denna trevliga biotop!

Vi körde vidare västerut och kom då återigen högre upp i bergen. **Cape Eagle Owl** och **Alpine Chough** var våra målarter och det var inte heller några problem att lokalisera dessa. Uven har sitt kända tillhåll i en klippskreva som de lokala barnen gärna visar mot en blygsam ersättning. Vi tillbringade sedan viss tid med att springa upp och ned för en bergssida på jakt efter **Bale Parisoma**, men den (rasen) uteblev tyvärr. Däremot råkade vi stöta upp en **Short-eared Owl**, vilken nog var resans mest oväntade art.



Short-eared Owl

Tillbaka till Dinsho HQ för lunch och ytterligare en kortare game walk med Abdullah. Vi fick fina obsar på bl.a. **Abyssinian Ground Thrush** och **African Wood-Owl**.

På seneftermiddagen for vi tillbaka till Gaysay för att leta djur, både **Serval** och **Caracal** är möjliga. Vi hade dock inte turen på vår sida beträffande katter, men hade

istället fantastiska obsar av **Gedemsa**, **Bohor Reedbuck** och **Bush Duiker**. Precis efter skymningen, innan det blev kolsvart, såg vi minst tre större ugglor flygandes i skogskanten. Efter lite experimenterade med playback fick vi svar som lät mest som Grayish Eagle-Owl, enligt de inspelningar vi hade tillgängliga, men den arten finns inte i den här regionen (eller på den här altituden), så det var naturligtvis **Cape Eagle-Owls** vi både såg och hörde.

2012-12-31 Dinsho to Awash

Vi lämnade Dinsho HQ klockan 07:00 och for samma väg västerut som vi åkt igår, fast denna gång fortsatte vi över bergen och ned på slättlandet på andra sidan. Efter en stund stannade vi vid en fin liten "oas" med vattendrag med en liten grupp träd. Här fick vi finfina obsar på **Brown Warbler** (Parisoma), här var det frågan om nominatrasen (*lugens*). En liten flock med pyttesmå **African Quailfinch** gladda också!

Vi stannade för lunch på ett fint ställe i Adama (Nazreth) där de också hade en riktig bjässe till **Leopard Tortoise** i trädgården.

Nästa stopp gjorde vi vid en vulkankrater som brukar gå under benämningen Garibaldi Pass. Här har **Sombre Chat** siktats tidigare, men vi hade ingen lycka. Det var också ganska långt avstånd från kraterkanten och ned, så hade det funnits några fåglar att skåda hade det knappast blivit några njutobsar. En liten **Orange Bishop**-hona och en grann hane **Eastern Paradise-Whydah** såg vi dock.

Vidare mot Lake Beseka och lavafälten där **Sombre Chat** oftast brukar ses. Vi blev initialt lite oroliga då det knappt verkade finnas några lavafält kvar, bara ett stort och extremt dammigt vägarbete. Ca 2 km före Metahara såg det bättre ut och vi promenerade ut bland lavakullarna. Här var det inte alldeles självklart hur vi skulle bete oss, skulle vi försöka gå ut på själva lavafälten och leta eller skulle vi hålla oss längs stigen/vägen? Det gav sig självt, ganska snart, att vandra i lavafält inte är någon



Sombre Chat

barnlek. Lavastenarna är både lömskt löst sammansatta och mycket vassa, så efter ett par meters försök kändes det säkrast att retirera. Vi spanade och lyssnade därför från vägen och stigarna. En hane **Striolated Bunting** sjöng och några honfärgade Weavers sågs på långt håll. Lätt nedstämda började vi röra oss tillbaka mot bilen när en brunaktig skvättlik fågel plötsligt hoppade upp på en sten precis framför oss. Kunde vi ha sådan tur att det verkligen var, jo den diagnostiska "bandningen" på undergumpen satt där den skulle - det var verkligen den hett

eftertraktade **Sombre Chat** som poserade för oss på närhåll!

Mycket nöjda fortsatte vi mot Awash Camp där trossen redan slagit upp tälten och iordningställt nyårsaftonsmiddagen - vilken kunde avnjutas till tonerna av en **African Scops-Owl** som satt bara några meter ovanför mässtältet!

2013-01-01 Ali Dege Plains och Bilen area

Ingen rast och ingen ro. Tidigt nästa morgon är vi på väg österut på den tungt trafikerade Djiboutivägen. Målet är Ali Dege Plains, ett mycket platt och torrt område som kommer bjuda oss på

specialarter som **Somali Ostrich**, **Grevy's Zebra**, **Arabian Bustard**, **Double-banded Courser** och mycket mer. Svårt att uppskatta hur många **Montagu's Harrier** vi såg, men 100 är absolut ingen överdrift (vi såg **Pallid Harrier** också, men inte alls samma mängder).

Andra hälften av dagen spenderas i Bilen area och där främst runt Animalia Lodge där vi också åt vår medhavda lunch. Många småfågelarter noterades, nämnas bör åtminstone **Nile Valley Sunbird**, **Red-fronted Warbler** och **Chestnut Weaver**. På eftermiddagen studerade vi jättesköldpaddor och turligt



Big Tortoise

nog resans enda **Abdim's Stork** (som först höll på att nonchaleras som en Black Stork...) en liten bit längre norrut, mot Awashfloden till.

På vägen tillbaka till Awash Camp stannade vi för att titta på en **Pygmy Falcon** som satt på en tråd. I samband med detta fick vi korn på en villigt poserande **Buff-crested Bustard** som spelade för fulla muggar.

Vi återkom till campen efter mörkrets inbrott.

2013-01-02 Awash

Denna dag tillbringade vi i sin helhet inom södra Awashparkens gränser. Vi sökte med ljus och lykta efter specialarterna och lyckades med en del, men inte allt. Ingen **Swallow-tailed Kite** och inte heller någon **Hartlaub's Bustard**, trots åtskilliga timmar i "rätt" område (Ilala Sala Plains). På plussidan fanns



Nile Crocodile

däremot **Gillett's Lark**, **Straw-tailed Whydah** och **White-bellied Bustard**. Vi hann även med att besöka Awash Falls där en **Nile Crocodile låg** och solade med vidöppna käftar.

Vi hade försökt få genomföra en night drive även kvällen innan, men blivit nekade pga. någon slags formalitet. Denna

kväll var det dock grönt ljus, så med stora förväntningar for vi strålkastarbeväpnade ut i mörkret direkt efter middagen. Våra förhoppningar kom dock ordentligt på skam, vi såg eller hörde i princip ingenting alls under de knappa två timmar vi var ute, detta trots tämligen perfekta väder- och ljudförhållanden. Vad detta berodde på har vi inga säkra svar på. Vi uppfattade dock hela södra Awashparken som ganska "tunnsådd" beträffande djur- och fågelliv. Det fanns ganska (på tok för) mycket tamboskap med sina skötare i parken, dessa har eventuellt trängt undan den vildare populationen.

2013-01-03 Awash to Melka Ghebdu via Afar Plains

Morgonen och del av förmiddagen ägnades till fortsatt eftersök av ett antal målarter som vi hittills inte lyckats hitta. Till slut fick vi lön för mödan i form av en **Red-winged Lark** som egentligen inte borde vara så svår, men som garanterat var det vid vårt besök.

Sedan bar det iväg ut ur parken och den spännande färden över Afar Plains påbörjades. Nu för tiden är vägen bättre och det är, enligt Brook, lättare att hitta. Detta hindrade inte åtskillig förvirring, ungefär halvvägs där ett stort vägarbete (i etiopisk regi) orsakade att gamla minnen inte längre gällde. Det var dock inte värre än att vi kunde fråga oss fram och i det stora hela gick färden



Arabian Bustard

smärtfritt. Hade det varit ett kinesiskt vägarbete hade det nog varit ett annat ljud i skällan :-). Vi såg inte särskilt mycket fåglar längs vägen, men **Arabian Bustard**, **Gray Kestrel** och två rödnäbbade **Black-billed Woodhoopoe** (får man ändå förmoda) kan nämnas.

Vi ankommer Melka Ghebdu på sena eftermiddagen och upptäcker att jordbruk tyvärr anlagts på den gängse campingplatsen. Vid det här laget vet vi dock att vår tross inte lider brist på handlingskraft, lägret sätts raskt upp i närheten, men det blir inte någon natt under bar himmel som vi planerat. Nattsömnerna stördes tyvärr också av en knäpp hund som skällde och levde rövare hela natten (kändes det som). A very bad dog...

2013-01-04 Melka Ghebdu to Debre Berhan via Gemassa Gedel

Skådning kring floden under morgontimmarna gav mycket god utdelning. De viktiga **Yellow-throated Serin** fanns på plats och lät sig villigt fotograferas. **Half-collared Kingfisher** skänkte stor glädje (äntligen, den här arten har vi letat efter på åtskilliga resor). **Clapperton's Francolin** har kanske inte fågelvärldens allra vänaste stämman, men vi uppskattade den i alla fall!



Yellow-throated Serin

Vi kör sedan mot Debre Berhan och passerar på vägen Ankober som givit namn till den viktiga endemen med

efternamnet Serin. Vår plan var dock att försöka se den arten på ett annat ställe, men kring Ankober såg vi istället flera **Gelada** och ett tiotal **White-cheeked Turaco** som födosökte i sällskap.

Ankober Serin såg vi med lätthet i Gemassa Gedel som förefaller vara den mest lättillgängliga lokalen för arten i regionen, dock inget ställe där höjdrädda vill vistas någon längre tid.

Med endemserinen i bagaget for vi in i Debre Berhan och till Eva Hotel där vi tillbringade natten.

2013-01-05 Debre Berhan to Jemma

Redan på vägen till Melka Ghebdu hade trossens chaufför Fekedu börjat visa tecken på att han inte mådde så bra och dessvärre avtog inte besvären utan tvärtom. Ett läkarbesök genomfördes och medicin införskaffades på morgonen som förhoppningsvis skulle hjälpa. På något sätt orkade Fekedu ändå köra trossen-pickupen till Jemma, men efter ankomst förvärrades hans hälsotillstånd ytterligare. Ett prekär situation uppstod i och med detta. Vi blev mycket tydligt varse att den kvalificerade sjukvård som finns i Etiopien finns i Addis och är ytterst begränsad till obefintlig på landsbygden. Det är inte heller så att man kan uppbringa en chaufför hur som helst och dessutom hade man ju "clients" att ta hand om. Vi diskuterade rätt så mycket med Brook hur vi skulle göra, om vi skulle avbryta och åka mot Addis direkt, men beslutet blev att avvakta. Ev. kunde det röra sig om ett Malariaanfall, trodde man, så vi gav Fekedu en dos av våra malariapiller (bra anledning att ha med lite extra).

Fågelmässigt var Jemma fantastiskt, det var svårt att ta sig tid att äta när det fanns så mycket att se och leta efter! Eftermiddagen till skymningen spenderade vi vid Lomi River i förhoppning att hitta så många fågelspecialiteter som möjligt. **Red-billed Pytilia** är kanske den art man mest hoppas på här, men den blev vi utan. Istället fick vi fina obsar på mycket annat, bl.a. **Yellow-rumped Serin** - en annan viktig serinendem. Typiskt nog fick vi nu återigen se **Half-collared Kingfisher**, om möjligt ännu bättre obsar här än i Melka Ghebdu!

Vårt läger i Jemma låg alldeles i utkanten av en liten by. En listig "win-win-situation" där bychefen naturligtvis fick betalt för detta, men också att byborna, mot ersättning, hjälpte till med alla möjliga lägersysslor som uppstod som mat och tvätt osv. Denna konstruktion gav också en bra känsla av trygghet, att hela byn vakade över oss dag som natt.

2013-01-06 Jemma

Uppstigning mycket tidigt för att vi ska hinna åka till bästa stället för att höra och se **Harwood's Francolin** i gryningen. Till en början gick det dock lite trögt, vi både såg och hörde flera **Erckel's Francolin**, men inte den sällsyntare släktingen. Vi tog i detta läge hjälp av en lokal pojke som med



Fox Kestrel

bestämda steg ledde oss (och ca 30 andra barn...) rakt ut i terrängen. Efter en inte allt för lång promenad stannade han så, pekade och sade bara enkelt "Harwood". Ett femtital meter framför oss befinner sig mycket riktigt den önskade arten och låter sig beskådas medan den smyger omkring i buskarna. Inte på klappavstånd riktigt, men samtidigt bra att kunna skåda den hyfsat ostörd. Ungefär samtidigt börjar en annan Harwood's spela från bergssidan så vi är mycket nöjda när vi går tillbaka till

bilen. Det känns bra att de lokala förmågorna håller koll på sina sällsynta hönor av många skäl!

På vägen tillbaka till campen tittar vi på **White-billed Starling** i ett klippstup och bara några hundra meter före lägret har vi turen att hitta ett exemplar av den sällsynta **Fox Kestrel**. Falken bjuder på fantastiska obsar när den jagar, fångar och sedermera äter någon form av jättegräshoppa!

Lunch följt av "bad i poolen" som i Jemma innebär ett fint ställe där man på något sätt dämt upp strömmande vatten och vi accepterade Brooks bedömning att vattnet var badbart även för oss "känsliga turister". Är osäker på om detta var klokt eller inte, men i den rådande hettan var det svalkande vattnet högst njutbart.

Vi avslutade på samma sätt som dagen innan med ett besök vid Lomi River. Inte riktigt lika mycket fåglar som igår, men en flock på ca 40 **Red-billed Oxpecker** var anmärkningsvärd.

Sista natten i Etiopien.

2013-01-07 Jemma to Addis and departure

Fekedu blev inte alls bättre, tvärtom, han måste få riktig läkarvård så fort som möjligt. I brist på bröd får man äta limpa, så vi beslöt att Brook skulle köra trossenfordonet och jag själv Land Cruisern. Jag hade ju tittat på hur Brook kört under nästan tre veckor nu, så det skulle nog gå bra. Tigestu, som skulle åka med i vår bil, tittade dock misstänksamt på mig när vi skulle fara, men han vågade ändå åka med. Det gick såklart bra, minimal trafik och jag har ju faktiskt kört en del bil förr. Vi passade till och med på att "smygskåda" lite på vägen ut från Jemma med fina bilder på bl.a. **Erckel's Francolin**



Erckel's Francolin

som resultat.

En annan bil mötte upp strax före Addis som tog om hand Fekedu och hade även med sig en kille som kunde köra trossenbilen så Brook kunde komma tillbaka till oss.

Väl inne i Addis blev vi hembjudna till Brook och fick äran att träffa hans familj och de bjöd oss på en utsökt lunch. Vi hann även sova middag en stund innan det var dags att, via en souvernirshop, styra kosan mot flygplatsen. Vi tackade Brook för hans fantastiska insats under den här tiden, han gjorde verkligen allt och ännu mer därtill i alla situationer för att vi skulle ha en så bra resa som möjligt. Det största av tack till Brook!! Hemresan gick sedan bekymmersfritt.


Kan tilläggas att vi en tid efter hemkomsten nåddes av besked att Fekedu hade tillfrisknat, det var skönt att höra.

More pictures will soon be available in our website: <http://www.djerf.st>

Joakim Djerf 2013-06-07

Species progress diagram (date/accumulated no of bird species):

| | |
|------------|-----|
| 2012-12-21 | 93 |
| 2012-12-22 | 158 |
| 2012-12-23 | 184 |
| 2012-12-24 | 206 |
| 2012-12-25 | 246 |
| 2012-12-26 | 280 |
| 2012-12-27 | 292 |
| 2012-12-28 | 301 |
| 2012-12-29 | 320 |
| 2012-12-30 | 337 |
| 2012-12-31 | 350 |
| 2013-01-01 | 380 |
| 2013-01-02 | 391 |
| 2013-01-03 | 400 |
| 2013-01-04 | 409 |
| 2013-01-05 | 429 |
| 2013-01-06 | 438 |
| 2013-01-07 | 439 |



Species name in **bold** = new to us.

Bird order according to "Birds of the Horn of Africa", 2:nd edition 2011, Redman, Stevenson, Fanshawe.

Names of species and races according to **Clements Checklist 6.7**.

The taxonomic information supplied is my simple attempt to summarize the available information in different literature and it shall not be taking too seriously - I'm not a scientist, nor did I note all the subtle differences (maybe) separating many of the (proposed) races/subspecies. Most taxonomic information is from "Birds of Ethiopia & Eritrea" by Ash and Atkins.

| Nr | Common name | Scientific name | Date, number, site | Race, alternative common name & comments |
|----|---------------------------|--------------------------------|---|--|
| 1 | Ostrich | <i>Struthio camelus</i> | 1/1: 1 male + 2 females Ali Dege Plains | Race <i>molybdophanes</i> . This race is sometimes treated as a separate species Somali Ostrich . |
| 2 | Great White Pelican | <i>Pelecanus onocrotalus</i> | 21/12: ~75 Lake Ziway 22/12: ~20 Lake Bojo 23/12: ~50 Lake Bojo 24/12: ~20 Lake Awassa 31/12: ~5 Lake Beseka | Monotypic |
| 3 | Pink-backed Pelican | <i>Pelecanus rufescens</i> | 22/12: ~10 Lake Bojo 23/12: ~8 Lake Bojo | Monotypic |
| 4 | Little Grebe | <i>Tachybaptus ruficollis</i> | 21/12: Lake Ziway 22/12: ~5 Lake Bojo 23/12: Lake Bojo 24/12: ~10 Lake Awassa 30/12: ~10 Gaysay area 5/1: ~5 Debre Berhan - Jemma | Race <i>capensis</i> . |
| 5 | Eared Grebe | <i>Podiceps nigricollis</i> | 21/12: 2 Lake Ziway | Race <i>gurneyi</i> . A.k.a. Black-necked Grebe. |
| 6 | Great Cormorant | <i>Phalacrocorax carbo</i> | 23/12: ~10 Lake Awassa 24/12: ~100 Lake Awassa 31/12: Lake Beseka 3/1: Lake Beseka 5/1: 1 Jemma River | Race <i>lucidus</i> . This race is sometimes treated as a separate species White-breasted Cormorant. |
| 7 | Long-tailed Cormorant | <i>Phalacrocorax africanus</i> | 23/12: 1 Lake Bojo 24/12: ~20 Lake Awassa 31/12: ~20 Lake Beseka 3/1: Lake Beseka | Race <i>africanus</i> . A.k.a. Reed Cormorant. |
| 8 | Black-crowned Night-Heron | <i>Nycticorax nycticorax</i> | 5/1: 5 Jemma River | Race <i>nycticorax</i> |
| 9 | Cattle Egret | <i>Bubulcus ibis</i> | 21/12: Lake Ziway 22/12: ~50 Lake Bojo 23/12: Lake Bojo + ~20 Lake Awassa 24/12: Lake Awassa 1/1: Bilen area 5/1: Debre Berhan - Jemma | Race <i>ibis</i> |

| Nr | Common name | Scientific name | Date, number, site | Race, alternative common name & comments |
|----|--------------------|----------------------------|--|---|
| 10 | Squacco Heron | <i>Ardeola ralloides</i> | 21/12: 1 Lake Ziway 23/12: ~10 Lake Awassa 24/12: Lake Awassa 28/12: 1 Genale River 31/12: Lake Beseka 1/1: Bilen area | Monotypic |
| 11 | Striated Heron | <i>Butorides striata</i> | 2/1: 1 Awash Camp 6/1: 1 Jemma River | Race <i>atricapilla</i> . A.k.a. Green-backed Heron. |
| 12 | Little Egret | <i>Egretta garzetta</i> | 23/12: ~10 Lake Awassa 24/12: Lake Awassa 31/12: Lake Beseka 1/1: Bilen area 3/1: Awash - Melka Ghebdu 5/1: Debre Berhan - Jemma | Race <i>garzetta</i> |
| 13 | Black Heron | <i>Egretta ardesiaca</i> | 23/12: 5 Lake Awassa 24/12: Lake Awassa | Monotypic |
| 14 | Great Egret | <i>Ardea alba</i> | 21/12: 1 Lake Ziway 22/12: ~5 Lake Bojo 23/12: Lake Bojo + 1 Lake Awassa 24/12: Lake Awassa 27/12: 2 Bobela Forest | Race <i>melanorhyncha</i> . A.k.a. Great White Egret. |
| 15 | Goliath Heron | <i>Ardea goliath</i> | 23/12: 1 Lake Awassa 24/12: Lake Awassa 6/1: 1 Jemma River | Monotypic |
| 16 | Gray Heron | <i>Ardea cinerea</i> | 21/12: Lake Ziway 22/12: Lake Bojo 23/12: Lake Bojo + ~5 Lake Awassa 24/12: Lake Awassa 30/12: 2 Gaysay area 31/12: Lake Beseka 6/1: 2 Jemma River | Race <i>cinerea</i> |
| 17 | Black-headed Heron | <i>Ardea melanocephala</i> | 22/12: ~10 Lake Bojo 23/12: Lake Bojo | Monotypic |

| Nr | Common name | Scientific name | Date, number, site | Race, alternative common name & comments |
|----|----------------------|--------------------------------------|--|--|
| 18 | Hamerkop | <i>Scopus umbretta</i> | 21/12: ~30 Lake Ziway 23/12: ~20 Lake Awassa 24/12: Lake Awassa 27/12: 1 Dawa River 31/12: Lake Beseka 4/1: 2 Melka Ghebdu 5/1: 2 Jemma River 6/1: 2 Jemma River | Race <i>umbretta</i> |
| 19 | White Stork | <i>Ciconia ciconia</i> | 21/12: ~50 together Addis - Lake Ziway | Race <i>ciconia</i> |
| 20 | Yellow-billed Stork | <i>Mycteria ibis</i> | 31/12: 1 Lake Beseka | Monotypic |
| 21 | Black Stork | <i>Ciconia nigra</i> | 30/12: 1 Gaysay area 3/1: 2 Melka Ghebdu 5/1: 1 Lomi River 6/1: 1 Lomi River | Monotypic |
| 22 | Abdim's Stork | <i>Ciconia abdimii</i> | 1/1: 1 Bilen area | Monotypic |
| 23 | Woolly-necked Stork | <i>Ciconia episcopus</i> | 28/12: 1 Genale River - Harena 5/1: 2 Lomi River 6/1: 1 Jemma River | Race <i>microscelis</i> |
| 24 | Saddle-billed Stork | <i>Ephippiorhynchus senegalensis</i> | 24/12: 1 Lake Awassa | Monotypic. A.k.a. Saddlebill. |
| 25 | Marabou Stork | <i>Leptoptilos crumenifer</i> | 21/12: ~150 Rift Valley + Lake Ziway 22/12: ~10 Lake Bojo 23/12: Lake Bojo + ~200 Lake Awassa 24/12: ~200 Lake Awassa 31/12: ~20 Lake Beseka | Monotypic |
| 26 | Sacred Ibis | <i>Threskiornis aethiopicus</i> | 21/12: common Addis - Wondo Genet 22/12: common Lake Bojo 23/12: Lake Bojo + ~50 Lake Awassa 24/12: Lake Awassa 30/12: Gaysay area 5/1: Debre Berhan - Jemma 6/1: 23 Jemma River | Race <i>aethiopicus</i> |

| Nr | Common name | Scientific name | Date, number, site | Race, alternative common name & comments |
|----|---------------------|--------------------------------|--|--|
| 27 | Hadada Ibis | <i>Bostrychia hagedash</i> | 21/12: Wondo Genet 22/12: ~10 Wondo Genet + common Lake Bojo 23/12: Lake Bojo 24/12: Lake Awassa 27/12: 2 Bobela Forest | Race <i>nilotica</i> |
| 28 | Glossy Ibis | <i>Plegadis falcinellus</i> | 21/12: ~10 Lake Ziway 23/12: ~5 Lake Awassa 24/12: Lake Awassa | Monotypic |
| 29 | Wattled Ibis | <i>Bostrychia carunculata</i> | 22/12: 1 Wondo Genet 24/12: 3 Lake Awassa - Yabello 29/12: ~150 Sanetti + Bale NP 30/12: ~300 Gaysay area 31/12: Dinsho - Awash 4/1: Melka Ghebdu - Debre Berhan 5/1: Debre Berhan - Jemma 7/1: ~10 Jemma - Addis + Sululta Plain | Monotypic |
| 30 | African Spoonbill | <i>Platalea alba</i> | 22/12: 3 Lake Bojo 23/12: Lake Bojo | Monotypic |
| 31 | Greater Flamingo | <i>Phoenicopterus roseus</i> | 1/1: 1 Bilen area | Monotypic |
| 32 | Spur-winged Goose | <i>Plectropterus gambensis</i> | 22/12: Lake Bojo 23/12: ~300 Lake Bojo | Race <i>gambensis</i> |
| 33 | Egyptian Goose | <i>Alopochen aegyptiaca</i> | 21/12: ~100 Lake Ziway 22/12: ~100 Lake Bojo 23/12: Lake Bojo + ~100 Lake Awassa 26/12: 2 Bobela Forest 27/12: 2 Bobela Forest 28/12: 1 pair with chicks Genale River 30/12: ~75 Gaysay area 31/12: Dinsho - Awash + Lake Beseka 3/1: 2 Awash - Melka Ghebdu 5/1: Jemma 6/1: ~10 Jemma 7/1: ~10 Jemma + Jemma - Addis | Monotypic |

| Nr | Common name | Scientific name | Date, number, site | Race, alternative common name & comments |
|----|----------------------------|---------------------------------|--|---|
| 34 | Blue-winged Goose | <i>Cyanochen cyanoptera</i> | 29/12: ~30 Sanetti 30/12: ~100 Gaysay area 5/1: 2+2+2 Debre Berhan - Jemma | Monotypic |
| 35 | Comb Duck | <i>Sarkidiornis melanotos</i> | 22/12: 6 Lake Bojo | Race <i>melanotos</i> . A.k.a. Knob-billed Duck. |
| 36 | White-faced Whistling-Duck | <i>Dendrocygna viduata</i> | 22/12: ~300 Lake Bojo 23/12: Lake Bojo + ~50 Lake Awassa | Monotypic |
| 37 | Fulvous Whistling-Duck | <i>Dendrocygna bicolor</i> | 22/12: ~50 Lake Bojo 23/12: Lake Bojo | Monotypic |
| 38 | African Pygmy-Goose | <i>Nettapus auritus</i> | 21/12: ~8 Lake Ziway 23/12: ~10 Lake Awassa | Monotypic |
| 39 | Ruddy Shelduck | <i>Tadorna ferruginea</i> | 29/12: ~10 Sanetti | Monotypic |
| 40 | Red-billed Duck | <i>Anas erythrorhyncha</i> | 22/12: 1 Lake Bojo | Monotypic. A.k.a. Red-billed Teal. |
| 41 | Hottentot Teal | <i>Anas hottentota</i> | 23/12: 1 Lake Awassa 24/12: 3 Lake Awassa | Monotypic |
| 42 | Yellow-billed Duck | <i>Anas undulata</i> | 22/12: ~10 Lake Bojo 23/12: Lake Bojo 29/12: ~10 Sanetti 30/12: ~20 Gaysay area | Race <i>rueppelli</i> |
| 43 | Northern Shoveler | <i>Anas clypeata</i> | 22/12: ~10 Lake Bojo 23/12: Lake Bojo | Monotypic |
| 44 | Northern Pintail | <i>Anas acuta</i> | 22/12: ~10 Lake Bojo 23/12: Lake Bojo + 1 Lake Awassa 29/12: ~10 Sanetti | Monotypic |
| 45 | Garganey | <i>Anas querquedula</i> | 23/12: 5 Lake Awassa | Monotypic |
| 46 | Black Kite | <i>Milvus migrans</i> | Common throughout | Race <i>parasitus</i> , <i>aegyptius</i> and <i>migrans</i> . The first two are sometimes treated as a separate species Yellow-billed Kite. |
| 47 | Black-shouldered Kite | <i>Elanus caeruleus</i> | 31/12: ~5 Dinsho - Awash 1/1: 3 Ali Dege Plains - Bilen area 7/1: 1 Jemma - Addis | Race <i>caeruleus</i> . A.k.a. Black-winged Kite. |
| 48 | Secretary-bird | <i>Sagittarius serpentarius</i> | 1/1: 1 Bilen area | Monotypic |

| Nr | Common name | Scientific name | Date, number, site | Race, alternative common name & comments |
|----|--------------------------|--------------------------------|---|--|
| 49 | African Fish-Eagle | <i>Haliaeetus vocifer</i> | 21/12: 3 Lake Ziway 23/12: 1 Lake Bojo 23/12: 1 Lake Awassa 6/1: 1 Jemma Camp | Monotypic |
| 50 | Lammergeier | <i>Gypaetus barbatus</i> | 21/12: 1 ad Addis - Lake Ziway 29/12: 1 Sanetti 30/12: 3 Gaysay area | Race <i>meridionalis</i> |
| 51 | Egyptian Vulture | <i>Neophron percnopterus</i> | 1/1: ~5 Bilen area 2/1: 1 Awash 3/1: 3 Awash - Melka Ghebdu | Race <i>percnopterus</i> |
| 52 | Hooded Vulture | <i>Necrosyrtes monachus</i> | Common throughout | Monotypic |
| 53 | White-headed Vulture | <i>Trigonoceps occipitalis</i> | 5/1: 1 Debre Berhan - Jemma | Monotypic |
| 54 | Lappet-faced Vulture | <i>Torgos tracheliotus</i> | 30/12: 1 Gaysay area | Race <i>tracheliotus</i> |
| 55 | White-backed Vulture | <i>Gyps africanus</i> | 21/12: ~100 Addis - Wondo Genet 23/12: common Lake Awassa 29/12: Sanetti - Bale NP 31/12: ~20 Dinsho - Awash 1/1: ~50 Bilen area 2/1: Awash 4/1: Melka Ghebdu - Debre Berhan 5/1: Debre Berhan - Jemma 6/1: Jemma 7/1: Jemma - Addis | Monotypic |
| 56 | Rueppell's Griffon | <i>Gyps rueppellii</i> | 31/12: ~5 Dinsho - Awash 1/1: ~5 Bilen area 2/1: Awash 5/1: Debre Berhan - Jemma 6/1: Jemma 7/1: Jemma - Addis | Race <i>erlangeri</i> |
| 57 | Eurasian Griffon | <i>Gyps fulvus</i> | 5/1: 5 Debre Berhan - Jemma | Race <i>fulvus</i> |
| 58 | Short-toed (Snake-)Eagle | <i>Circaetus gallicus</i> | 1/1: 1 Ali Dege Plains | Monotypic |
| 59 | Eurasian Marsh-Harrier | <i>Circus aeruginosus</i> | 23/12: ~8 Lake Bojo | Race <i>aeruginosus</i> |

| Nr | Common name | Scientific name | Date, number, site | Race, alternative common name & comments |
|----|---------------------------------|-------------------------------|---|---|
| 60 | Montagu's Harrier | <i>Circus pygargus</i> | 23/12: 1 Lake Bojo 29/12: 1 Goba 1/1: ~100 Ali Dege Plains 2/1: Awash 6/1: Jemma | Monotypic |
| 61 | Pallid Harrier | <i>Circus macrourus</i> | 30/12: 1 Gaysay area 1/1: ~5 Ali Dege Plains 2/1: Awash | Monotypic |
| 62 | Eastern Chanting-Goshawk | <i>Melierax poliopterus</i> | 24/12: 1 Lake Awassa - Yabello 25/12: ~5 Yabello - Soda 28/12: 1 Negele - Harena 31/12: ~5 Dinsho - Awash 1/1: ~10 Ali Dege Plains 2/1: Awash 3/1: ~10 Awash - Melka Ghebdu | Monotypic |
| 63 | Dark Chanting-Goshawk | <i>Melierax metabates</i> | 21/12: 3 Addis - Lake Ziway 23/12: 3 Lake Bojo - Lake Awassa 4/1: Melka Ghebdu - Debre Berhan 5/1: ~3 Jemma 6/1: ~5 Jemma | Race <i>metabates</i> |
| 64 | Gabar Goshawk | <i>Micronisus gabar</i> | 25/12: 1 Yabello - Soda | Race <i>aequatorius</i> |
| 65 | Rufous-chested Sparrowhawk | <i>Accipiter rufiventris</i> | 4/1: 1 Ankober area | Race <i>perspicillaris</i> |
| 66 | Little Sparrowhawk | <i>Accipiter minullus</i> | 28/12: 1 Negele - Harena 2/1: 1 Awash | Monotypic |
| 67 | Black Goshawk | <i>Accipiter melanoleucus</i> | 26/12: 1 Bobela Forest 27/12: 2 Bobela Forest | Race <i>melanoleucus</i> . A.k.a. Great (or Black) Sparrowhawk. |

| Nr | Common name | Scientific name | Date, number, site | Race, alternative common name & comments |
|----|---------------------------|------------------------------|--|---|
| 68 | Augur Buzzard | <i>Buteo augur</i> | 23/12: 1 dark morph Lake Bojo - Lake Awassa 25/12: 2 Yabello - Soda 27/12: 2 Bobela Forest 29/12: ~15 Sanetti + Bale NP 30/12: ~20 Gaysay area 31/12: ~20 Dinsho - Awash 1/1: ~30 Ali Dege Plains 4/1: ~10 Melka Ghebdu - Debre Berhan 5/1: ~10 Debre Berhan - Jemma 6/1: Jemma | Monotypic |
| 69 | Common Buzzard | <i>Buteo buteo</i> | 23/12: 1 Lake Bojo - Lake Awassa | Race <i>vulpinus</i> . This race is sometimes treated as a separate species Western Steppe Buzzard. |
| 70 | Lesser Spotted Eagle | <i>Clanga pomarina</i> | 6/1: 1 Jemma Camp | Monotypic |
| 71 | Tawny Eagle | <i>Aquila rapax</i> | 21/12: 1 Lake Ziway - Wondo Genet 23/12: 2 Lake Bojo - Lake Awassa 25/12: ~5 Yabello - Soda 26/12: Yabello - Bobela Forest 31/12: ~20 Dinsho - Awash 1/1: Ali Dege Plains 2/1: Awash 3/1: Awash - Melka Ghebdu 4/1: Melka Ghebdu - Debre Berhan 5/1: Debre Berhan - Jemma 6/1: Jemma 7/1: Jemma - Addis | Race <i>belisarius</i> (and probably also <i>rapax</i> in the south) |
| 72 | Steppe Eagle | <i>Aquila nipalensis</i> | 29/12: ~5 Sanetti 30/12: ~5 Gaysay area 1/1: Ali Dege Plains 2/1: Awash | Race <i>orientalis</i> |
| 73 | Wahlberg's Eagle | <i>Hieraaetus wahlbergi</i> | 31/12: 1 Dinsho - Awash | Monotypic |
| 74 | Ayres's Hawk-Eagle | <i>Hieraaetus ayresii</i> | 21/12: 1 Wondo Genet | Monotypic |
| 75 | Bateleur | <i>Terathopius ecaudatus</i> | 25/12: 1 Yabello - Soda 26/12: 1 Yabello - Bobela Forest 1/1: 1 Ali Dege Plains | Monotypic |

| Nr | Common name | Scientific name | Date, number, site | Race, alternative common name & comments |
|----|-----------------------------|---------------------------------|---|--|
| 76 | African Harrier-Hawk | <i>Polyboroides typus</i> | 5/1: 1 Jemma River 6/1: 2 Jemma River | Race <i>typus</i> . A.k.a. Gymnogene. |
| 77 | Eurasian Kestrel | <i>Falco tinnunculus</i> | 22/12: Wondo Genet 23/12: 1 Lake Bojo - Lake Awassa 24/12: 1 Lake Awassa - Yabello 25/12: ~10 Yabello - Soda 26/12: Yabello - Bobela Forest 27/12: 1 Bobela Forest - Negele 28/12: 2 Negele - Harenna 30/12: 1 Gaysay area 31/12: ~50 Dinsho - Awash 1/1: ~50 Ali Dege Plains 2/1: Awash 3/1: Awash - Melka Ghebdu 4/1: ~5 Melka Ghebdu - Debre Berhan 5/1: ~20 Debre Berhan - Jemma + Jemma 6/1: ~10 Jemma | Race <i>rufescens</i> and <i>tinnunculus</i> . A.k.a. Rock Kestrel and Common Kestrel. |
| 78 | Fox Kestrel | <i>Falco alopex</i> | 6/1: 1 near Jemma Camp | Monotypic |
| 79 | Gray Kestrel | <i>Falco ardosiaceus</i> | 26/12: 1 Arero 3/1: 1 Afar Plain | Monotypic |
| 80 | Pygmy Falcon | <i>Polihierax semitorquatus</i> | 1/1: 1 Awash | Monotypic |
| 81 | Lanner Falcon | <i>Falco biarmicus</i> | 29/12: 2 Sanetti 30/12: 2 Gaysay area 1/1: 2 Bilen area 3/1: 1 Awash 5/1: 1 Debre Berhan - Jemma | Race <i>abyssinicus</i> |
| 82 | Peregrine Falcon | <i>Falco peregrinus</i> | 1/1: 1 Bilen area | Race <i>calidus</i> |
| 83 | Helmeted Guineafowl | <i>Numida meleagris</i> | 1/1: ~500 Ali Dege Plains + Awash 2/1: ~50 Awash 3/1: Awash | Race <i>somaliensis</i> |
| 84 | Vulturine Guineafowl | <i>Acryllium vulturinum</i> | 25/12: ~40 Yabello - Soda | Monotypic |

| Nr | Common name | Scientific name | Date, number, site | Race, alternative common name & comments |
|-----|---------------------------------|-----------------------------------|---|--|
| 85 | Crested Francolin | <i>Francolinus sephaena</i> | 26/12: 1 S Yabello 27/12: 1 + 7 chicks Bobela Forest - Negele 28/12: 2 Negele - Harena 2/1: 1 Awash 3/1: Awash 4/1: 3 Melka Ghebdu | Race <i>grantii</i> (and <i>spilogaster</i> ?) |
| 86 | Harwood's Francolin | <i>Francolinus harwoodi</i> | 6/1: 2 + (H) Jemma | Monotypic |
| 87 | Scaly Francolin | <i>Francolinus squamatus</i> | 22/12: ~10 (H) + 2 seen Wondo Genet | Monotypic |
| 88 | Erckel's Francolin | <i>Francolinus erckelii</i> | 6/1: ~10 + (H) Jemma 7/1: 3 Jemma | Monotypic |
| 89 | Chestnut-naped Francolin | <i>Francolinus castaneicollis</i> | 29/12: ~20 Harena + Bale NP 30/12: ~50 Gaysay area | Race <i>castaneicollis</i> |
| 90 | Moorland Francolin | <i>Francolinus psilolaemus</i> | 29/12: 3 Sanetti 31/12: 2 Gaysay area | Race <i>psilolaemus</i> |
| 91 | Coqui Francolin | <i>Francolinus coqui</i> | 28/12: ~5 Liben Plain | Race <i>maharao</i> |
| 92 | Clapperton's Francolin | <i>Francolinus clappertoni</i> | 4/1: 1 Melka Ghebdu | Monotypic |
| 93 | Yellow-necked Francolin | <i>Francolinus leucoscepus</i> | 25/12: ~10 Yabello - Soda 28/12: 1 Liben Plain 1/1: ~10 Awash 2/1: Awash | Monotypic |
| 94 | Common Quail | <i>Coturnix coturnix</i> | 1/1: ~30 Ali Dege Plains 2/1: 1 Awash | Monotypic |
| 95 | Small Buttonquail | <i>Turnix sylvaticus</i> | 1/1: 1 Ali Dege Plains | Race <i>lepurana</i> |
| 96 | Black Crake | <i>Amaurornis flavirostra</i> | 21/12: Lake Ziway 23/12: ~10 Lake Awassa | Monotypic |
| 97 | Purple Swampfen | <i>Porphyrio porphyrio</i> | 23/12: 2 Lake Awassa | Race <i>madagascariensis</i> . A.k.a. Purple Gallinule and African Swampfen. |
| 98 | Rouget's Rail | <i>Rougetius rougetii</i> | 30/12: ~35 Gaysay area 31/12: ~20 Gaysay area | Monotypic |
| 99 | Red-knobbed Coot | <i>Fulica cristata</i> | 22/12: ~50 Lake Bojo 23/12: ~300 Lake Bojo 30/12: ~5 Gaysay area | Monotypic. A.k.a. Crested Coot. |
| 100 | Eurasian Moorhen | <i>Gallinula chloropus</i> | 21/12: 1 Lake Ziway 23/12: ~10 Lake Awassa | Race <i>meridionalis</i> . A.k.a. Common Moorhen. |

| Nr | Common name | Scientific name | Date, number, site | Race, alternative common name & comments |
|-----|-----------------------------|--------------------------------|---|--|
| 101 | Black Crowned-Crane | <i>Balearica pavonina</i> | 23/12: 1 Lake Bojo | Race <i>ceciliae</i> |
| 102 | Wattled Crane | <i>Bugeranus carunculatus</i> | 22/12: 16 Lake Bojo 23/12: 20 Lake Bojo | Monotypic |
| 103 | Common Crane | <i>Grus grus</i> | 21/12: 4 Lake Ziway area 22/12: ~300 Lake Bojo 23/12: ~50 Lake Bojo 5/1: ~50 Debre Berhan - Jemma | Monotypic |
| 104 | Kori Bustard | <i>Ardeotis kori</i> | 28/12: 1 Negele - Liben Plain 1/1: 1 Awash 3/1: 1 Awash | Race <i>struthiunculus</i> |
| 105 | Arabian Bustard | <i>Ardeotis arabs</i> | 1/1: 2 Ali Dege Plains 3/1: 1 Afar Plain | Race <i>arabs</i> |
| 106 | Buff-crested Bustard | <i>Eupodotis gindiana</i> | 1/1: 1 male seen displaying Awash 2/1: 1 seen + heard Awash | Monotypic |
| 107 | White-bellied Bustard | <i>Eupodotis senegalensis</i> | 2/1: 5+1 Awash | Race <i>canicollis</i> |
| 108 | African Jacana | <i>Actophilornis africanus</i> | 21/12: ~200 Lake Ziway 23/12: 1 Lake Bojo + ~10 Lake Awassa 24/12: ~50 Lake Awassa 28/12: 1 Genale River | Monotypic |
| 109 | Black-winged Stilt | <i>Himantopus himantopus</i> | 21/12: ~30 Lake Ziway 22/12: ~30 Lake Bojo 23/12: Lake Bojo + ~30 Lake Awassa 31/12: 2 Lake Beseka | Monotypic |
| 110 | Senegal Thick-knee | <i>Burhinus senegalensis</i> | 2/1: 5 Awash Camp 5/1: 1 Jemma River 6/1: 1 Jemma River | Monotypic |
| 111 | Double-banded Courser | <i>Smutornis africanus</i> | 1/1: 2+2 Ali Dege Plains | Race <i>raffertyi</i> |
| 112 | Kittlitz's Plover | <i>Charadrius pecuarius</i> | 22/12: ~30 Lake Bojo 23/12: Lake Bojo | Monotypic |
| 113 | Three-banded Plover | <i>Charadrius tricollaris</i> | 21/12: 3 Lake Ziway 23/12: 2 Lake Awassa 30/12: ~2 Gaysay area 5/1: 1 Lomi River | Race <i>tricollaris</i> |

| Nr | Common name | Scientific name | Date, number, site | Race, alternative common name & comments |
|-----|------------------------------|--------------------------------|---|--|
| 114 | Common Ringed Plover | <i>Charadrius hiaticula</i> | 21/12: ~15 Lake Ziway 22/12: ~50 Lake Bojo 23/12: Lake Bojo | Race <i>tundrae</i> |
| 115 | Little Ringed Plover | <i>Charadrius dubius</i> | 22/12: ~10 Lake Bojo 23/12: Lake Bojo | Race <i>curonicus</i> |
| 116 | Spur-winged Plover | <i>Vanellus spinosus</i> | 21/12: ~20 Lake Ziway 22/12: ~20 Lake Bojo 23/12: Lake Bojo + ~5 Lake Awassa 31/12: ~2 Lake Beseka 1/1: ~10 Bilen area 3/1: 2 Awash Camp 5/1: 2 Jemma River 6/1: 5 Jemma River | Monotypic. A.k.a. Spur-winged Lapwing. |
| 117 | Spot-breasted Lapwing | <i>Vanellus melanocephalus</i> | 30/12: ~100 Gaysay area | Monotypic |
| 118 | Black-headed Lapwing | <i>Vanellus tectus</i> | 1/1: 2 Ali Dege Plains | Race <i>tectus</i> |
| 119 | Crowned Lapwing | <i>Vanellus coronatus</i> | 24/12: ~15 close to Yabello 25/12: ~100 Yabello - Soda 1/1: ~20 Ali Dege Plains | Race <i>coronatus</i> |
| 120 | Black-winged Lapwing | <i>Vanellus melanopterus</i> | 25/12: ~30 Yabello - Soda | Race <i>melanopterus</i> |
| 121 | Pacific Golden-Plover | <i>Pluvialis fulva</i> | 21/12: 1 Lake Ziway | Monotypic |
| 122 | Ruff | <i>Philomachus pugnax</i> | 21/12: ~20 Lake Ziway 22/12: ~100 Lake Bojo 23/12: Lake Bojo + ~10 Lake Awassa | Monotypic |
| 123 | Common Sandpiper | <i>Actitis hypoleucos</i> | 21/12: ~5 Lake Ziway 22/12: ~10 Lake Bojo 23/12: Lake Bojo + ~5 Lake Awassa 28/12: 1 Genale River 30/12: Gaysay area 2/1: Awash 5/1: 2 Jemma River 6/1: Jemma River | Monotypic |
| 124 | Wood Sandpiper | <i>Tringa glareola</i> | 21/12: ~20 Lake Ziway 23/12: ~10 Lake Awassa | Monotypic |

| Nr | Common name | Scientific name | Date, number, site | Race, alternative common name & comments |
|-----|-----------------------------|--------------------------------------|---|--|
| 125 | Green Sandpiper | <i>Tringa ochropus</i> | 27/12: 1 Bobela Forest 30/12: Gaysay area 1/1: 1 Bilen area 3/1: 1 Melka Ghebdu 4/1: 1 Melka Ghebdu | Monotypic |
| 126 | Common Greenshank | <i>Tringa nebularia</i> | 23/12: 1 Lake Awassa 29/12: 1 Sanetti 30/12: Gaysay area 4/1: 1 Melka Ghebdu 5/1: 1 Jemma River 6/1: Jemma River | Monotypic |
| 127 | Marsh Sandpiper | <i>Tringa stagnatilis</i> | 23/12: 1 Lake Awassa | Monotypic |
| 128 | Little Stint | <i>Calidris minuta</i> | 21/12: 3 Lake Ziway | Monotypic |
| 129 | Temminck's Stint | <i>Calidris temminckii</i> | 21/12: 1 Lake Ziway | Monotypic |
| 130 | Black-tailed Godwit | <i>Limosa limosa</i> | 21/12: 2 Lake Ziway 23/12: 2 Lake Awassa | Race <i>limosa</i> |
| 131 | Common Snipe | <i>Gallinago gallinago</i> | 21/12: 1 Lake Ziway 23/12: ~10 Lake Bojo | Race <i>gallinago</i> |
| 132 | African Snipe | <i>Gallinago nigripennis</i> | 30/12: 1 Gaysay area | Race <i>aequatorialis</i> |
| 133 | Gray-hooded Gull | <i>Chroicocephalus cirrocephalus</i> | 21/12: ~100 Lake Ziway 23/12: ~10 Lake Awassa 24/12: Lake Awassa 31/12: Lake Beseka | Race <i>poiocephalus</i> |
| 134 | Black-headed Gull | <i>Chroicocephalus ridibundus</i> | 21/12: ~100 Lake Ziway 23/12: Lake Bojo 24/12: Lake Awassa | Monotypic |
| 135 | Gull-billed Tern | <i>Gelochelidon nilotica</i> | 23/12: ~5 Lake Bojo 3/1: 1 Lake Beseka | Race <i>nilotica</i> |
| 136 | White-winged Tern | <i>Chlidonias leucopterus</i> | 21/12: ~10 Lake Ziway 23/12: ~300 Lake Bojo 24/12: ~50 Lake Awassa | Monotypic |
| 137 | Bruce's Green-Pigeon | <i>Treron waalia</i> | 21/12: 1 Wondo Genet 5/1: 3 Lomi River 7/1: 2 Jemma Camp | Monotypic |
| 138 | Speckled Pigeon | <i>Columba guinea</i> | Common throughout. | Race <i>guinea</i> |

| Nr | Common name | Scientific name | Date, number, site | Race, alternative common name & comments |
|-----|---------------------------|----------------------------------|---|--|
| 139 | White-collared Pigeon | <i>Columba albitorques</i> | 21/12: Addis - Lake Ziway 29/12: Sanetti 30/12: very common Gaysay area 31/12: Dinsho - Awash 4/1: Melka Ghebdu - Debre Berhan 5/1: Debre Berhan - Jemma 7/1: Jemma - Addis | Monotypic |
| 140 | Rameron Pigeon | <i>Columba arquatrix</i> | 22/12: ~5 Wondo Genet 27/12: 1 Bobela Forest | Monotypic. A.k.a. African Olive pigeon. |
| 141 | Rock Pigeon | <i>Columba livia</i> | 21/12: Addis 31/12: Nazareth 1/1: Awash - Ali Dege Plains 7/1: Jemma - Addis | "domestica" (Feral Pigeon) |
| 142 | Emerald-spotted Wood-Dove | <i>Turtur chalcopilos</i> | 2/1: ~10 Awash 4/1: Melka Ghebdu | Monotypic |
| 143 | Blue-spotted Wood-Dove | <i>Turtur afer</i> | 21/12: 1 Wondo Genet 22/12: 1 Wondo Genet 7/1: 1 Jemma Camp | Monotypic |
| 144 | Tambourine Dove | <i>Turtur tympanistria</i> | 22/12: 4 Wondo Genet + (H) Lake Bojo 23/12: 3 Lake Bojo 28/12: ~5 Harena | Monotypic |
| 145 | Namaqua Dove | <i>Oena capensis</i> | 21/12: common Lake Ziway area 22/12: Wondo Genet - Lake Bojo 23/12: ~50 Lake Bojo - Lake Awassa 31/12: Dinsho - Awash 1/1: ~200 Ali Dege Plains + Bilen area | Race <i>capensis</i> |
| 146 | Ring-necked Dove | <i>Streptopelia capicola</i> | Common throughout | Race <i>tropica</i> , <i>somalica</i> and <i>electa</i> . A.k.a. Cape Turtle-Dove. |
| 147 | Red-eyed Dove | <i>Streptopelia semitorquata</i> | Common throughout | Monotypic |
| 148 | Mourning Collared-Dove | <i>Streptopelia decipiens</i> | Common in Rift Valley | Race <i>decipiens</i> . A.k.a. African Mourning Dove. |
| 149 | Vinaceous Dove | <i>Streptopelia vinacea</i> | 5/1: 3 Lomi River 6/1: Jemma 7/1: Jemma | Monotypic |

| Nr | Common name | Scientific name | Date, number, site | Race, alternative common name & comments |
|-----|-----------------------------------|-----------------------------------|---|--|
| 150 | White-winged Collared-Dove | <i>Streptopelia reichenowi</i> | 27/12: 2 Melka Guda | Monotypic. A.k.a. African White-winged Dove. |
| 151 | Laughing Dove | <i>Streptopelia senegalensis</i> | Common throughout | Race <i>senegalensis</i> |
| 152 | Dusky Turtle-Dove | <i>Streptopelia lugens</i> | Common in highlands | Monotypic. A.k.a. Pink-breasted Turtle Dove. |
| 153 | Lemon Dove | <i>Columba larvata</i> | 22/12: 2 Wondo Genet | Race <i>bronzina</i> |
| 154 | Red-bellied Parrot | <i>Poicephalus rufiventris</i> | 24/12: 8 close to Yabello 25/12: 1 Yabello - Soda 26/12: 2 S Yabello 2/1: 1 Awash 3/1: Awash - Melka Ghebdu | Race <i>rufiventris</i> |
| 155 | Yellow-fronted Parrot | <i>Poicephalus flavifrons</i> | 22/12: 2+2 Wondo Genet | Monotypic |
| 156 | Black-winged Lovebird | <i>Agapornis taranta</i> | 22/12: ~5 Wondo Genet + ~6 Lake Boyo 31/12: ~10 Gaysay area | Monotypic |
| 157 | White-cheeked Turaco | <i>Tauraco leucotis</i> | 21/12: 3 Wondo Genet 22/12: ~10 Wondo Genet 24/12: (H) Lake Awassa - Yabello 29/12: 1 Harena 4/1: ~10 Ankober area | Race <i>leucotis</i> |
| 158 | Prince Ruspoli's Turaco | <i>Tauraco ruspolii</i> | 26/12: 2 Bobela Forest 27/12: ~5 Bobela Forest | Monotypic |
| 159 | White-bellied Go-away-bird | <i>Corythaixoides leucogaster</i> | 24/12: 4 close to Yabello 25/12: ~30 Yabello - Soda 26/12: ~30 Yabello area 27/12: Bobela Forest + Bobela Forest - Negele 28/12: 1 Negele - Harena 2/1: ~10 Awash 3/1: Awash - Melka Ghebdu 4/1: Melka Ghebdu - Debre Berhan | Monotypic |
| 160 | Bare-faced Go-away-bird | <i>Corythaixoides personatus</i> | 26/12: 7 W Yabello 4/1: 1 Melka Ghebdu - Debre Berhan | Race <i>personatus</i> |
| 161 | Eastern Plantain-eater | <i>Crinifer zonurus</i> | 2/1: 2 Awash Camp 3/1: 2 Awash - Melka Ghebdu + 2 Melka Ghebdu 4/1: 3 Melka Ghebdu - Debre Berhan | Monotypic |
| 162 | Red-chested Cuckoo | <i>Cuculus solitarius</i> | 28/12: 1 (H) Harena (Katcha Camp) | Monotypic |

| Nr | Common name | Scientific name | Date, number, site | Race, alternative common name & comments |
|-----|--------------------------------|----------------------------------|---|--|
| 163 | Klaas's Cuckoo | <i>Chrysococcyx klaas</i> | 6/1: 1 female Lomi River | Monotypic |
| 164 | African Emerald Cuckoo | <i>Chrysococcyx cupreus</i> | 28/12: 1 (H) + seen Harena (Katcha Camp) | Race <i>cupreus</i> |
| 165 | White-browed Coucal | <i>Centropus superciliosus</i> | 26/12: 1 Yabello 1/1: 1 Awash 2/1: 1 Awash | Races <i>superciliosus</i> |
| 166 | Blue-headed Coucal | <i>Centropus monachus</i> | 21/12: 1 Wondo Genet 24/12: 1 Lake Awassa | Race <i>monachus</i> |
| 167 | Short-eared Owl | <i>Asio flammeus</i> | 30/12: 1 mountains W Dinsho | Race <i>flammeus</i> |
| 168 | African Long-eared Owl | <i>Asio abyssinicus</i> | 29/12: 1 Dinsho HQ | Race <i>abyssinicus</i> . A.k.a. Abyssinian Owl. |
| 169 | African Wood-Owl | <i>Strix woodfordii</i> | 30/12: 1 Dinsho HQ | Race <i>umbrina</i> |
| 170 | African Scops-Owl | <i>Otus senegalensis</i> | 25/12: 2 (H) Yabello Camp 26/12: 1 (H) Bobela Forest Camp 27/12: 1 (H) Bobela Forest Camp 31/12: 1 (H) and seen Awash Camp 1/1: 1 (H) Awash Camp 2/1: 1 (H) Awash Camp | Race <i>senegalensis</i> |
| 171 | Verreaux's Eagle-Owl | <i>Bubo lacteus</i> | 22/12: 1 Wondo Genet | Monotypic |
| 172 | Cape Eagle-Owl | <i>Bubo capensis</i> | 30/12: 1 seen mountains W Dinsho + 2 Gaysay area | Race <i>dillonii</i> |
| 173 | Slender-tailed Nightjar | <i>Caprimulgus clarus</i> | 22/12: 1 (H) Lake Bojo 23/12: 1 (H) Lake Bojo 31/12: 1 (H) Awash Camp 1/1: 1 (H) Awash Camp 2/1: 1 (H) Awash Camp 7/1: 1 (H) Jemma Camp | Monotypic |
| 174 | Abyssinian Nightjar | <i>Caprimulgus poliocephalus</i> | 22/12: ~3 (H) + 1 seen Wondo Genet 24/12: 1 (H) Yabello Camp 25/12: 1 (H) Yabello Camp 26/12: 1 (H) Bobela Forest Camp 27/12: 1 (H) Bobela Forest Camp 28/12: 1 (H) Harena (Katcha Camp) 30/12: 1 (H) Gaysay area | Monotypic. A.k.a. Montane Nightjar. |
| 175 | Freckled Nightjar | <i>Caprimulgus tristigma</i> | 25/12: 1 (H) Yabello Camp 27/12: 1 (H) Bobela Forest Camp | Race <i>tristigma</i> |
| 176 | Alpine Swift | <i>Apus melba</i> | 29/12: ~20 Goba - Robe | Race <i>africanus</i> (?) |

| Nr | Common name | Scientific name | Date, number, site | Race, alternative common name & comments |
|-----|---------------------------------|-----------------------------|---|--|
| 177 | Nyanza Swift | <i>Apus niansae</i> | 5/1: 2 Jemma River 6/1: ~10 Jemma | Race <i>niansae</i> |
| 178 | Speckled Mousebird | <i>Colius striatus</i> | 21/12: Lake Ziway + Wondo Genet 22/12: Wondo Genet 23/12: ~10 Lake Bojo 24/12: ~30 Lake Awassa 31/12: ~5 Nazareth 4/1: ~5 Melka Ghebdu 5/1: ~10 Lomi River 6/1: ~10 Lomi River 7/1: ~5 Jemma Camp | Race <i>leucotis</i> |
| 179 | Blue-naped Mousebird | <i>Urocolius macrourus</i> | 26/12: 1 S Yabello 27/12: 1 Melka Guda 28/12: 1 Negele - Harena 1/1: ~10 Bilen area 2/1: Awash 3/1: ~10 Awash - Melka Ghebdu | Race <i>abyssinicus</i> |
| 180 | Narina Trogon | <i>Apaloderma narina</i> | 22/12: 2 Wondo Genet | Race <i>narina</i> |
| 181 | Pied Kingfisher | <i>Ceryle rudis</i> | 21/12: 1 Lake Ziway 23/12: ~5 Lake Awassa 24/12: ~30 Lake Awassa 4/1: 2 Melka Ghebdu 5/1: ~10 Jemma River 6/1: ~5 Jemma River | Race <i>rudis</i> |
| 182 | Gray-headed Kingfisher | <i>Halcyon leucocephala</i> | 21/12: 1 Lake Ziway 28/12: 2 Genale River 6/1: 1 Jemma Camp | Race <i>leucocephala</i> |
| 183 | Woodland Kingfisher | <i>Halcyon senegalensis</i> | 23/12: 1 Lake Awassa 24/12: 1 Lake Awassa 2/1: 1 Awash Camp | Race <i>senegalensis</i> |
| 184 | Striped Kingfisher | <i>Halcyon chelicuti</i> | 23/12: 1 male Lake Bojo - Lake Awassa 1/1: 1 Bilen area | Race <i>chelicuti</i> |
| 185 | Half-collared Kingfisher | <i>Alcedo semitorquata</i> | 4/1: 2 Melka Ghebdu 5/1: 1 Lomi River 6/1: 2 Lomi River | Race <i>heuglini</i> |

| Nr | Common name | Scientific name | Date, number, site | Race, alternative common name & comments |
|-----|-----------------------------------|------------------------------|--|---|
| 186 | Malachite Kingfisher | <i>Corythornis cristatus</i> | 21/12: 1 Lake Ziwai 23/12: 6 Lake Awassa 24/12: ~30 Lake Awassa 2/1: 1 Awash Camp 4/1: 2 Melka Ghebdu 5/1: 2 Lomi River | Race <i>galeritus</i> |
| 187 | African Pygmy-Kingfisher | <i>Ispidina picta</i> | 2/1: 1 Awash | Race <i>picta</i> |
| 188 | Little Bee-eater | <i>Merops pusillus</i> | 25/12: 1 Yabello - Soda 26/12: 4 Yabello area 27/12: 2 Bobela Forest - Negele 28/12: Negele - Harena 1/1: ~10 Ali Dege Plains + Bilen area + Awash 2/1: Awash 3/1: 4 Melka Ghebdu 4/1: ~10 Melka Ghebdu 5/1: ~5 Lomi River 6/1: ~10 Jemma | Race <i>cyanostictus</i> |
| 189 | Blue-breasted Bee-eater | <i>Merops variegatus</i> | 22/12: 2 Wondo Genet + 2 Lake Bojo 23/12: ~10 Lake Bojo - Lake Awassa | Race <i>lafresnayii</i> |
| 190 | European Bee-eater | <i>Merops apiaster</i> | 21/12: ~100 Addis - Wondo Genet 22/12: Wondo Genet - Lake Bojo 23/12: ~20 Lake Bojo - Lake Awassa | Monotypic |
| 191 | Northern Carmine Bee-eater | <i>Merops nubicus</i> | 22/12: 1 Wondo Genet - Lake Bojo 23/12: ~200 Shashamane - Lake Awassa 1/1: ~50 Ali Dege Plains + Bilen area 2/1: Awash 3/1: ~20 Awash - Melka Ghebdu | Monotypic |
| 192 | Rufous-crowned Roller | <i>Coracias naevius</i> | 25/12: 3 Yabello - Soda 27/12: 1 Bobela Forest - Negele 28/12: 1 Negele - Harena 4/1: 1 Melka Ghebdu - Debre Berhan | Race <i>naevius</i> . A.k.a. Purple Roller. |
| 193 | Abyssinian Roller | <i>Coracias abyssinicus</i> | 1/1: ~30 Ali Dege Plains + Bilen area + Awash 2/1: Awash Camp 3/1: ~10 Awash - Melka Ghebdu 6/1: Jemma | Monotypic |

| Nr | Common name | Scientific name | Date, number, site | Race, alternative common name & comments |
|-----|---------------------------------------|--------------------------------|--|--|
| 194 | Lilac-breasted Roller | <i>Coracias caudatus</i> | 23/12: 3 Lake Bojo - Lake Awassa 24/12: 2 Lake Awassa - Yabello 25/12: ~10 Yabello - Soda 26/12: ~5 Yabello - Bobela Forest 27/12: ~10 Bobela Forest - Negele 28/12: ~30 Negele - Harenna | Race <i>lorti</i> |
| 195 | Black-billed Woodhoopoe | <i>Phoeniculus somaliensis</i> | 24/12: 1 close to Yabello (<i>somaliensis</i>) 25/12: 3 Yabello - Soda (<i>somaliensis</i>) 26/12: 1 S Yabello (<i>somaliensis</i>) 27/12: 2 Bobela Forest - Negele (<i>somaliensis</i>) 28/12: Negele - Harenna 3/1: 3 with red bills! Afar Plain (<i>neglectus</i>) | Race <i>neglectus</i> and <i>somaliensis</i> |
| 196 | Eurasian Hoopoe | <i>Upupa epops</i> | 25/12: ~5 Yabello - Soda 26/12: ~5 Yabello area 27/12: ~10 Bobela Forest + Bobela Forest - Negele 28/12: Negele - Harenna 1/1: ~30 Ali Dege Plains + Bilen area + Awash 2/1: Awash 3/1: ~10 Awash - Melka Ghebdu 4/1: Melka Ghebdu - Debre Berhan 5/1: 2 Jemma | Race <i>epops</i> and <i>senegalensis</i> |
| 197 | Abyssinian Scimitar-bill | <i>Rhinopomastus minor</i> | 26/12: 1 S Yabello (<i>cabanisi</i>) 27/12: 1 Bobela Forest - Negele (<i>cabanisi</i>) 2/1: 2+1 Awash (<i>minor</i>) | Race <i>minor</i> and <i>cabanisi</i> |
| 198 | Black Scimitar-bill | <i>Rhinopomastus aterrimus</i> | 1/1: 2 Bilen area | Race <i>notatus</i> |
| 199 | Eastern Yellow-billed Hornbill | <i>Tockus flavirostris</i> | 1/1: 1 Ali Dege Plains 3/1: 1 Awash - Melka Ghebdu | Monotypic |
| 200 | Northern Red-billed Hornbill | <i>Tockus erythrorhynchus</i> | 24/12: 1 close to Yabello 25/12: ~10 Yabello - Soda 26/12: ~20 Yabello - Bobela Forest 27/12: ~200 Bobela Forest - Negele 28/12: ~50 Negele - Harenna 2/1: 2 Awash 3/1: ~10 Awash - Melka Ghebdu 4/1: ~5 Melka Ghebdu - Debre Berhan | Monotypic |

| Nr | Common name | Scientific name | Date, number, site | Race, alternative common name & comments |
|-----|-----------------------------------|----------------------------------|--|---|
| 201 | Von der Decken's Hornbill | <i>Tockus deckeni</i> | 24/12: 1 female close to Yabello 26/12: 1 male Yabello - Bobela Forest | Monotypic |
| 202 | Hemprich's Hornbill | <i>Tockus hemprichii</i> | 27/12: 2 Bobela Forest 5/1: 3 Debre Berhan - Jemma 6/1: 3 Lomi River | Monotypic |
| 203 | African Gray Hornbill | <i>Tockus nasutus</i> | 21/12: 1 Lake Ziway 27/12: 2 Bobela Forest + 2 Bobela Forest - Negele 28/12: Negele - Harena 1/1: 1 Ali Dege Plains - Awash 2/1: 2 Awash 4/1: ~5 Melka Ghebdu 6/1: ~10 Jemma | Race <i>nasutus</i> |
| 204 | Silvery-cheeked Hornbill | <i>Ceratogymna brevis</i> | 21/12: ~5 Wondo Genet 22/12: common Wondo Genet 23/12: ~10 Lake Awassa 24/12: ~20 Lake Awassa + Lake Awassa - Yabello 27/12: ~5 Bobela Forest 28/12: ~20 Negele - Harena | Monotypic |
| 205 | Abyssinian Ground-Hornbill | <i>Bucorvus abyssinicus</i> | 25/12: 4+4+3 Yabello - Soda 28/12: 2+3 Negele - Harena 31/12: 2 Dinsho - Awash 1/1: 2 Awash 3/1: 2 Awash - Melka Ghebdu | Monotypic |
| 206 | Yellow-fronted Tinkerbird | <i>Pogoniulus chrysoconus</i> | 22/12: 2 Wondo Genet | Race <i>xanthostictus</i> |
| 207 | Red-fronted Tinkerbird | <i>Pogoniulus pusillus</i> | 26/12: 1 Arero | Race <i>affinis</i> |
| 208 | Red-fronted Barbet | <i>Tricholaema diademata</i> | 24/12: 1 close to Yabello 26/12: 5 Yabello area + 1 Arero | Race <i>diademata</i> |
| 209 | Black-throated Barbet | <i>Tricholaema melanocephala</i> | 25/12: 1 Yabello Camp (<i>stigmatothorax</i>) 26/12: 1 Arero (<i>stigmatothorax</i>) 1/1: 1 Bilen area (<i>melanocephala</i>) | Race <i>stigmatothorax</i> and <i>melanocephala</i> |
| 210 | Black-billed Barbet | <i>Lybius guifsobalito</i> | 2/1: 3 Awash 5/1: ~10 Jemma 6/1: ~20 Jemma 7/1: ~5 Jemma Camp | Monotypic |
| 211 | Double-toothed Barbet | <i>Lybius bidentatus</i> | 21/12: 2 Wondo Genet | Race <i>aequatorialis</i> |

| Nr | Common name | Scientific name | Date, number, site | Race, alternative common name & comments |
|-----|-------------------------------|-------------------------------------|--|--|
| 212 | Banded Barbet | <i>Lybius undatus</i> | 22/12: 2 Wondo Genet | Race <i>leucogenys</i> |
| 213 | D'Arnaud's Barbet | <i>Trachyphonus darnaudii</i> | 25/12: ~10 Yabello - Soda (<i>darnaudii</i>) 26/12: ~10 Yabello area (<i>darnaudii</i>) 28/12: Negele - Harena (<i>boehmi</i>) | Race <i>darnaudii</i> and <i>boehmi</i> |
| 214 | Red-and-yellow Barbet | <i>Trachyphonus erythrocephalus</i> | 25/12: 1 Yabello - Soda 26/12: 2 Yabello area 28/12: ~10 Negele - Harena | Race <i>versicolor</i> |
| 215 | Yellow-breasted Barbet | <i>Trachyphonus margaritatus</i> | 3/1: 2 near Melka Ghebdu 4/1: 2 Melka Ghebdu | Race <i>margaritatus</i> |
| 216 | Lesser Honeyguide | <i>Indicator minor</i> | 21/12: 1 Wondo Genet 22/12: 2 Wondo Genet 27/12: 1 Bobela Forest | Race <i>diadematus</i> |
| 217 | Green-backed Honeyguide | <i>Prodotiscus zambesiae</i> | 22/12: 2 Wondo Genet | Race <i>ellenbecki</i> |
| 218 | Eurasian Wryneck | <i>Jynx torquilla</i> | 24/12: 1 Lake Awassa 6/1: 1 Jemma | Race <i>torquilla</i> |
| 219 | Nubian Woodpecker | <i>Campethera nubica</i> | 23/12: 1 Lake Bojo - Lake Awassa 26/12: 1 Yabello area 2/1: 1 Awash Camp | Race <i>nubica</i> |
| 220 | Bearded Woodpecker | <i>Dendropicos namaquus</i> | 26/12: 1 Yabello area | Race <i>schoensis</i> |
| 221 | Cardinal Woodpecker | <i>Dendropicos fuscescens</i> | 26/12: ~5 Yabello area 27/12: 1 Bobela Forest | Race <i>massaicus</i> |
| 222 | Abyssinian Woodpecker | <i>Dendropicos abyssinicus</i> | 22/12: 1 female Wondo Genet | Monotypic |
| 223 | Gray-headed Woodpecker | <i>Dendropicos spodocephalus</i> | 22/12: 4 Wondo Genet | Race <i>spodocephalus</i> . A.k.a. Eastern Grey Woodpecker. |
| 224 | Red-winged Lark | <i>Mirafra hypermetra</i> | 3/1: 1 Awash | Race <i>gallarum</i> . A.k.a. Red-winged Bush Lark. |
| 225 | Foxy Lark | <i>Calendulauda alopex</i> | 25/12: 1 Yabello - Soda | Race <i>intercedens</i> (Yabello birds sometimes said to belong to separate race <i>macdonaldi</i>) |
| 226 | Gillett's Lark | <i>Mirafra gilletti</i> | 2/1: 1 Awash | Race <i>gilletti</i> |
| 227 | Singing Bushlark | <i>Mirafra cantillans</i> | 1/1: Ali Dege Plains 2/1: ~10 Awash 3/1: ~10 Awash | Race <i>marginata</i> |
| 228 | Sidamo Lark | <i>Heteromirafra sidamoensis</i> | 28/12: 3 Liben Plain | Monotypic |

| Nr | Common name | Scientific name | Date, number, site | Race, alternative common name & comments |
|-----|-------------------------------|--------------------------------|---|---|
| 229 | Erlanger's Lark | <i>Calandrella erlangeri</i> | 23/12: 2 Lake Bojo 31/12: 2 Dinsho - Awash 5/1: ~20 Debre Berhan - Jemma 7/1: Jemma - Addis | Monotypic |
| 230 | Somali Short-toed Lark | <i>Calandrella somalica</i> | 27/12: ~30 Liben Plain 28/12: ~10 Liben Plain | Race <i>megaensis</i> |
| 231 | Short-tailed Lark | <i>Pseudalaemon fremantlii</i> | 25/12: ~20 Yabello - Soda | Race <i>megaensis</i> |
| 232 | Thekla Lark | <i>Galerida theklae</i> | 29/12: ~50 Sanetti (<i>huei</i>) 30/12: ~30 Gaysay area (<i>huei</i>) 31/12: ~20 Dinsho - Awash (<i>huei</i>) 5/1: ~50 Debre Berhan - Jemma (<i>praetermissa</i>) 7/1: Jemma - Addis (<i>praetermissa</i>) | Race <i>huei</i> and <i>praetermissa</i> |
| 233 | Chestnut-backed Sparrow-Lark | <i>Eremopterix leucotis</i> | 31/12: 2 Lake Beseka 1/1: ~200 Ali Dege Plains + Bilen area + Awash 3/1: ~100 Awash | Race <i>leucotis</i> |
| 234 | Rock Martin | <i>Ptyonoprogne fuligula</i> | 26/12: 2 Yabello area (<i>fusciventris/pusilla</i>) 4/1: 1 Gemassa Gedel (<i>obsoleta/arabica</i>) 5/1: Jemma (<i>fusciventris/pusilla</i>) 6/1: ~20 Jemma (<i>fusciventris/pusilla</i>) 7/1: ~20 Jemma (<i>fusciventris/pusilla</i>) | Race <i>fusciventris/pusilla</i> and <i>obsoleta/arabica</i> . The latter is a.k.a. Pale Crag Martin. |
| 235 | Bank Swallow | <i>Riparia riparia</i> | 1/1: ~10 Bilen area | Race <i>riparia</i> . A.k.a. Sand Martin. |
| 236 | Plain Martin | <i>Riparia paludicola</i> | 21/12: common Lake Ziway 23/12: 2 Lake Bojo - Lake Awassa + ~50 Lake Awassa 24/12: ~100 Lake Awassa 27/12: ~50 Bobela Forest - Negele 5/1: Jemma 6/1: ~20 Jemma | Race <i>schoensis</i> . A.k.a. Brown-throated Martin. |
| 237 | Common House-Martin | <i>Delichon urbicum</i> | 27/12: ~50 Bobela Forest - Negele | Race probably <i>urbicum</i> |
| 238 | Red-rumped Swallow | <i>Cecropis daurica</i> | 22/12: 2 Wondo Genet 1/1: ~150 Bilen area 4/1: ~10 Melka Ghebdu - Debre Berhan 5/1: Jemma | Race <i>melanocrissus</i> |
| 239 | Lesser Striped-Swallow | <i>Cecropis abyssinica</i> | 26/12: 2 S Yabello 6/1: ~2 Jemma | Race <i>abyssinica</i> |

| Nr | Common name | Scientific name | Date, number, site | Race, alternative common name & comments |
|-----|-----------------------------|----------------------------------|--|---|
| 240 | White-tailed Swallow | <i>Hirundo megaensis</i> | 25/12: 3+1+1+1 Yabello - Soda 26/12: 5+1 E Yabello | Monotypic |
| 241 | Barn Swallow | <i>Hirundo rustica</i> | 21/12: Addis - Wondo Genet 23/12: Lake Bojo - Lake Awassa 24/12: ~200 Lake Awassa 28/12: ~200 Negele - Liben Plain 31/12: Dinsho - Awash 5/1: Jemma | Race <i>rustica</i> |
| 242 | Ethiopian Swallow | <i>Hirundo aethiopica</i> | 24/12: ~10 Lake Awassa 28/12: ~5 Negele - Liben Plain | Race <i>aethiopica</i> |
| 243 | Wire-tailed Swallow | <i>Hirundo smithii</i> | 28/12: ~10 Dolo Mena 5/1: Jemma 6/1: Jemma | Race <i>smithii</i> |
| 244 | Black Sawwing | <i>Psalidoprocne pristoptera</i> | 21/12: 2 Wondo Genet 22/12: ~50 Wondo Genet | Race <i>antinorii</i> . This race is called Brown Sawwing. |
| 245 | Western Yellow Wagtail | <i>Motacilla flava</i> | 21/12: common Lake Ziway + Wondo Genet 22/12: common Wondo Genet + common Lake Bojo 23/12: common Lake Bojo + ~10 Lake Awassa 24/12: Lake Awassa 30/12: ~5 Gaysay area (inkl. <i>beema</i>) 31/12: ~5 Dinsho - Awash 1/1: Ali Dege Plains + Bilen area + Awash 5/1: Lomi River 6/1: ~10 Jemma 7/1: ~5 Jemma Camp | Race <i>flava</i> , <i>feldegg</i> , <i>lutea</i> , <i>beema</i> and <i>thunbergi</i> |
| 246 | African Pied Wagtail | <i>Motacilla aguimp</i> | 5/1: 1 Jemma River, 2 Lomi River | Race <i>vidua</i> |
| 247 | White Wagtail | <i>Motacilla alba</i> | 22/12: ~10 Lake Bojo 23/12: Lake Bojo 30/12: 2 Gaysay area 31/12: 2 Dinsho - Awash 3/1: 1 Melka Ghebdu | Race <i>alba</i> |

| Nr | Common name | Scientific name | Date, number, site | Race, alternative common name & comments |
|-----|----------------------------|-----------------------------|---|--|
| 248 | Mountain Wagtail | <i>Motacilla clara</i> | 22/12: 2 Wondo Genet 28/12: 2 Harena 3/1: 1 Melka Ghebdu 4/1: 2 Melka Ghebdu 5/1: 2 Lomi River 6/1: 2 Lomi River | Race <i>clara</i> |
| 249 | Gray Wagtail | <i>Motacilla cinerea</i> | 29/12: 1 Harena 3/1: 2 Melka Ghebdu | Race <i>cinerea</i> |
| 250 | Abyssinian Longclaw | <i>Macronyx flavicollis</i> | 30/12: ~10 Gaysay area | Monotypic |
| 251 | Tawny Pipit | <i>Anthus campestris</i> | 1/1: Ali Dege Plains | Race <i>campestris</i> |
| 252 | Long-billed Pipit | <i>Anthus similis</i> | 25/12: 4 Yabello - Soda 27/12: 1 Bobela Forest 6/1: 1 Jemma | Race <i>hararensis</i> |
| 253 | Plain-backed Pipit | <i>Anthus leucophrys</i> | 25/12: ~10 Yabello - Soda 27/12: ~5 Liben Plain 28/12: ~10 Liben Plain | Race <i>omoensis</i> |
| 254 | Red-throated Pipit | <i>Anthus cervinus</i> | 22/12: ~10 Lake Bojo 23/12: very common Lake Bojo 29/12: ~10 Sanetti 30/12: ~50 Gaysay area 31/12: ~30 Dinsho - Awash | Monotypic |
| 255 | Tree Pipit | <i>Anthus trivialis</i> | 27/12: ~5 Bobela Forest 28/12: Harena 4/1: 2 Melka Ghebdu 5/1: ~20 Lomi River 6/1: ~5 Lomi River | Race <i>trivialis</i> |
| 256 | Gray Cuckooshrike | <i>Coracina caesia</i> | 28/12: 1 Harena | Race <i>pura</i> |

| Nr | Common name | Scientific name | Date, number, site | Race, alternative common name & comments |
|-----|------------------------------|----------------------------------|---|---|
| 257 | Common Bulbul | <i>Pycnonotus barbatus</i> | Common throughout: 21/12: Lake Ziway + Wondo Genet (<i>schoanus</i>) 22/12: Wondo Genet + common Lake Bojo (<i>schoanus</i>) 25/12: Yabello - Soda (<i>dodsoni</i>) 26/12: Yabello area (<i>dodsoni</i>) 27/12: Bobela Forest - Negele (<i>spurius</i>) 28/12: Negele + Harena (<i>schoanus</i>) 29/12: Harena - Dinsho (<i>schoanus</i>) 30/12: Dinsho HQ (<i>schoanus</i>) 31/12: Dinsho - Awash (<i>schoanus</i>) 1/1: Bilen area (<i>somaliensis</i>) (?) 2/1: Awash (<i>schoanus</i>) 3/1: Awash - Melka Ghebdu (<i>somaliensis</i>) 4/1: Melka Ghebdu - Debre Berhan (<i>schoanus</i>) 5/1: Jemma (<i>schoanus</i>) 6/1: Jemma (<i>schoanus</i>) 7/1: Jemma + Jemma - Addis (<i>schoanus</i>) | Race <i>schoanus</i> , <i>spurius</i> , <i>somaliensis</i> (Somali Bulbul) and <i>dodsoni</i> (Dodson's Bulbul) |
| 258 | Northern Brownbul | <i>Phyllastrephus strepitans</i> | 26/12: 1 S Yabello 27/12: 2 Bobela Forest | Monotypic |
| 259 | Rueppell's Robin-Chat | <i>Cossypha semirufa</i> | 21/12: 1 Wondo Genet 22/12: 5 Wondo Genet + 1 Lake Bojo 23/12: ~5 Lake Bojo 28/12: 1 Harena | Race <i>semirufa</i> |
| 260 | White-browed Robin-Chat | <i>Cossypha heuglini</i> | 24/12: 1 Lake Awassa | Race <i>heuglini</i> |
| 261 | Common Redstart | <i>Phoenicurus phoenicurus</i> | 6/1: 2 Jemma Camp 7/1: 1 Jemma Camp | Race <i>samamasicus</i> (Ehrenberg's Redstart) |
| 262 | Red-backed Scrub-Robin | <i>Cercotrichas leucophrys</i> | 26/12: 2 Yabello area 27/12: 1 Bobela Forest - Negele 2/1: ~5 Awash 3/1: 1 Awash - Melka Ghebdu | Race <i>leucoptera</i> (White-winged Scrub-Robin). A.k.a. White-browed Scrub Robin. |
| 263 | Spotted Morning-Thrush | <i>Cichladusa guttata</i> | 27/12: 1 Bobela Forest | Race <i>intercalans</i> . A.k.a. Spotted Palm-thrush. |
| 264 | Siberian Stonechat | <i>Saxicola maurus</i> | 30/12: 1 Gaysay area | Race <i>variegatus</i> (?) |
| 265 | African Stonechat | <i>Saxicola torquatus</i> | 30/12: ~50 Gaysay area | Race <i>albofasciatus</i> |

| Nr | Common name | Scientific name | Date, number, site | Race, alternative common name & comments |
|-----|--------------------------------|-------------------------------------|---|--|
| 266 | Red-breasted Wheatear | <i>Oenanthe bottae</i> | 30/12: 1 Gaysay area 5/1: ~5 Debre Berhan - Jemma | Race <i>frenata</i> |
| 267 | Isabelline Wheatear | <i>Oenanthe isabellina</i> | Common throughout | Monotypic |
| 268 | Northern Wheatear | <i>Oenanthe oenanthe</i> | 23/12: 1 Lake Bojo - Lake Awassa 30/12: 2 Gaysay area | Race <i>oenanthe</i> or <i>libanotica</i> |
| 269 | Pied Wheatear | <i>Oenanthe pleschanka</i> | Common throughout | Monotypic |
| 270 | Black-eared Wheatear | <i>Oenanthe hispanica</i> | 1/1: 1 Bilen area 3/1: 1 Afar Plain | Race <i>melanoleuca</i> |
| 271 | Mourning Wheatear | <i>Oenanthe lugens</i> | 4/1: 2 Ankober area 5/1: ~20 Debre Berhan - Jemma + Jemma 6/1: ~5 Jemma 7/1: Jemma + Jemma - Addis | Race <i>lugubris</i> . This race is sometimes treated as a separate species Abyssinian (Black) Wheatear . A.k.a. Schalow's Wheatear. |
| 272 | Familiar Chat | <i>Cercomela familiaris</i> | 5/1: 1 Jemma 6/1: 1 Jemma | Race <i>falkensteini</i> |
| 273 | Sombre Chat | <i>Cercomela dubia</i> | 31/12: 1 Lake Beseka | Monotypic. A.k.a. Sombre Rock Chat. |
| 274 | Moorland Chat | <i>Cercomela sordida</i> | 29/12: ~100 Harena + Sanetti + Bale NP 30/12: ~150 Gaysay area 31/12: many Dinsho - Awash 4/1: ~50 Melka Ghebdu - Debre Berhan | Race <i>sordida</i> |
| 275 | Blackstart | <i>Cercomela melanura</i> | 31/12: 1 Lake Beseka 1/1: 1 Bilen area | Race <i>lypura</i> |
| 276 | Mocking Cliff-Chat | <i>Thamnolaea cinnamomeiventris</i> | 4/1: 2 Melka Ghebdu 5/1: 6 Jemma 6/1: ~5 Jemma | Race <i>albiscopulata</i> |
| 277 | White-winged Cliff-Chat | <i>Thamnolaea semirufa</i> | 21/12: 2 Addis + 1 Wondo Genet 6/1: 2 Jemma | Monotypic |
| 278 | Rueppell's Chat | <i>Myrmecocichla melaena</i> | 5/1: ~20 Debre Berhan - Jemma + Jemma 6/1: ~10 Jemma 7/1: Jemma + Jemma - Addis | Monotypic. A.k.a. Rueppell's Black Chat. |
| 279 | Groundscraper Thrush | <i>Psophocichla litsitsirupa</i> | 30/12: ~20 Gaysay area 31/12: ~50 Dinsho - Awash 4/1: ~5 Melka Ghebdu - Debre Berhan 5/1: ~20 Debre Berhan - Jemma 7/1: Jemma - Addis | Race <i>simensis</i> |

| Nr | Common name | Scientific name | Date, number, site | Race, alternative common name & comments |
|-----|---------------------------------|--------------------------------|--|---|
| 280 | Blue Rock-Thrush | <i>Monticola solitarius</i> | 5/1: 1 male Jemma 7/1: 1 female Jemma | Race <i>solitarius</i> or <i>longirostris</i> |
| 281 | Rufous-tailed Rock-Thrush | <i>Monticola saxatilis</i> | 26/12: 1 Yabello area 27/12: 1 Melka Guda | Monotypic. A.k.a. Common Rock Thrush. |
| 282 | Little Rock-Thrush | <i>Monticola rufocinereus</i> | 4/1: 1 Melka Ghebdu - Debre Berhan | Race <i>rufocinereus</i> |
| 283 | Abyssinian Thrush | <i>Turdus abyssinicus</i> | 21/12: common Wondo Genet 22/12: common Wondo Genet 25/12: 2 Yabello Camp 29/12: ~50 Dinsho HQ 30/12: ~20 Dinsho HQ | Race <i>abyssinicus</i> . A.k.a. Mountain Thrush, Olive Thrush and Northern Olive Thrush. |
| 284 | African Thrush | <i>Turdus pelios</i> | 22/12: 2 Wondo Genet + 1 Lake Bojo (<i>pelios</i>) 23/12: 2 Lake Bojo (<i>pelios</i>) 24/12: 2 Lake Awassa (<i>pelios</i>) 27/12: 3 Bobela Forest (<i>centralis</i>) 7/1: Jemma Camp (<i>pelios</i>) | Race <i>pelios</i> and <i>centralis</i> |
| 285 | African Bare-eyed Thrush | <i>Turdus tephronotus</i> | 26/12: 1 Yabello - Bobela Forest | Monotypic. A.k.a. Bare-eyed Thrush. |
| 286 | Abyssinian Ground-Thrush | <i>Geokichla piaggiae</i> | 22/12: 1 Wondo Genet 30/12: 1 Dinsho HQ | Race <i>piaggiae</i> |
| 287 | Little Rush-Warbler | <i>Bradypterus baboecala</i> | 23/12: 1 (H) + seen Lake Awassa | Race <i>abyssinicus</i> |
| 288 | Cinnamon Bracken-Warbler | <i>Bradypterus cinnamomeus</i> | 7/1: 1 Jemma | Race <i>cinnamomeus</i> |
| 289 | African Yellow-Warbler | <i>Iduna natalensis</i> | 23/12: 2 Lake Bojo | Race <i>massaica</i> . A.k.a. Dark-capped Yellow Warbler. |
| 290 | Eastern Olivaceous Warbler | <i>Iduna pallida</i> | 3/1: 1 Afar Plain | Race <i>elaieca</i> |
| 291 | Green-backed Camaroptera | <i>Camaroptera brachyura</i> | 21/12: 2 Wondo Genet 22/12: ~10 Wondo Genet + 1 Lake Bojo 23/12: 2 Lake Bojo 26/12: ~10 Yabello area 2/1: 2 Awash 5/1: Jemma 6/1: ~5 Jemma 7/1: 2 Jemma | Race <i>abessinica</i> . This race is sometimes treated as a separate species Grey-backed Camaroptera. A.k.a. Bleating Warbler. |
| 292 | Gray Wren-Warbler | <i>Calamonastes simplex</i> | 26/12: 1 S Yabello | Monotypic |
| 293 | Northern Crombec | <i>Sylvietta brachyura</i> | 26/12: 2 S Yabello + 1 Arero 2/1: 3 Awash | Race <i>leucopsis</i> |

| Nr | Common name | Scientific name | Date, number, site | Race, alternative common name & comments |
|-----|---------------------------------|---------------------------------|---|--|
| 294 | Red-faced Crombec | <i>Sylvietta whytii</i> | 27/12: 1 Bobela Forest | Race <i>loringi</i> |
| 295 | Buff-bellied Warbler | <i>Phyllolais pulchella</i> | 23/12: 3 Lake Bojo | Monotypic |
| 296 | Willow Warbler | <i>Phylloscopus trochilus</i> | 6/1: 1 Jemma | Race <i>acredula</i> (?) |
| 297 | Common Chiffchaff | <i>Common Chiffchaff</i> | 22/12: ~5 Wondo Genet 25/12: ~10 Yabello Camp 26/12: ~20 Yabello area 27/12: very common Bobela Forest 28/12: very common Harenna 29/12: very common Harenna + Dinsho HQ 30/12: very common Dinsho HQ 4/1: ~5 Ankober area 5/1: ~20 Lomi River 6/1: ~30 Jemma 7/1: ~10 Jemma Camp | Race <i>abietinus</i> and <i>collybita</i> |
| 298 | Brown Woodland-Warbler | <i>Phylloscopus umbrovirens</i> | 30/12: 1 Dinsho HQ 31/12: 1 Dinsho HQ | Race <i>omoensis</i> |
| 299 | Blackcap | <i>Sylvia atricapilla</i> | 25/12: 1 Yabello - Soda 27/12: very common Bobela Forest | Race <i>dammholzi</i> or <i>atricapilla</i> |
| 300 | Garden Warbler | <i>Sylvia borin</i> | 22/12: 1 Wondo Genet | Race <i>borin</i> or <i>woodwardi</i> |
| 301 | Banded Warbler | <i>Parisoma boehmi</i> | 26/12: 1 S Yabello | Race <i>marsabit</i> . A.k.a. Banded Parisoma. |
| 302 | Brown Warbler | <i>Parisoma lugens</i> | 31/12: 3 Dinsho - Awash | Race <i>lugens</i> |
| 303 | Pectoral-patch Cisticola | <i>Cisticola brunnescens</i> | 27/12: ~5 Liben Plain 28/12: ~10 Liben Plain | Race <i>brunnescens</i> |
| 304 | Stout Cisticola | <i>Cisticola robustus</i> | 5/1: 1 Debre Berhan - Jemma | Race <i>robustus</i> |
| 305 | Foxy Cisticola | <i>Cisticola troglodytes</i> | 6/1: 1 Jemma 7/1: 1 Jemma | Race <i>ferrugineus</i> |
| 306 | Winding Cisticola | <i>Cisticola galactotes</i> | 30/12: ~20 Gaysay area | Race <i>lugubris</i> . This race is sometimes treated as a separate species Ethiopian Cisticola . |
| 307 | Rattling Cisticola | <i>Cisticola chiniana</i> | 26/12: 2 Yabello area | Race <i>fricki</i> |
| 308 | Boran Cisticola | <i>Cisticola bodessa</i> | 26/12: 1 Yabello area | Race <i>bodessa</i> |
| 309 | Ashy Cisticola | <i>Cisticola cinereolus</i> | 25/12: 3 Yabello - Soda (<i>schillingsi</i>) 2/1: 1 Awash (<i>cinereolus</i>) | Race <i>cinereolus</i> and <i>schillingsi</i> |

| Nr | Common name | Scientific name | Date, number, site | Race, alternative common name & comments |
|-----|------------------------------------|---------------------------------|---|--|
| 310 | Tawny-flanked Prinia | <i>Prinia subflava</i> | 22/12: 1 Lake Bojo 23/12: 2 Lake Bojo 29/12: 1 Dinsho HQ 4/1: 1 Melka Ghebdu 5/1: Jemma | Race <i>subflava</i> |
| 311 | Pale Prinia | <i>Prinia somalica</i> | 26/12: 1 S Yabello | Race <i>erlangeri</i> |
| 312 | Red-fronted Warbler | <i>Urorhipis rufifrons</i> | 1/1: 2 Bilen area | Race <i>smithi</i> |
| 313 | Yellow-breasted Apalis | <i>Apalis flavida</i> | 25/12: 2 Yabello - Soda 26/12: 6 Yabello area | Race <i>flavocincta</i> . This race is sometimes treated as a separate species Brown-tailed Apalis . |
| 314 | Abyssinian Slaty-Flycatcher | <i>Melaenornis chocolatinus</i> | 21/12: 1 Wondo Genet 22/12: ~5 Wondo Genet 28/12: 1 Harena (Katcha Camp) 29/12: Harena + Bale NP | Race <i>chocolatinus</i> |
| 315 | Northern Black-Flycatcher | <i>Melaenornis edolioides</i> | 23/12: 2 Lake Bojo (<i>lugubris</i>) 25/12: 2 Yabello Camp (<i>schistaceus</i>) 27/12: common Bobela Forest (<i>schistaceus</i>) | Race <i>lugubris</i> and <i>schistaceus</i> |
| 316 | Grayish Flycatcher | <i>Bradornis microrhynchus</i> | 25/12: 4 Yabello - Soda (<i>neumanni</i>) 26/12: 2 Yabello area (<i>neumanni</i>) 27/12: common Bobela Forest - Negele (<i>neumanni</i>) 3/1: 1 Awash - Melka Ghebdu (<i>pumilus</i>) 4/1: 1 Melka Ghebdu - Debre Berhan (<i>pumilus</i>) | Race <i>pumilus</i> (This race is sometimes treated as a separate species Ethiopian Grey Flycatcher) and <i>neumanni</i> . A.k.a. African Grey Flycatcher. |
| 317 | Dusky-brown Flycatcher | <i>Muscicapa adusta</i> | 22/12: 2 Wondo Genet + 2 Lake Bojo 23/12: ~10 Lake Bojo 28/12: 2 Harena (Katcha Camp) 29/12: ~20 Harena + Bale NP 30/12: ~10 Dinsho HQ | Race <i>minima</i> . A.k.a. African Dusky Flycatcher. |
| 318 | African Paradise-Flycatcher | <i>Terpsiphone viridis</i> | 22/12: 3 Wondo Genet 26/12: ~5 S Yabello 27/12: Bobela Forest + Bobela Forest - Negele 4/1: 1 Melka Ghebdu - Debre Berhan 5/1: 3 Lomi River 7/1: 3 Jemma Camp | Race <i>ferreti</i> |
| 319 | Pygmy Batis | <i>Batis perkeo</i> | 26/12: 5 Yabello area + 1 Yabello - Bobela Forest | Monotypic |

| Nr | Common name | Scientific name | Date, number, site | Race, alternative common name & comments |
|-----|------------------------------------|---------------------------------|--|--|
| 320 | Gray-headed Batis | <i>Batis orientalis</i> | 24/12: 1 close to Yabello 27/12: Bobela Forest - Negele 2/1: 2 Awash | Race <i>orientalis</i> |
| 321 | Black-headed Batis | <i>Batis minor</i> | 23/12: 1 male Lake Bojo 27/12: 2 Bobela Forest | Race <i>erlangeri</i> |
| 322 | African Hill Babbler | <i>Pseudoalcippe abyssinica</i> | 29/12: 1 Harena (Katcha Camp) | Race <i>abyssinica</i> |
| 323 | White-rumped Babbler | <i>Turdoides leucopygia</i> | 22/12: 2 groups Wondo Genet (<i>lacuum</i>) 24/12: 2 Lake Awassa (<i>lacuum</i>) 27/12: ~10 Bobela Forest + B Forest - Negele (<i>omoensis</i>) 2/1: Awash (<i>limbata</i>) | Race <i>limbata</i> , <i>omoensis</i> and <i>lacuum</i> |
| 324 | Rufous Chatterer | <i>Turdoides rubiginosa</i> | 25/12: ~5 Yabello - Soda 2/1: ~15 Awash 4/1: 3 Melka Ghebdu - Ankober area | Race <i>rubiginosa</i> |
| 325 | Abyssinian Catbird | <i>Parophasma galinieri</i> | 28/12: (H) Harena (Katcha Camp) 29/12: ~5 Harena + 3 Dinsho HQ 4/1: (H) Ankober area | Monotypic |
| 326 | Somali Tit | <i>Melaniparus thruppi</i> | 26/12: 4 S Yabello 27/12: 1 Bobela Forest - Negele | Race <i>barakae</i> . A.k.a. Acacia Tit and Northern Grey Tit. |
| 327 | White-backed Black-Tit | <i>Melaniparus leuconotus</i> | 29/12: ~5 Dinsho HQ 30/12: 3 Dinsho HQ | Monotypic |
| 328 | Spotted Creeper | <i>Salpornis spilonotus</i> | 22/12: 1 Wondo Genet | Race <i>erlangeri</i> |
| 329 | Mouse-colored Penduline-Tit | <i>Anthoscopus musculus</i> | 3/1: 1 Awash - Melka Ghebdu | Monotypic |
| 330 | Broad-ringed White-eye | <i>Zosterops poliogastrus</i> | 29/12: ~20 Harena + Dinsho HQ 30/12: ~10 Dinsho HQ | Race <i>poliogastrus</i> . A.k.a. Montane (Mountain) White-eye |
| 331 | White-breasted White-eye | <i>Zosterops abyssinicus</i> | 21/12: 2 Lake Ziway 22/12: ~20 Wondo Genet 5/1: ~5 Lomi River 6/1: 2 Lomi River | Race <i>abyssinicus</i> . A.k.a. Abyssinian White-eye. |
| 332 | Tacazze Sunbird | <i>Nectarinia tacazze</i> | 22/12: ~5 Wondo Genet 29/12: ~5 Harena + Bale NP | Race <i>tacazze</i> |
| 333 | Scarlet-chested Sunbird | <i>Chalcomitra senegalensis</i> | 22/12: 1 Wondo Genet 23/12: 4 Lake Awassa 5/1: 1 Lomi River 6/1: 3 Jemma | Race <i>cruentata</i> |
| 334 | Hunter's Sunbird | <i>Chalcomitra hunteri</i> | 26/12: 1 Yabello - Bobela Forest | Race <i>hunteri</i> |

| Nr | Common name | Scientific name | Date, number, site | Race, alternative common name & comments |
|-----|------------------------------------|------------------------------|---|---|
| 335 | Beautiful Sunbird | <i>Cinnyris pulchellus</i> | 21/12: 2 non-br males Lake Ziway 23/12: ~10 Lake Awassa 24/12: 2 Lake Awassa | Race <i>pulchellus</i> |
| 336 | Shining Sunbird | <i>Cinnyris habessinicus</i> | 25/12: 1 Yabello - Soda (<i>turkanae</i>) 31/12: 1 Garibaldi Pass (<i>habessinicus</i>) 1/1: 4 Bilen area (<i>habessinicus</i>) 3/1: 3 Awash - Melka Ghebdu (<i>habessinicus</i>) 4/1: ~10 Melka Ghebdu - Debre Berhan(<i>habessinicus</i>) | Race <i>habessinicus</i> and <i>turkanae</i> |
| 337 | Mariqua Sunbird | <i>Cinnyris mariquensis</i> | 26/12: 2 S Yabello | Race <i>osiris</i> . A.k.a. Marico Sunbird. |
| 338 | Kenya Violet-backed Sunbird | <i>Anthreptes orientalis</i> | 26/12: 2 S Yabello 28/12: 1 female Negele - Harenna | Monotypic |
| 339 | Variable Sunbird | <i>Cinnyris venustus</i> | 22/12: 4 Wondo Genet 26/12: 2 S Yabello | Race <i>fazoqlensis</i> |
| 340 | Collared Sunbird | <i>Hedydipna collaris</i> | 26/12: 1 Yabello - Bobela Forest 28/12: Negele - Harenna 29/12: 1 Harenna | Race <i>djamdamensis</i> |
| 341 | Nile Valley Sunbird | <i>Hedydipna metallica</i> | 1/1: ~10 Bilen area | Monotypic |
| 342 | Northern Fiscal | <i>Lanius humeralis</i> | 21/12: 1 Wondo Genet 27/12: 2 Bobela Forest + 1 Bobela Forest - Negele 29/12: Harenna - Dinsho 31/12: ~30 Dinsho - Awash 4/1: Melka Ghebdu - Debre Berhan 5/1: Debre Berhan - Jemma 6/1: ~10 Jemma 7/1: Jemma + Jemma - Addis | Race <i>humeralis</i> |
| 343 | Taita Fiscal | <i>Lanius dorsalis</i> | 25/12: 2 Yabello - Soda (+20 fiscal sp.) | Monotypic |
| 344 | Somali Fiscal | <i>Lanius somalicus</i> | 25/12: 4 Yabello - Soda (+20 fiscal sp.) 1/1: ~10 Ali Dege Plains | Monotypic |
| 345 | Gray-backed Fiscal | <i>Lanius excubitoroides</i> | 21/12: very common Addis - Wondo Genet 22/12: Wondo Genet - Lake Bojo + ~10 Lake Bojo 23/12: Lake Bojo | Race <i>intercedens</i> |
| 346 | Southern Gray Shrike | <i>Lanius meridionalis</i> | 1/1: ~10 Ali Dege Plains + Awash (both races) 2/1: Awash 3/1: Awash | Race <i>aucheri</i> and <i>pallidirostris</i> |

| Nr | Common name | Scientific name | Date, number, site | Race, alternative common name & comments |
|-----|--------------------------------|----------------------------------|---|---|
| 347 | Woodchat Shrike | <i>Lanius senator</i> | 1/1: 1 Awash 3/1: Awash | Race <i>niloticus</i> |
| 348 | Rufous-tailed Shrike | <i>Lanius isabellinus</i> | 2/1: ~5 Awash (<i>isabellinus</i> and <i>phoenicuroides</i>) 3/1: Awash 6/1: 1 Jemma (<i>isabellinus</i>) | Race <i>isabellinus</i> and <i>phoenicuroides</i> . These races are sometimes treated as separate species Daurian (Isabelline) Shrike and Turkestan Shrike. A.k.a. Isabelline Shrike. |
| 349 | Northern Puffback | <i>Dryoscopus gambensis</i> | 22/12: 2 Wondo Genet 26/12: 1 Bobela Forest 27/12: 4 Bobela Forest + 2 Bobela Forest - Negele 4/1: 1 Melka Ghebdu | Race <i>erythrae</i> |
| 350 | Pringle's Puffback | <i>Dryoscopus pringlii</i> | 26/12: 2 S Yabello | Monotypic |
| 351 | Tropical Boubou | <i>Laniarius aethiopicus</i> | 22/12: (H) Wondo Genet 23/12: 2 Lake Bojo 27/12: common Bobela Forest 29/12: (H) Harena 30/12: (H) Dinsho HQ 4/1: 1 Melka Ghebdu 5/1: (H) Lomi River 6/1: ~5 Jemma 7/1: Jemma | Race <i>aethiopicus</i> . A.k.a. Ethiopian Boubou. |
| 352 | Slate-colored Boubou | <i>Laniarius funebris</i> | 25/12: 2 Yabello - Soda 26/12: ~10 Yabello area 27/12: common Bobela Forest + Bobela Forest - Negele 4/1: 2 Melka Ghebdu | Race <i>funebris</i> |
| 353 | Black-crowned Tchagra | <i>Tchagra senegalus</i> | 2/1: 2 Awash 7/1: 1 Jemma | Race <i>habessinicus</i> |
| 354 | Rosy-patched Bushshrike | <i>Rhodophoneus cruentus</i> | 25/12: 2+2+2 Yabello - Soda 2/1: 3 Awash 3/1: 1 Awash | Race <i>hilgerti</i> |
| 355 | Sulphur-breasted Bushshrike | <i>Telophorus sulfureopectus</i> | 27/12: 1 Bobela Forest | Race <i>similis</i> . A.k.a. Orange-breasted Bush-Shrike. |

| Nr | Common name | Scientific name | Date, number, site | Race, alternative common name & comments |
|-----|-------------------------------|-----------------------------------|--|--|
| 356 | Brubru | <i>Nilaus afer</i> | 24/12: 2 close to Yabello 26/12: 2+2+2 Yabello area 27/12: 2 Bobela Forest - Negele 1/1: Bilen area 2/1: 1 Awash 3/1: 1 near Melka Ghebdu | Race <i>minor</i> |
| 357 | White-rumped Shrike | <i>Eurocephalus rueppelli</i> | 24/12: 1 close to Yabello 25/12: ~30 Yabello - Soda 26/12: ~5 Yabello area 28/12: ~3 Negele - Harena 2/1: Awash | Monotypic. A.k.a. Northern White-crowned Shrike. |
| 358 | White Helmetshrike | <i>Prionops plumatus</i> | 25/12: 8 Yabello Camp 26/12: 1 close to Yabello Camp | Race <i>vinaceigularis</i> |
| 359 | African Black-headed Oriole | <i>Oriolus larvatus</i> | 22/12: ~3 Lake Bojo 25/12: 2+1 close to Yabello Camp 26/12: 1 Bobela Forest | Race <i>rolleti</i> |
| 360 | Dark-headed Oriole | <i>Oriolus monacha</i> | 21/12: 1 Wondo Genet 22/12: ~10 Wondo Genet 28/12: 3 Harena (Katcha Camp) 29/12: ~10 Harena 30/12: Dinsho HQ | Race <i>meneliki</i> . A.k.a. Abyssinian Oriole. |
| 361 | Fork-tailed Drongo | <i>Dicrurus adsimilis</i> | Common throughout | Race <i>divaricatus</i> |
| 362 | Stresemann's Bush-Crow | <i>Zavattariornis stresemanni</i> | 24/12: ~10 close to Yabello 25/12: ~20 Yabello - Soda 26/12: ~5 Yabello area | Monotypic |
| 363 | Red-billed Cough | <i>Pyrrhocorax pyrrhocorax</i> | 30/12: ~15 mountains W Dinsho | Race <i>baileyi</i> |

| Nr | Common name | Scientific name | Date, number, site | Race, alternative common name & comments |
|-----|---------------------------|---------------------------------|--|--|
| 364 | Pied Crow | <i>Corvus albus</i> | 21/12: Addis 22/12: Wondo Genet - Lake Bojo + Lake Bojo 23/12: Lake Bojo + Lake Bojo - Lake Awassa 25/12: Yabello - Soda 30/12: Dinsho - Gaysay area 31/12: Dinsho - Awash 1/1: Ali Dege Plains - Awash 5/1: Debre Berhan - Jemma 6/1: Jemma 7/1: Jemma - Addis | Monotypic |
| 365 | Somali Crow | <i>Corvus edithae</i> | 25/12: ~50 Yabello - Soda 26/12: ~50 Yabello area | Monotypic |
| 366 | Cape Crow | <i>Corvus capensis</i> | 22/12: 2 Lake Bojo 23/12: Lake Bojo + Lake Bojo - Lake Awassa 30/12: Dinsho - Gaysay area 31/12: Dinsho - Awash 4/1: Melka Ghebdu - Debre Berhan 5/1: Debre Berhan - Jemma | Race <i>kordofanensis</i> |
| 367 | Fan-tailed Raven | <i>Corvus rhipidurus</i> | 22/12: ~50 Wondo Genet - Lake Bojo 26/12: ~10 Yabello - Bobela Forest 27/12: Bobela Forest 28/12: Negele - Harenna 2/1: Awash 3/1: Awash 4/1: Melka Ghebdu - Debre Berhan 5/1: Debre Berhan - Jemma 6/1: Jemma 7/1: Jemma + Jemma - Addis | Monotypic |
| 368 | Thick-billed Raven | <i>Corvus crassirostris</i> | 21/12: ~10 Lake Ziway - Wondo Genet 22/12: ~10 Wondo Genet + Wondo Genet - Lake Bojo 29/12: ~5 Bale NP + Dinsho HQ 30/12: Dinsho HQ 31/12: Dinsho - Awash | Monotypic |
| 369 | Red-billed Oxpecker | <i>Buphagus erythrorhynchus</i> | 29/12: 4 Harenna (Katcha Camp) 6/1: ~40 together Lomi River | Monotypic |

| Nr | Common name | Scientific name | Date, number, site | Race, alternative common name & comments |
|-----|------------------------------------|-----------------------------------|--|--|
| 370 | Golden-breasted Starling | <i>Lamprotornis regius</i> | 24/12: 1 close to Yabello 25/12: ~10 Yabello - Soda 26/12: ~10 Yabello area 27/12: ~20 Bobela Forest - Negele 1/1: 3 Ali Dege Plains | Monotypic |
| 371 | Red-winged Starling | <i>Onychognathus morio</i> | 5/1: ~5 Lomi River 7/1: 2 Sululta Plain | Race <i>rueppellii</i> |
| 372 | Slender-billed Starling | <i>Onychognathus tenuirostris</i> | 22/12: ~5 Wondo Genet 31/12: ~7 Gaysay area | Race <i>tenuirostris</i> |
| 373 | White-billed Starling | <i>Onychognathus albirostris</i> | 6/1: 2 Jemma | Monotypic |
| 374 | Lesser Blue-eared Glossy-Starling | <i>Lamprotornis chloropterus</i> | 5/1: 2+2+2 Jemma 6/1: Jemma 7/1: Jemma | Race <i>chloropterus</i> |
| 375 | Greater Blue-eared Glossy-Starling | <i>Lamprotornis chalybaeus</i> | Common throughout | Race <i>cyaniventris</i> |
| 376 | Rueppell's Glossy-Starling | <i>Lamprotornis purpuroptera</i> | 22/12: 2 Lake Bojo 23/12: 2 Lake Awassa 24/12: Lake Awassa + Lake Awassa - Yabello 27/12: Bobela Forest - Negele 28/12: Negele - Harena 2/1: ~10 Awash Camp 3/1: Awash 4/1: Melka Ghebdu - Debre Berhan | Race <i>purpuroptera</i> . A.k.a. Rueppell's Long-tailed Starling and Rueppell's Starling. |
| 377 | Superb Starling | <i>Lamprotornis superbus</i> | 21/12: common Lake Ziway - Wondo Genet 22/12: Wondo Genet - Lake Bojo 23/12: 1 Lake Bojo - Lake Awassa 24/12: Lake Awassa - Yabello 25/12: ~500 Yabello - Soda 26/12: very common Yabello area 27/12: Bobela Forest - Negele 28/12: Negele - Harena 1/1: ~10 Ali Dege Plains - Awash 2/1: Awash 3/1: Awash 4/1: Melka Ghebdu - Debre Berhan | Monotypic |

| Nr | Common name | Scientific name | Date, number, site | Race, alternative common name & comments |
|-----|--|-----------------------------------|--|--|
| 378 | Shelley's Starling | <i>Lamprotornis shelleyi</i> | 24/12: 1 close to Yabello 25/12: ~50 Yabello - Soda 26/12: ~10 Yabello area | Monotypic |
| 379 | Wattled Starling | <i>Creatophora cinerea</i> | 25/12: 2 Yabello - Soda | Monotypic |
| 380 | Violet-backed Starling | <i>Cinnyricinclus leucogaster</i> | 27/12: 2 Bobela Forest | Race <i>leucogaster</i> |
| 381 | Magpie Starling | <i>Speculipastor bicolor</i> | 25/12: ~10 Yabello - Soda | Monotypic |
| 382 | Sharpe's Starling | <i>Pholia sharpii</i> | 29/12: 2 Harena (Katcha Camp) | Monotypic |
| 383 | White-crowned Starling | <i>Spreo albicapillus</i> | 24/12: ~30 close to Yabello 25/12: ~100 Yabello - Soda 26/12: ~30 Yabello area 28/12: Negele - Harena | Race <i>horrensis</i> |
| 384 | Shelley's Rufous Sparrow | <i>Passer shelleyi</i> | 25/12: ~100 Yabello - Soda | Monotypic |
| 385 | Swainson's Sparrow | <i>Passer swainsonii</i> | Common throughout | Monotypic |
| 386 | Chestnut Sparrow | <i>Passer eminibey</i> | 25/12: 1 Yabello - Soda | Monotypic |
| 387 | Yellow-spotted Petronia | <i>Petronia pyrgita</i> | 26/12: 2 S Yabello | Race <i>pyrgita</i> |
| 388 | Bush Petronia | <i>Petronia dentata</i> | 3/1: ~5 Melka Ghebdu 4/1: Melka Ghebdu - Debre Berhan 5/1: very common Jemma 6/1: ~100 Jemma 7/1: Jemma Camp | Monotypic |
| 389 | White-browed Sparrow-Weaver | <i>Plocepasser mahali</i> | 21/12: Lake Ziway area 22/12: common Wondo Genet - Lake Bojo 23/12: ~50 Lake Bojo - Lake Awassa 25/12: common Yabello - Soda 1/1: ~5 Bilen area 2/1: Awash 3/1: Awash - Melka Ghebdu | Race <i>melanorhynchus</i> |
| 390 | Chestnut-crowned Sparrow-Weaver | <i>Plocepasser superciliosus</i> | 3/1: 1 Melka Ghebdu 4/1: 1 Melka Ghebdu - Debre Berhan | Monotypic |
| 391 | Speckle-fronted Weaver | <i>Sporopipes frontalis</i> | 5/1: 4 Jemma 6/1: Jemma 7/1: Jemma | Race <i>frontalis</i> |
| 392 | Gray-headed Social-Weaver | <i>Pseudonigrita arnaudi</i> | 25/12: ~200 Yabello - Soda 26/12: ~100 Yabello area | Race <i>arnaudi</i> |

| Nr | Common name | Scientific name | Date, number, site | Race, alternative common name & comments |
|-----|-----------------------------------|-------------------------------|---|--|
| 393 | Black-capped Social-Weaver | <i>Pseudonigrita cabanisi</i> | 26/12: ~30 Yabello - Bobela Forest 27/12: common Arero area | Monotypic |
| 394 | White-headed Buffalo-Weaver | <i>Dinemellia dinemelli</i> | 24/12: 1 close to Yabello 25/12: ~50 Yabello - Soda 26/12: ~20 Yabello area 27/12: common Bobela Forest - Negele 1/1: ~100 Ali Dege Plains + Bilen area + Awash 2/1: Awash 3/1: Awash - Melka Ghebdu | Race <i>dinemelli</i> |
| 395 | Red-billed Buffalo-Weaver | <i>Bubalornis niger</i> | 25/12: ~30 Yabello - Soda 2/1: Awash | Race <i>intermedius</i> |
| 396 | Village Weaver | <i>Ploceus cucullatus</i> | 22/12: singles Lake Bojo 24/12: ~50 Lake Awassa 6/1: ~20 Jemma | Race <i>abyssinicus</i> |
| 397 | Vitelline Masked-Weaver | <i>Ploceus vitellinus</i> | 25/12: 2 Yabello - Soda 1/1: 1 Bilen area 6/1: ~10 Jemma | Race <i>uluensis</i> |
| 398 | Northern Masked-Weaver | <i>Ploceus taeniopterus</i> | 25/12: 2 Yabello - Soda | Monotypic |
| 399 | Spectacled Weaver | <i>Ploceus ocularis</i> | 23/12: 1 Lake Bojo | Race <i>crocatus</i> |
| 400 | Rueppell's Weaver | <i>Ploceus galbula</i> | 1/1: ~5 Bilen area 3/1: ~20 Melka Ghebdu 4/1: ~20 Melka Ghebdu 6/1: ~2 Jemma | Monotypic |
| 401 | Little Weaver | <i>Ploceus luteolus</i> | 4/1: ~5 Melka Ghebdu | Monotypic |
| 402 | Baglafaecht Weaver | <i>Ploceus baglafaecht</i> | 21/12: ~5 Addis + Wondo Genet (<i>emini</i>) 22/12: ~5 Wondo Genet (<i>reichenowi</i>) 23/12: 1 Lake Bojo (<i>emini/reichenowi</i>) 30/12: 1 Dinsho HQ (<i>reichenowi</i>) 5/1: 2 Lomi River (<i>baglafaecht</i>) 6/1: ~10 Jemma (<i>baglafaecht</i>) 7/1: 2 Addis (<i>emini</i>) | Race <i>emini</i> , <i>reichenowi</i> and <i>baglafaecht</i> |
| 403 | Chestnut Weaver | <i>Ploceus rubiginosus</i> | 1/1: 1 Bilen area | Race <i>rubiginosus</i> |

| Nr | Common name | Scientific name | Date, number, site | Race, alternative common name & comments |
|-----|-------------------------------|---------------------------------|---|--|
| 404 | Red-billed Quelea | <i>Quelea quelea</i> | 22/12: ~50 Lake Bojo 23/12: Lake Bojo 1/1: ~50 Bilen area 2/1: Awash | Race <i>aethiopica</i> |
| 405 | Red-headed Weaver | <i>Anaplectes rubriceps</i> | 26/12: ~3 S Yabello 27/12: 4 Bobela Forest | Race <i>leuconotus</i> |
| 406 | Black-winged Bishop | <i>Euplectes hordeaceus</i> | 5/1: 1 Lomi River | Monotypic. A.k.a. Black-winged Red Bishop. |
| 407 | Orange Bishop | <i>Euplectes franciscanus</i> | 31/12: 1 female Garibaldi Pass | Monotypic. A.k.a. Northern Red Bishop. |
| 408 | Yellow Bishop | <i>Euplectes capensis</i> | 5/1: ~20 Debre Berhan - Jemma | Race <i>xanthomelas</i> |
| 409 | White-winged Widowbird | <i>Euplectes albonotatus</i> | 22/12: ~5 Lake Bojo | Race <i>eques</i> |
| 410 | Green-winged Pytilia | <i>Pytilia melba</i> | 27/12: 2 Bobela Forest - Negele 2/1: 1 Awash | Race <i>soudanensis</i> |
| 411 | Red-cheeked Cordonbleu | <i>Uraeginthus bengalus</i> | Common throughout | Race <i>bengalus</i> |
| 412 | Purple Grenadier | <i>Granatina ianthinogaster</i> | 26/12: 1 S Yabello + 1 Arero 2/1: 1 Awash | Monotypic |
| 413 | Red-billed Firefinch | <i>Lagonosticta senegala</i> | Common throughout | Race <i>brunneiceps</i> and <i>somaliensis</i> |
| 414 | Yellow-bellied Waxbill | <i>Coccyzygia quartinia</i> | 28/12: ~50 Harenna 29/12: ~20 Harenna + ~10 Dinsho HQ | Race <i>quartinia</i> . A.k.a. East African Sweet. |
| 415 | Common Waxbill | <i>Estrilda astrild</i> | 24/12: ~20 Lake Awassa | Race <i>peasei</i> |
| 416 | Crimson-rumped Waxbill | <i>Estrilda rhodopyga</i> | 4/1: ~50 Melka Ghebdu 5/1: ~30 Lomi River 6/1: ~10 Lomi River | Race <i>centralis</i> |
| 417 | African Silverbill | <i>Euodice cantans</i> | 31/12: 2 Lake Beseka 1/1: ~50 Bilen area 4/1: Melka Ghebdu 6/1: ~10 Lomi River | Race <i>orientalis</i> |
| 418 | African Quailfinch | <i>Ortygospiza fuscocrissa</i> | 31/12: 4 Dinsho - Awash | Race <i>fuscocrissa</i> |
| 419 | Bronze Mannikin | <i>Spermestes cucullatus</i> | 22/12: ~30 Wondo Genet 24/12: ~10 Lake Awassa 4/1: ~10 Melka Ghebdu | Race <i>scutatus</i> |

| Nr | Common name | Scientific name | Date, number, site | Race, alternative common name & comments |
|-----|--------------------------------|-------------------------------|---|---|
| 420 | Cut-throat | <i>Amadina fasciata</i> | 1/1: ~10 Bilen area 2/1: Awash 3/1: Awash 5/1: ~10 Jemma 6/1: ~10 Lomi River | Race <i>alexanderi</i> . A.k.a. Cut-throat Finch. |
| 421 | Eastern Paradise-Whydah | <i>Vidua paradisaea</i> | 31/12: 1 male Garibaldi Pass 1/1: 1 male Bilen area 2/1: 1 male Awash 3/1: 1 male Awash | Monotypic. A.k.a. Long-tailed Paradise Whydah. |
| 422 | Pin-tailed Whydah | <i>Vidua macroura</i> | 29/12: 1 male Harenna 4/1: 1 Melka Ghebdu - Debre Berhan 5/1: 1 male Lomi River 6/1: ~5 Jemma | Monotypic |
| 423 | Straw-tailed Whydah | <i>Vidua fischeri</i> | 2/1: 2 males Awash | Monotypic |
| 424 | Village Indigobird | <i>Vidua chalybeata</i> | 22/12: ~5 Lake Bojo 23/12: Lake Bojo 4/1: ~10 Melka Ghebdu - Debre Berhan 6/1: ~20 Jemma 7/1: Jemma | Race <i>ultramarina</i> |
| 425 | Yellow-fronted Canary | <i>Serinus mozambicus</i> | 5/1: 2 Lomi River 6/1: ~5 Lomi River | Race <i>gommaensis</i> |
| 426 | White-bellied Canary | <i>Serinus dorsostriatus</i> | 25/12: 2 Yabello - Soda 26/12: 2 S Yabello | Race <i>maculicollis</i> |
| 427 | Yellow-crowned Canary | <i>Serinus flavivertex</i> | 29/12: ~10 Harenna + ~10 Bale NP | Race <i>flavivertex</i> |
| 428 | African Citril | <i>Serinus citrinelloides</i> | 21/12: Lake Ziway + Wondo Genet 22/12: ~10 Wondo Genet + 3 Lake Bojo 25/12: 2 Yabello Camp 28/12: 2 Harenna | Race <i>citrinelloides</i> |
| 429 | Abyssinian Siskin | <i>Serinus nigriceps</i> | 29/12: ~1000 Harenna + Sanetti + Bale NP 30/12: ~500 Gaysay area 31/12: ~100 Dinsho - Adaba 4/1: Ankober area 5/1: ~50 Debre Berhan - Jemma | Monotypic. A.k.a. Ethiopian Siskin and Black-headed Siskin. |

| Nr | Common name | Scientific name | Date, number, site | Race, alternative common name & comments |
|-----|-------------------------------|-------------------------------|--|---|
| 430 | Reichenow's Seedeater | <i>Serinus reichenowi</i> | 22/12: ~10 Lake Bojo 23/12: Lake Bojo 24/12: ~30 close to Yabello 27/12: ~10 Bobela Forest | Monotypic |
| 431 | Yellow-rumped Serin | <i>Serinus xanthopygius</i> | 5/1: 2 Lomi River | Monotypic. A.k.a. White-throated Seedeater and Yellow-rumped Seedeater. |
| 432 | Yellow-throated Serin | <i>Serinus flavigula</i> | 3/1: ~5 Melka Ghebdu 4/1: ~10 Melka Ghebdu | Monotypic. A.k.a. Yellow-throated Seedeater. |
| 433 | Brown-rumped Seedeater | <i>Serinus tristriatus</i> | 21/12: 1 Addis 22/12: 1 Wondo Genet 29/12: 1 Dinsho HQ 4/1: common Melka Ghebdu - Debre Berhan 6/1: Jemma | Monotypic |
| 434 | Streaky Seedeater | <i>Serinus striolatus</i> | 22/12: 2 Wondo Genet 28/12: common Harena 29/12: common Harena + Bale NP 30/12: ~30 Gaysay area 4/1: common Melka Ghebdu - Debre Berhan 5/1: Lomi River 6/1: Jemma | Race <i>striolatus</i> |
| 435 | Ankober Serin | <i>Carduelis ankoberensis</i> | 4/1: ~10 Gemassa Gedel | Monotypic |
| 436 | Ortolan Bunting | <i>Emberiza hortulana</i> | 5/1: 1 Lomi River 6/1: 1 Lomi River | Monotypic |
| 437 | Cinnamon-breasted Bunting | <i>Emberiza tahapisi</i> | 5/1: 2 Jemma 6/1: ~5 Jemma | Race <i>tahapisi</i> |
| 438 | Striolated Bunting | <i>Emberiza striolata</i> | 31/12: 1 Lake Beseka | Race <i>striolata</i> |
| 439 | Somali Bunting | <i>Emberiza poliopleura</i> | 1/1: 1 Bilen area 2/1: ~10 Awash | Monotypic |

Species list (mammals and reptiles):

(Our notes on animals and reptiles are not complete. Some common species were seen in more sites but not always noted.)

| Nr | Common name | Scientific name | Number, site(s) and dates - list is not complete for the more common species |
|----|--|---|--|
| | Mammals | | |
| 1 | Guereza Colubus | <i>Colobos guereza</i> | Common in e.g. Wondo Genet 22/12 + Lake Awassa 23-24/12 |
| 2 | Sacred Baboon | <i>Papio hamadryas</i> | Awash - Bilen 1/1 + Awash - Melka Ghebdu 3/1 |
| 3 | Olive Baboon | <i>Papio anubis</i> | Common throughout, e.g. Wondo Genet 21/12 |
| 4 | Gelada | <i>Theropithecus gelada</i> | Ankober 4/1 + Debre Berhan - Jemma 5/1 + Jemma 6/1 |
| 5 | Grivet Monkey | <i>Cercopithecus aethiops</i> | Noted in the northern part of visited areas, e.g. Awash 31/12 |
| 6 | Vervet Monkey | <i>Cercopithecus pygerythrus</i> | Noted in the southern part of visited areas, e.g. Negele - Harenna 28/12 |
| 7 | Bat sp. | | 1 Jemma 5/5 |
| 8 | Ethiopian Hare | <i>Lepus fagani</i> | Several Awash 1-3/1 |
| 9 | Unstriped Ground Squirrel | <i>Xerus rutilus</i> | E.g. Yabello 26/12 |
| 10 | Giant Root-rat | <i>Tachyoryctes macrocephalus</i> | A few seen Sanetti 29/12 |
| 11 | Ethiopian Meadow Rat | <i>Stenocephalemys sp.</i> | Seen and heard whistling Sanetti 29/12 |
| 12 | Common (Golden) Jackal | <i>Canis aureus</i> | 1 Ali Dege Plains 1/1 |
| 13 | Black-backed Jackal | <i>Canis mesomelas schmidtii</i> | 1 Awash 1/1 |
| 14 | Ethiopian Wolf | <i>Canis simensis citernii</i> | 2 Sanetti 29/12 |
| 15 | Bat-eared Fox | <i>Otocyon megalotis virgatus</i> | 1 Awash 2/1 |
| 16 | Spotted Hyena | <i>Crocuta crocuta</i> | 1 Negele 28/12 |
| 17 | Ethiopian Rock Hyrax | <i>Procavia capensis habessinica</i> | E.g. Cape Eagle-Owl-site near Dinsho 30/12 + Gemassa Gedel 4/1 |
| 18 | Grevy's Zebra | <i>Equus grevyi</i> | 5 Ali Dege Plains 1/1 |
| 19 | Common Hippopotamus | <i>Hippopotamus amphibius amphibius</i> | 3 Lake Ziwai 21/12 |
| 20 | Common Warthog | <i>Phacochoerus africanus africanus</i> | Common throughout, especially in Bale NP 29-31/12 |
| 21 | Ethiopian Highlands (Menelik's) Bushbuck | <i>Tragelaphus meneliki</i> | A few Dinsho HQ 29/12 |
| 22 | Northern Lesser Kudu | <i>Tragelaphus imberbis</i> | 2 Awash 3/1 |
| 23 | Gedemsa (Mountain Nyala) | <i>Tragelaphus buxtoni</i> | Common in Bale NP 29-31/12 |
| 24 | Bush Duiker | <i>Sylvicapra grimmia (madoqua?)</i> | 3 Gaysay area, Bale NP 30/12 |
| 25 | Ethiopian Klipspringer | <i>Oreotragus saltatrixoides</i> | 2 Harenna - Sanetti 29/12 |
| 26 | Salt's Dik-dik | <i>Madoqua saltiana</i> | Several Awash 1-3/1 |

| Nr | Common name | Scientific name | Number, site(s) and dates - list is not complete for the more common species |
|----|----------------------------|------------------------------------|--|
| 27 | Guenther's Dik-dik | <i>Madoqua guentheri guentheri</i> | A few Yabello 26/12 + Yabello - Arero 26/12 + Arero - Negele 27/12 |
| 28 | Bohor Reedbuck | <i>Redunca bohor</i> | Common Bale NP 30-31/12 |
| 29 | Bright's Gazelle | <i>Nanger notatus</i> | 3 W Soda 25/12 |
| 30 | Soemmerring's Gazelle | <i>Nanger soemmerringii</i> | Common Ali Dege Plains 1/1 + Awash 1-3/1 |
| 31 | Beisa Oryx | <i>Oryx beisa</i> | Common Ali Dege Plains 1/1 + Awash 1-3/1 |
| | | | |
| | Reptiles | | |
| 1 | Nile Crocodile | <i>Crocodylus niloticus</i> | Several Awash 1-3/1 |
| 2 | Nile Monitor | <i>Varanus niloticus</i> | 1 Awash camping 2/1 |
| 3 | Leopard Tortoise | <i>Stigmochelys pardalis</i> | 2 big ones Bilen area 1/1 |
| 4 | Snake sp. | | 1 Dawa river 27/12 |
| 5 | Lizzard, Gecko, Agama etc. | | E.g. Hailie resort, Awassa 23/12 + Arero 26/12 |
| | | | |