


# Sabah, Borneo, March 03 – 10, 2015.



The colorful, endemic Golden-naped Barbet. A fairly common bird on Mt. Kinabalu.

**Participants:** Bengt Sjöman, John Sandve, Jan Wendebey, Karin Lundqvist, Thomas Carlson, Bengt Legnell/Orientbirding who also arranged the trip and wrote this report.

**Itinerary:** Jan, Karin and Bengt L spent 2 days in Kota Kinabalu ahead of the rest. 2 full days & one morning on Mt. Kinabalu, one afternoon & one morning at Sepilok Rain-Forest center, 2 full days & two halfdays on Kinabatangan River.  
(This is part of a trip report that also brought us to Java & Sumatra, covering the Greater Sunda Islands)



From left: Karin Lundqvist, Jan Wendebey, Alim, our excellent guide on Mt. Kinabalu who works as a supervisor for the NP there. John Sandve, Bengt Sjöman & Thomas Carlsson.

We first arranged to have a guide called Jason Reyes, or Horukuru, as our guide on the mountain. 2 days before we should meet, he raised the agreed price, then, w/o noticing us he didn't even show up!!! Brrrr!!

**Logistics:** On Kinabalu we stayed at Fairy Garden Resort, about 1 km outside the park-gate, a little over \$25/night for a twin-share and a fantastic view over the valley from the balcony. When needed, the park can arrange transport – even from the resort – to, f.ex., the “powerstation” by the end of the park road.

There are buss & taxi/minivan services from Kota Kinabalu to the Park, as well as from the park on to Sandakarn (close to Sepilok), the intersection to Sukau (lower Kinabatangan river) and on to Lahad Datu (starting point to Danum or Tabin)

In Sepilok we stayed at Sepilok B&B for a little over US\$25/night twin share. This place is only a few hundred meters from the famous boardwalk at the Rainforest discovery center.

Lower Kinabatangan River. Here we stayed – full board – at Robert Chong’s Jungle Camp. It is not cheap, 4 nights, 5 days, 7 boat trips (morning-lunch/rest-afternoon & one night trip) and one car-ride to Gomantong cave, good food, ok accommodations, good bird-guiding & a fun team there...a little over US\$500 each. Then he picked us up at the B&B in Sepilok and drove us to the airport in Sandakarn as well.

In all I think the trip cost about US\$8-900/person all included, except an Airasia flight from Sandakarn and back to Kota Kinabalu where we caught a direct flight to Jakarta a few hours later. The Sandakarn – Kotakinabalu flight was US\$35.



Another high altitude Borneo endemic; Chestnut-crested Yuhina. A not uncommon bird in small flocks.

**Highlights:** Mt Kinabalu. We had arranged for a minivan to pick us up at the Kota Kinabalu airport in the evening of March 03. After about a 2½ hour drive we arrived to our resort about 22.30...only to find the reception was closed for the night, in spite of having promised someone would be there...the night-guard who was supposed

to have given us our room keys had not shown up for work that night...!!! These are things that often happen when travelling in this region...it all worked out & the manager gave us a sumptuous 6 cores dinner and big bottles of beer, free of charge the following night as compensation!

Mt. Kinabalu has a very good network of trails. Some of the best are the one starting immediately to the left at the entrance-gate. I have had Whiteheads Broadbill & Spiderhunter a few times on this trail. The trails starting behind the Botanical Garden are also good. Bornean Forktail & Whiteheads Trogon are often found close to the stream that runs here. We saw Whiteheads Broadbill. The "corridor" of trees just B4 the entrance where the climbers start the walk to the top is also good. There is a small diesel powerstation here to pollute the sound-waves...but birding is good with a lot of fruiting trees that attracts Fruit-hunters, Black-eyes, White-eyes, Bornean Treepies, Flycatchers, Mountain Warblers, Thrushes etc. From the viewing platform above the entrance there sometimes is a possibility to see Kinabalu Serpant-eagle. Red-breasted & Crimson Partridges call every morning.


Just behind that "powerstation" starts a trail going all the way down to HQ. Good!



The Indigo Flycatcher is an endemic of Greater Sunda - Borneo, Java & Sumatra -



Black-sided Flowerpecker can only be seen on Borneo often higher up in the hills.



One of the high-lights during the visit to Mt.Kinabalu was our encounter with Whiteheads Broadbill, well, there were at least 3 or maybe 4 of these endemic north Borneo specialties!




There are a few "splits" on Borneo as well. This one is split from Spectacled Laughing-Thrush of Mainland Malaysia. The one on Borneo is called Chestnut-hooded...it has a broken eye-ring, so not "spectacled"

Other observations during our visit to this spectacular mountain (over 4000m) and the beautiful forest beneath includes; **Red-breasted**(heard only)& **Crimson-headed Partridge** **Checker-throated & Maroon Woodpecker**, **Golden-naped Barbet**, **Bornean Whistler**, **Bornean Tree-pie**, **Common & Bornean Green Magpie** (in the same flock of Green-pies, not uncommon when not breeding, according to our knowledgeable guide. They look quite

different. Common is longtailed with black & white markings on outer tail, Bornean, or Short-tailed, has short all green tail), **Black-sided Flowerpecker**, **Whiteheads Spiderhunter**, **Paleheaded Bulbul**, **Bornean Stubtail** (often heard), **Mountain Wren-Babbler** (often heard, we saw 2), **Bornean Forktail** (split from Whitecrowned), **Bornean Whistling Thrush and Fruithunter**.

In all we saw about 20 Borneo endemics as well as another 5 Greater Sunda endemics during our visit to the mountain. Not bad. We dipped Whiteheads Trogon that we had hoped to see, as well as Everett's Thrush that we had not expected to see, but got the Fruithunter instead, that we had not expected to see...had we stayed a couple of more days I am quite sure we had found them as well....



**Brown-throated Sunbird.**



**Olive-backed Sunbird, common in all of SEA.**

Sepilok; We only spent one afternoon on the board-walk and one morning on the trails beneath, before Robert came to pick us up for further transport to his lodge.

It is a bit of a gamble to visit the Rainforest discovery center. When there are many fruiting trees around, well, then birding can be fantastic here, walking on the board-walk with the tree-tops all around you. There are Broadbills and Trogons sitting around you. Rhinoceros Hornbills (or if you are lucky, Helmeted) fly in to feed. Flycatchers, Sunbirds, Babblers, Dwarf Kingfishers...you name it...and the star itself often show up then; Bornean Bristlehead. Sometimes Orangutans come by from the nearby rehabilitation center.

If you have time, it is a good place to stay for a few days and explore the trail-system beyond the center itself. I never tried it, but heard it can be great.


Well, during our visit, it did not seem to be many fruiting trees around and the tour-leader (me) could hardly walk due to a nasty fall on Mt. Kinabalu 2 days earlier and had to stay behind. Bird-wise the visit was not so fruitful, but the stunning forest here, with all these huge, mature lowland rainforest trees, makes up for it all!

Some of the birds the group saw at Sepilok included; **Raffles's & Chestnut-breasted Malkhoa**, **Moustached Hawk-Cuckoo**, **Bushy-crested Hornbill**, **Rufus Piculet**, **Buff-necked**, **Grey & Buff**, **White-bellied & Orange-backed Woodpecker**, **Blue-crowned Hanging Parrot**, **Black-headed Pitta** (endemic, unfortunately only heard well), **Black Magpie & Little Spiderhunter**,

Lower Kinabatangan River. Roberts Jungelcamp is by the river about 15 km west of



Sukau. When we had lunch there on the day we arrived, a Storm's Stork suddenly came flying and landed in the garden of the lodge. Robert explained that he had rescued the bird from some local people a few years ago. When the bird regained the ability to fly it took off, but it often came back after breeding season. This day was the first time he'd seen it for a very long time. The following days the bird brought one or even two of its friends to the garden.



This 12-15 year old male Orangutan sat quietly feeding on some leaves when we saw him by the river side. It was the only one we encountered during our visit.



The Swedish name for Oriental Darter is "Ormhals Fågel" – Snake-necked Bird -. It looked a bit odd to see them swimming close to the boat with only the head and half of the neck sticking up above water.

During our stay at Robert's Jungelcamp we made one morning cruise and another in the afternoon in 2 of his motorized canoes. Lunch and afternoon personal time in-between.

It is a very special feeling to sit quietly in one of those boats, engine off, and just effortlessly glide with the current along one of the narrow river-tributaries. The thick, green jungle, just a couple of meters away on both sides, slowly pass by and only sounds of birds like the Black-and-red Broadbill calling or the beautiful, melodic song of a White-crowned Shama can be heard. Time stands still. It could be 2015 AD...or it could be 2015 BC...



There were not a whole lot of Hornbills along the river this time. We saw 5 of 8 species. This is a Wrinkled Hornbill.



One of the 3 Storm's Storks that paid a daily visit to Robert's garden. Robert knew not how to tell their sex – maybe stronger bill-coloration on the male?



Stork-billed Kingfisher

Some of the target birds we hoped to see were; **Large Frogmouth**. We saw one and heard another. **Bornean Ground Cuckoo**. In spite of hard work, we only managed to hear 2, not far from us, that were calling simultaneously – only the boats-man, who was standing up in the boat got a brief ½ second view of one as it popped up it's head above the river-wall. We also tried to get in touch with Giant Pitta w/o success...it suddenly had showed up some time previous to our visit...

Gomantong caves is a very interesting place to visit. There the visitor get a chance to compare the nest structure of different Nest-swiftlets – almost the only way to separate them. **Edible** only use saliva when building their nests, **Black** mix in some down and feathers, **Mossy's** nests is unusable to make nest-soup as it use a lot of moss etc. Inside the cave local people have put up high, extremely dangerous-looking, bamboo structures they climb to harvest the Swift-nests. They say the nests are higher valued than gold per weight!

At dusk the resident – they have built their nest close to the cave – **Bathawks** put up a grand air-show when the Swifts return to the cave at the same time as the Bats – mostly Wrinkled-lipped – venture out to feed during the night. The Bathawk eat their prey in the air, much like the European Hobby does when it hunts for Dragonflies.

The 3-4 km road leading to Gomantong Caves often produce a good amount of birds, mammals like Orangutans as well. The trail from HQ and in to the Cave is good birding as well.



There are many narrow tributaries to Kinabatangan and the forest is only kept in thin "corridors" along the river – sometimes only as hundred meters wide – The rest is now palm-oil plantations. Before the British left in the 1950:s they logged forests, ½ the size of Holland, along the river - it was easy to ship the timber to nearby Sandakan-forcing all surviving wildlife into this tiny "corridor".



Red & Black Broadbill build these amazing nests. They look like a lump of dried leaves at the end of a long, sometimes 1-2 m, extremely thin vine that hangs vertically from a tree-branch, often over water... We saw a lot of them along Kinabatangan.

Both photos by John Sandve



Orangutans can't swim and it is impossible for them to cross this big river. Therefore, two populations are present. One on the south side & one on the north side of Kinabatangan. Scientists claim that genetically these two populations have been separated for 1000:s of years. Now rangers try to connect populations by fastening wires, so they can cross the narrow tributaries. They don't like to venture out into the palmoil plantations but want to stay put in the rainforest!



Guess why this family of birds are called Broadbills?! There are 11 different species in Asia. This is a Black & Yellow Broadbill.

Birding along Kinabatangan River is great...just sitting in a boat, following the current or slowly let the electrical engine silently propel the boat forward, just taking in all the sounds and sights along the river...

Some of the birds we recorded during our visit were; **Large Green Pigeon, Lesser Adjutant Storm's Stork, Bat Hawk, Besra, Lesser & Grey-headed Fish-Eagle, Jerdon's Baza, Wallace's Hawk-Eagle, Bay Owl, Brown Wood-Owl, Buffy Fish-Owl, Slaty & White-bellied Woodpecker, Oriental Dwarf Kingfisher, White-fronted (Bornean) Falconet, Black-headed Pitta, Scarlet, Diard's & Red-naped Trogon (heard only), Black & Red, Black & Yellow & Banded Broadbill, Maroon-breasted Philentoma, White-crowned Shama, Bornean Ground-Cuckoo (heard only), Large Frogmouth, Bornean & Malaysian Blue Flycatcher.** Not bad for a two day visit.



Oriental Bay Owl. Photo: John Sandve




There were quite a few Proboscis Monkeys this year.

Included in the list of birds below are some observations done by Jan, Karin & Bengt L in or around Kota Kinabalu, most noteworthy are 2 Oriental Plovers (very rare) together with a flock of about 50-60 Pacific Golden Plovers at Likas Wetlands, a few km north of city-center as well as 2 Christmas Island Frigatebirds just outside the city.

If you have any questions or want more information about Borneo, fell free to contact me at

[kontakt@orientbirding.com](mailto:kontakt@orientbirding.com)




## Bird List.

**KK** = Kota Kinabalu  
**Mt.K** = Mt. Kinabalu  
**Sep** = Sepilok  
**Kin** = Kinabatangan

**E** = Endemic to the Island (Borneo)  
**e** = Endemic to Greater Sunda (Borneo, Java & Sumatra.)

**X** = Seen(Number)  
**H** = Heard only

	KK.	Mt.K	Sep	Kin
<b>DUCKS:</b>				
Wandering Whistling Teal.....	X			
<b>PARTRIDGES:</b>				
Red-breasted Partridge.....		H		
Chestnut-necked Partridge.....			H	
Crimson-headed Partridge.....	X			
<b>DOVES &amp; PIGEONS:</b>				
Rock Dove.....	X	X	X	X
Spot-necked Dove.....	X	X	X	X
Little Cuckoo Dove.....	X	X		
Zebra Dove.....	X		X	
Little Green Pigeon.....		X		X
Pink-necked Pigeon.....	X		X	
Large Green Pigeon.....				X2
Emerald Dove.....		X		X
Green Imperial Pigeon.....		X		X
Grey Imperial Pigeon <b>e</b> .....	X			
Mountain Imperial Pigeon.....	X			
<b>FROGMOUTHS &amp; NIGHTJARS:</b>				
Large Frogmouth.....				X2
Large-tailed Nightjar.....	H		H	
<b>SWIFTS ETC:</b>				
Grey-rumped Treeswift.....				X
Whiskered Treeswift.....				X



I think this beast must have been 4-5 meters long, that is about 700 - 1000kg of muscle and power!  
 It was laying on a sandbank as our canoe passed by...did hardly care we got up close – maybe he was hoping we would get even closer, like, checking his teeth! –  
**Saltwater or Estuarine Crocodile.**



Name	KK	Mt.K	Sep	Kin
Silver-rumped Needletail.....			X	
Glossy Swiftlet.....	X	X	X	X
Black-nest Swiftlet.....				X
Himalayan Swiftlet.....		X		
Edible-nest Swiftlet.....	X		X	X
Mossy.nest Swiftlet.....				X
House Swift.....	X		X	

**CUCKOOS:**

Bornean Ground Cuckoo <b>E</b> .....				H2
Greater Coucal.....	X	X	X	X
Lesser Coucal.....				X
Raffle's Malkoha.....			X	X
Chestnut-breasted Malhoha.....			X	X
Chestnut-winged Cuckoo.....				X
Violet Cuckoo.....				X
Banded Bay Cuckoo.....				X
Plaintive Cuckoo.....			X	H
Drongo Cuckoo.....				X
Large Hawk Cuckoo.....		X		
Mustached Cuckoo.....			X	X
Indian Cuckoo.....			H	H
Oriental Cuckoo.....			H	

**CRAKES, HERONS, EGRETS & STORKS:**

White-breasted Waterhen.....	X		X	X
Lesser Adjutant.....				X4
Storm's Stork.....				X5
Yellow Bittern.....				X
Striated Heron.....	X			
Black-crowned Night-Heron.....				X
Cattle Heron.....	X	X	X	X
Grey Heron.....	X			
Purple Heron.....				X
Great Egret.....	X			X
Intermediate Egret.....	X		X	X
Little Egret.....	X		X	X

**SHOREBIRDS, WADERS:**

Christmas Island Frigate bird.....	X2			
Oriental Darter.....	X			X
Pacific Golden Plover.....	X			
Oriental Plover.....	X2			
Common Sandpiper.....	X		X	X
Whiskered Tern.....	X			X
Greater Crested Tern.....	X			
Brown-headed Gull.....	X			

**RAPTORS:**

Jerdon's Baza.....				X
Bat Hawk.....				X
Wallace's Hawk-Eagle.....				X
Crested Gooshawk.....				X
Besra.....				X
White-bellied Sea-Eagle.....	X			X
Lesser Fish-Eagle.....				X
Grey-headed Fish-Eagle.....				X
Osprey.....	X			
Peregrine Falcon.....	X			X
White-fronted Falconet <b>E</b> .....				X

**OWLS:**

Oriental Bay Owl.....				X
Brown Bobook.....				X
Brown Wood Owl.....				X
Buffy Fish Owl.....				X

**TROGONS:**

Scarlet-rumped Trogon.....				X
Diard's Trogon.....				X
Red-naped Trogon.....				X



This Crested Serpent Eagle was sitting in Robert's garden one day.



Pied Hornbills corting.



Female Malaysian Blue Flycatcher

**HORNBILLS:**

Rhinoceros Hornbill.....	X		
Oriental Pied Hornbill.....	X	X	X
Black Hornbill.....			X
Bushy-crested Hornbill.....	X		X
Wrinkled Hornbill.....			X

**WOODPECKERS:**

Rufus Piculet.....	X		
Grey & Buff Woodpecker.....	X		
Buff-necked Woodpecker.....	X		
Checker-throated Woodpecker.....	X		
Great Slaty Woodpecker.....		H	
White-bellied Woodpecker.....	X		X
Maroon Woodpecker.....	X		X
Orange-backed Woodpecker.....	X		

**BARBETS:**

Gold-whiskered Barbet.....	H		
Mountain Barbet <b>E</b> .....		H	
Golden-naped Barbet <b>E</b> .....	X		

**BEE-EATERS, DOLLARBIRDS & KINGFISHERS:**

Blue-throated Bee-eater.....			X
Rufus-backed Kingfisher.....	X		X
Blue-eared Kingfisher.....			X
Common Kingfisher.....	X		X
Stork-billed Kingfisher.....			X
Black-capped Kingfisher.....	X		X
Collared Kingfisher.....	X		X

**PARROTS:**

Blue-naped Parrot.....	X		
Long-tailed Parakeet.....	X		X
Blue-crowned Hanging Parrot.....	X		

**PITTAS:**

Black-headed Pitta <b>E</b> .....		H	X
-----------------------------------	--	---	---

**BROADBILLS:**

Black & Red Broadbill.....			X
Banded Broadbill.....			X
Black & Yellow Broadbill.....		H	X
Whitehead's Broadbill <b>E</b> .....	X		

**MINIVETS & TRILLERS:**

Grey-chinned Minivet.....		X	
Pied Triller.....	X		
Bornean Whistler <b>E</b> .....		X	
White-browed Shrike-Babbler.....	X		

**ORIOLES, WOODSWALLOWS & FLYCATCHERSHRIKES:**

Dark-throated Oriole.....	X		X
White-breasted Woodswallow.....	X	X	X
Black-winged Flycatcher-Shrike.....			X

**PHILENTOMAS & IORAS:**

Maroon-breasted Philentoma.....			X
Green Iora.....			X
Common Iora.....	X		X

**DRONGOS:**

Ashy Drongo.....	X		X
Crow-billed Drongo.....			X
Hair-crested Drongo.....	X		
Greater Racket-tailed Drongo.....			X

**FANTAILS:**

Pied Fantail.....	X		X
White-throated Fantail.....	X		X

**SHRIKES, MAGPIES & CROWS:**

Long-tailed Shrike.....			X
Black Magpie.....			X
Common Green Magpie.....	X		
Bornean Green Magpie <b>E</b> .....		X	
Slender-billed Crow.....	X		X



No one really knows the origin of the Bornean Pygmy Elephant. Some say an Indonesian Sultan introduced them about 400 years ago, others claim they have been on Borneo for many 1000 years.



Endemic Pale-faced Bulbul. A fairly common bird on a little higher altitude in the northern part of Borneo.



Common Kingfisher

KK. Mt.K SEP KIN

**FLOWERPECKERS:**

Orangebellied Flowerpecker.....X  
 Black-sided Flowerpecker **E**.....X

**SPIDERHUNTERS & SUNBIRDS:**

Little Spiderhunter.....X  
 Whitehead's Spiderhunter **E**.....H  
 Bornean Spiderhunter *everetti* **E** On the road to Sepilok.  
 Ruby-cheeked Sunbird.....X  
 Brown-throated Sunbird.....X  
 Van Hasselt's Sunbird.....X  
 Olive-backed Sunbird.....X X  
 Temminck's Sunbird.....X  
 Crimson Sunbird.....X

**LEAFBIRDS:**

Greater Green Leafbird.....X X  
 Lesser Green Leafbird.....X

**MUNIAS & SPARROWS:**

Dusky Munia (**E**).....X X X  
 Scaly-breasted Munia.....X  
 Black-headed Munia.....X X  
 Euro-Asian Tree Sparrow.....X X X

**WAGTAILS:**

Grey Wagtail.....X  
 White Wagtail.....X

**PRINIAS, TAILORBIRDS & GRASSBIRDS.**

Yellow-bellied Prinia.....X X  
 Rufus-tailed Tailorbird.....X X X  
 Darknecked Tailorbird.....X  
 Ashy Tailorbird.....X X X  
 Striated Grassbird.....X

**SWALLOWS:**

Pacific Swallow.....X X X X  
 Barn Swallow.....X X X X

**BULBYS:**

Ocharaceous Bulbul.....X  
 Yellow-bellied Bulbul.....X  
 Yellow-vented Bulbul.....X X  
 Pale-faced Bulbul **E**.....X  
 Olive-winged Bulbul.....X X  
 Cream-vented Bulbul.....X  
 Red-eyed Bulbul.....X X  
 Puff-backed Bulbul.....X

**WARBLERS ETC:**


Mountain Leaf-warbler.....X  
 Bornean Stubtail **E**.....X  
 White-browed Short-wing.....X  
 Yellow-bellied Warbler.....X  
 Mountain Tailorbird.....X  
 Sunda Bush-warbler.....X  
 Chestnut-crested Yuhina **E**.....X  
 Black-capped White-eye **e**.....X  
 Mountain Black-eye **E**.....X

**BABLERS:**

Black-throated Babbler.....X  
 Grey-throated Babbler.....X X  
 Bold-striped Tit.babbler.....X X  
 Chestnut-winged Babbler.....X X  
 Soothy-capped Babbler.....H H  
 Scaly-crowned Babbler.....H X  
 Black-capped Babbler.....H  
 Ferruginous Babbler.....X  
 White.chested Babbler.....H X  
 Temminck's Babbler.....X  
 Mountain Wren-Babbler **E**.....X  
 Pygmy Wren-Babbler.....X



Blue-eared Kingfisher




Little Pied Flycatcher



White-fronted Falconet.

	KK.	Mt.K	SEP	KIN
<b>LAUGHING-THRUSHES:</b>				
Sunda Laughing-Thrush <b>e</b> .....		X		
Chestnut-hooded Laughing-thrush <b>E</b> .....		X		
Bare-headed Laughing-thrush <b>E</b> .....		X		
<b>NUTHATCHES:</b>				
Velvet-fronted Nuthatch.....		X		
<b>MYNAS &amp; STARLINGS:</b>				
Javan Myna.....			X	X
Crested Myna.....	X		X	X
Hill Myna.....			X	X
Asian Glossy Starling.....	X		X	X
<b>SHAMAS:</b>				
Magpie Robin.....	X		X	
White crowned Shama <b>E</b> .....				X
<b>MONARCHS &amp; FLYCATCHERS:</b>				
Black-naped Monarch.....			X	X
Grey-headed Canary-flycatcher.....		X		
Asian Brown Flycatcher.....		X	X	
Hill Blue Flycatcher.....		H		
Bornean Blue Flycatcher <b>E</b> .....				X
Malaysian Blue Flycatcher.....				X
Mangrove Blue Flycatcher.....		2 on islands outside KK		
Blue & White Flycatcher.....		X		
Indigo Flycatcher <b>e</b> .....		X		
Little Pied Flycatcher.....		X		
Mugamaki Flycatcher.....		X		
Rufus-chested Flycatcher.....		X		
<b>FORKTAILS:</b>				
Bornean Forktail.....		X		
<b>THRUSHES &amp; FRUITHUNTERS:</b>				
Bornean Blue Whistling Thrush <b>E</b> .....		X		
Eye-browed Thrush.....		X		
Fruithunter <b>E</b> .....		X		



**Black & Red Broadbill on nest**

### LIST OF MAMMALS:

Plaintain Squirrel  
 Prevost Squirrel  
 Long-tailed Macaque  
 Pig-tailed Macaque

Orangutan  
 Proboscises Monkey  
 Small-toothed Palm Civet  
 Malay Civet

Bearded Pig  
 Sunda Flying Lemur  
 Bornean Pygmy Elephant  
 Bornean Gibbon

**For more information, contact Bengt Legnell at  
 kontakt@orientbirding.com**