

Sri Lanka

30 januari - 16 februari 2016



Från top:
Sri Lanka Magpie (E). Sinharaja.
Ashy-headed Laughingthrush(E). Sinharaja
Serendib Scops-owl (E). Kithulgala
Sri Lanka Frogmouth. Sinharaja

Deltagare

Björn Christensson, Nacka
Hans Elleby, Stockholm
Magnus Fehrm, Solna
Börje Gustafsson, Svärdsjö
Stig Holmstedt, Gysinge, arrangör och reseledare
Lars Imby, Stockholm
Ola Jörnstedt, Stockholm
Henrik Waldenström, Skanör

Guide: Dulan Vidanapathirana

Chaufför: Ainte

Chaufförens medhjälpare: Terren

Rapporten. Text Stig holmstedt. Bilder och layout Björn Christensson.



Överst från vänster: Hans Elleby, Magnus Fehrm, Stig Holmstedt, Ola Jörnstedt, Lars Imby, Dulan Vidanapathirana, Börje Gustafsson och Henrik Waldenström. Peradenyia Votanical Gardens.

Nedre bild: Stor rymlig buss som användes under hela resan

Itinerary in English

- 30/1 Departure from Arlanda 09.20 with Qatar Airways, arrival in Doha 17.05, departure from Doha 22.40 with Srilankan Airlines.
- 31/1 Arrival in Colombo 05.50, transfer to Kandy (3hrs), afternoon birding at Peradeniya Botanical Gardens, overnight Kandy (1-night)
- 1/2 Morning birding at Udawattekele Reserve, followed by transfer to Nuwara Eliya (2hrs), overnight Nuwara Eliya (2-nights)
- 2/2 Early morning birding in Horton Plains National Park, afternoon birding around Nuwara Eliya, overnight Nuwara Eliya
- 3/2 Transfer to Kithulgala (2hrs), afternoon birding within Kelani Valley Forest Reserve, overnight Kithulgala (2-nights)
- 4/2 Full day birding at Kithulgala & Kelani Valley Forest Reserve, overnight Kithulgala
- 5/2 Morning transfer to Sinharaja (4.5hrs), afternoon birding within Sinharaja Rainforest Reserve, overnight Sinharaja (3-nights)
- 6/2 Full day birding within Sinharaja Rainforest Reserve, overnight Sinharaja
- 7/2 Full day birding within Sinharaja Rainforest Reserve, overnight Sinharaja
- 8/2 Morning transfer to Udawalawe National Park (4hrs), followed by afternoon birding/game drive within the reserve, overnight Udawalawe (1-night)
- 9/2 Morning birding/game drive at Udawalawe, followed by drive to Tissa (2hrs), afternoon birding in wetlands around Tissa, overnight Tissa.
- 10/2 Full day game drive in Yala National Park, overnight Tissa
- 11/2 Full day birding/game safari in Bundala National Park, overnight Tissa
- 12/2 Morning birding around Tissa, afternoon transfer to Mirissa (3hrs), overnight Mirissa (3-nights)
- 13/2 Morning whale-watching pelagic excursion, afternoon birding locally, overnight Mirissa
- 14/2 Morning whale-watching pelagic excursion, afternoon birding locally, overnight Mirissa.
- 15/2 Transfer to Colombo (3hrs). Departure from Colombo 18.50 with Srilankan Airlines, arrival in Doha 21.25.
- 16/2 Departure from Doha 02.40, arrival at Arlanda 07.05.



Dagbok

31/1

Efter att ha mötts av vår guide Dulan Vidanapathirana på flygplatsen i Colombo tidigt på morgonen åkte vi direkt upp till Kandy i det centrala bergsmassivet på ön. Staden är Sri Lankas näst största och har många historiska anor, De som höll sig vakna i bussen såg bl.a. *White-breasted Waterhen*, *Asian Openbill*, *Black-headed Ibis*, *Purple Heron*, *Cattle Egret* och *Common Kingfisher* längs vägen. Vårt fina hotel låg nära den centrala sjön i Kandy och här fanns en hel del vattenfågel – *Black-crowned Night-heron*, *Indian Pond-heron*, *Great White Egret*, *Little Egret* samt en *Spot-billed Pelican*. Alla tre i landet förekommande skarvar – *Little*, *Great* och *Indian Cormorant* – verkade häcka här. Även tre *Brahminy Kites* samt en *White-bellied Sea-eagle* noterades.



Juvenile Black-crowned Night Heron. Kandy.

Före lunch skådade vi i ett höglänt område, präglat av te-odlingar några kilometer utanför staden. Här såg vi bl a *Crested Serpent-eagle*, *Black Eagle*, *Shikra*, *Asian Palm-swift*, *Plum-headed Parakeet* (med bo), *Sri Lanka Swallow*, *Small* och *Orange Minivet*, *Jerdon's Leafbird*, *Indian Robin*, *White-breasted Fantail*, *Brown Shrike*, *Great Tit*, *Oriental White-eye*, *White-bellied Drongo*, *Southern Hill Myna*, *Scaly-breasted* och *White-rumped Munia*.



Plum-headed Parakeet vid bo

På eftermiddagen gjorde vi en mycket givande vandring i Peradeniya Botanical Gardens. De bästa arterna här var *Banded Bay Cuckoo*, *Common Hawk-cuckoo*, *Sri Lanka*, *Brown-headed* och *Yellow-fronted Barbet*, *Sri Lanka Hanging-parrot*, *Alexandrine Parakeet*, *Indian Pitta* (tre ex – två av dem sedda öppet och mycket bra!), *Forest Wagtail*, *Brown-breasted* och *Tickell's Blueflycatcher* samt *Purple-rumped* och *Loten's Sunbird*.



Indian Pitta sedd helt öppet

1/2


Vi startade en god stund före gryningen med avsikt att börja med att lyssna efter ugglor i Udawattekele Reserve, ett fint skogsområde ett stycke upp på kullarna ovanför Kandy, skyddat ända sedan 1700-talet! Alla hörde här en ganska flitigt hoande *Brown Wood-owl* och några även en *Spotted Eagle-owl* på avstånd. När det ljusnat fick vi också syn på en *Brown Fish-owl* som satt öppet på en gren vid den lilla sjön i området. Av andra fåglar hittade vi *Indian Swiftlet*, *Greater Sri Lanka Flameback*, *White-rumped Shama*, *Grey-headed Canary-flycatcher* och *Asian Paradise-flycatcher* samt *Brown-capped Babbler*.



Brown Fish-owl. Udawattekele Reserve

Efter lunch på hotellet, där några hörde *Sri Lanka Woodpigeon*, lämnade vi Kandy och körde söderut mot den lilla staden Nuwara Eliya. I den ganska kuperade terrängen längs vägen såg vi en del rovfåglar – en *Black-winged Kite*, två *Oriental Honey-buzzards* och två *Changeable Hawk-eagles*. Resans första *Chestnut-headed Bee-eaters* noterades också.

Även i Nuwara Eliya fanns det en fågelrik park, Victoria Park, där vi tillbringade några givande eftermiddagstimmar med arter som *Indian Pitta*, *Yellow-eared Bulbul*, *Pied Thrush*, *Indian Blue Robin*, *Greenish Warbler*, *Sri Lanka Scimitar-babbler*, *Velvet-fronted Nuthatch*, *Grey Wagtail*, *Pale-billed Flowerpecker* och *Sri Lanka Whiteye*.



Sri Lanka Scimitar-babbler (E). Victoria Park I Nuwara Elyia

Sent på eftermiddagen besökte vi en buskkantad grund ravin bakom ett boningshus. Platsen såg föga märklig ut men var en lokal för den skygga och svårседda endemen *Sri Lanka Whistling-thrush*. Efter en lång väntan hörde vi dess egendomliga läte, en högfrekvent, liksom väsande vissling och efter ytterligare åtskillig tid fick de flesta av oss också syn på fågeln när

den hoppade fram ut buskagen. Av däggdjur sågs under dagen *Sri Lanka Giant Squirrel* samt *Dusky Striped Jungle Squirrel*.

2/2

Denna dag ägnade vi oss i stort sett helt åt Horton Plains National Park, en isolerad och delvis öppen platå ca 2100-2300 meter över havet. Redan i det första gryningsljuset upptäckte vi vid parkens entré några *Indian Blackbirds*. De ser i stort sett ut som våra egen koltrastar, men är till skillnad från dessa ganska sällsynta.



Indian Blackbird i Horton Plains NP. Relativt ovanlig och enda obsen på resan.

Sedan fick de som dagen innan inte fått se *Sri Lanka Whistling-thrush* en ny chans eftersom ett exemplar visade sig mycket fint vid en liten dam ett sycke in i nationalparken. Här i närheten hittade vi också en annan höghöjdsspecialist, en *Sri Lanka Bush-warbler*. Andra för resan nya arter var *Sri Lanka Woodpigeon*, *Grey Heron*, *Pallid Harrier*, *Common Kestrel*, *Pacific Swallow*, *Paddyfield Pipit*, *Pied Bushchat*, *Dull Verditer Flycatcher* samt *Tricoloured Munia*. En *Besra* hördes. Av däggdjur sågs ett antal *Sambar Deers*, en *Indian Hare* samt flera *Purple-faced Leaf-monkeys*.

På tillbakavägen stannade vi och tittade på två *Brown Wood-owls* på dagkvist och i samma område syntes också två *Sri Lanka Wood-pigeons*. Dagen avslutades med en *Kashmir Flycatcher* vid det ståtliga Grand Hotel samt ytterligare tre i skogsområdet Bomburueila. I sistnämnda område sågs också ett stort bird party med bl. a. *Bar-winged Flycatcher-shrikes*, *Velvet-fronted Nuthatch* samt *Dull Verditer* och *Asian Brown Flycatchers*.



Kashmir Flycatcher. Lättare på (vintern) Sri Lanka än att åka till Kashmir. Grand Hotel i Nuwara Elyia.



Brown Wood-owl bakom irriterande grenar.

3/2

En morgontur vid Bomburueila gav bl.a. en underbart vacker hane av *Kashmir Flycatcher*, resans första *Sri Lanka Blue Magpies* samt ett exemplar av vardera *Green* och *Large-billed Leaf-warbler*. Tre *Eurasian Wild Boars* sågs vid en liten sjö. Efter morgonturen förflyttade vi oss till Kithulgala Rest House utanför den lilla orten med samma namn. Längs vägen syntes en ad och en juv *Rufous-bellied Eagle*.



Juvenile (vänster) samt adult Rufous-bellied Eagle.

Från Kithulgala tog vi oss på eftermiddagen över en flod på en synnerligen primitiv färja och gjorde en vandring i det lilla men mycket fina Kelani Valley Forest Reserve. Här stannade vi tills det blivit mörkt. Höjdpunkten var när Dulan hade letat fram ett exemplar av *Serendib Scops-owl* på dagkvist och vi fick smyga fram två och två för att betitta den läckra lilla ugglan som första gången beskrevs för vetenskapen så sent som år 2001. Nya för resan var också *Green Imperial-pigeon*, *Green-billed Coucal* (hörd), *Blue-tailed Bee-eater*, *Square-tailed Black Bulbul* och *Sri Lanka Crested Drongo* samt – när det blivit mörkt – *Sri Lanka Frogmouth* och *Brown Boobok*, hane och hona i duett. Även *Serendib Scops-owl* hördes under en lång stund.

4/2

Hela denna dag tillbringades runt Kithulgala Rest House samt i Kelani Forest Reserve med en tur på morgonen-förmiddagen och en på eftermiddagen-kvällen. På morgonturen syntes bl.a. *Sri Lanka Green-pigeon*, *Chestnut-bellied Owlet*, *Sri Lanka Grey Hornbill*, *Stork-billed Kingfisher*, *Peregrine Falcon*, *Emerald-collared Parakeet*, *Black-capped* och *Yellow-browed Bulbul*, *Common Iora*, *Spot-winged Thrush*, *Dark-fronted* och *Orange-billed Babbler* samt *White-throated Flowerpecker*. En *Layards' Palm Squirrel* noterades också.



Sri Lanka Green-pigeon (E). Kithulgala Rest House,

På eftermiddagsturen, som långt ifrån alla deltog i, tillkom en *Sri Lanka Frogmouth* på dagkvist intill ett boningshus samt en *Green-billed Coucal*, också denna sedd fint.



Sri Lanka Frogmouth på dagkvist. Bra kamouflage.



Green-billed Coucal (E). Försöker gömma sig- men lyckas inte så bra.

På kvällen var det många infödda som vid hotellet firade landets nationaldag, en del med besked. Vin och öl var mindre vanligt; istället dignade borden av stora whiskyflaskor i vilka nivån sjönk med en förfärande fart. Följdriktigt blev också flera festprissar bokstavligen utburna,

5/2

På morgonen företog vi en kortare tur i ett område uppströms floden. Här fanns bl.a *Oriental Dwarf-kingfisher*, men det var bara Dulan och Björn som fick se en sådan. Övriga fick nöja sig med *Indian Pygmy Woodpecker*.

Efter lunch satte vi kurs mot sydost mot legendariska Sinharaja Rainforest Reserve. På vägen noterades en ny tung art- *Black-throated Munia*, en flock om fem exemplar, samt två *Intermediate Egrets*. Eftersom den lodge som vi skulle bo i låg ganska högt uppe och vägen dit var dålig bytte vi bilar vid entrén till reservatet. Lodgen representerade det enklaste boendet under resan, men var ändå fullt o k med både toalett och dusch på rummen. Och läget var perfekt med vidsträckt utsikt över regnskogen.

På eftermiddagen företog de flesta av oss en vandring längs den väg som går genom den besökstillåttna delen av reservatet. Här fick vi se en av de mest eftersökta endemerna på ön, en *Sri Lanka Scaly Thrush*, som smög i terrängen vid vägen, men till sist gav sig ut och korsade denna. Andra för resan nya arter var *Red-faced Malkoa*, *Black-naped Monarch*, *Ashy-headed Laughingthrush* samt *Sri Lanka Hill Myna*. De som stannade vid lodgen såg en *Legge's Hawk-eagle*.



Red-faced Malkoha (E). Sinharaja.

6/2

På morgonen och förmiddagen gick vi samma led som dagen innan. Nya arter blev *Sri Lanka Spurfowl* (två hörda), *Grey-capped Emerald Dove*, *Crested Goshawk*, *Malabar Trogon*, *Lesser Yellowthroat*, *Golden-fronted Leafbird* samt *White-faced Starling*. En *Black-naped Monarch* sågs på bo.



Malabar Trogon. Sinharaja.

På eftermiddagen gick en mindre styrka nedför körvägen några kilometer. Bästa art blev *Sri Lanka Woodpigeon*, av vilken fem exemplar kunde ses fint i olika träd. De som stannat vid lodgen kunde kontra med sex *Brown-backed Needletails* som hade svept

förbi. På kvällen fick alla se en spelande *Sri Lanka Frogmouth* alldeles invid lodgen.

7/2

Ytterligare en dag i Sinharaja. En tur längs vägen gav inget nytt, men nu fick alla se både *Sri Lanka Blue Magpie* och *Lesser Yellownaped fant*. Ytterligare två *White-faced Starlings* noterades också. På eftermiddagen utbröt ett kraftigt regnoväder med åska som effektivt förhindrade ytterligare skådning denna dag.



White-faced Starling (E). Lokal och en av de svårare bland endemerna. Sinharaja.

8/2

Efter frukost begav vi oss ned från berget för att skåda i ett mer låglänt område. Regnet dagen innan hade förstört vägen på ett ställe så vi fick gå en sträcka. Så småningom stannade vi bakom ett litet boningshus där man matade bl.a den skygga endemen *Sri Lanka Spurfowl*. Efter en ganska lång väntan kom ett par, hanne och hona, smygande fram ur bushen och bjöd sedan på brillianta observationer. Vid ett annat stopp, bakom ett mindre hotell, lyckades vi också få se en annan svår art – en *Slaty-legged Crane* som höll till i en liten våtmark.



Sri Lanka Spurfowl (E). Skygg och svårsedd. Sinharaja.

Vi fortsatte nu åt sydost varvid några stopp gav bl.a en *Legge's Hawk-Eagle*, en familj *Black-headed Cuckooshrikes*, en *Jungle Prinia*, en *Zitting Cisticola* samt några *Purple Sunbirds*. Efter installation och lunch på mycket lyxiga Kalu's Hideaway gav vi oss ut i Udawalawe National Park, ett torrt savannartat område, men med stränder mot en stor damm. Eftersom vi nu lämnat regnskogen och kommit in i helt ny och dessutom mycket fågelrik biotop, blev listan på för turen nya arter lång – *Orange-breasted Green-pigeon*, *Blue-faced Malkoa*, *Grey-bellied Cuckoo*, *Lesser Adjutant*, *Painted Stork*, *Yellow-wattled Lapwing*, *Osprey*, *Malabar Pied Hornbill*, *Asian Green Bee-eater*, *Indian Roller*, *Coppersmith Barbet*, *Oriental Skylark*, *Sri Lanka Wood-shrike* (dagens enda och resans sista endem!), *Marshall's Iora*, *Grey-breasted Prinia*, *Ashy Prinia*, *Blyth's Reed-warbler*, *Yellow-eyed Babbler*, *Rose-coloured Starling* samt *Baya Weaver*. Av däggdjur såg vi sju *Asian Elephants*, en *Wild Boar* samt åtta *Sambar Deer*. En kvällstur gav två *Indian Nightjars*.



Yellow-eyed Babbler. Udawalawe NP



Sri Lanka Woodshrike (E). Resans sista endem.



Malabar Pied Hornbill. Udawalawe NP.

9/2

På morgonen gjorde vi en ny tur in i Udawalawe National Park. Resnya arter blev *Spot-billed Pelican* (den vid Kandy hade bara några få sett), *Black-winged Stilt*, *Little Ringed Plover*, *Greenshank*, *Marsh Sandpiper*, *Barred Button-quail*, *Common Tern*, *Whiskered Tern*, *Gull-billed Tern*, *Yellow-crowned Woodpecker*, *Grey-headed Fish-eagle*, *Ashy-crowned Sparrow-lark*, *White Wagtail* (varav en av rasen *leucopsis* som häckar i China), *Yellow Wagtail*, *White-browed Bulbul*, *Tawny-bellied Babbler* samt *Thick-billed Flowerpecker*. Två *Golden Jackals* sågs också.



Yellow-crowned Woodpecker. Udawalawe NP.

Efter morgonturen checkade vi ut från hotellet och fortsatte mot staden Tissa med flera skådarstopp på vägen. På ett av dem blev vi visade på en sjungande *Blue-throated Blue Flycatcher*, en stor raritet i landet. I samma område hörde vi, men kunde inte se en *Jungle Owlet*.



Blue-throated Blue Flycatcher. Stor raritet för Sri Lanka

Vid en våtmark reskryssades *Oriental Darter*, *Lesser Sandplover*, *Pheasant-tailed Jacana* och *Green Sandpiper* och vid ett boningshus nära Tissa två *Jungle Owlets* i en liten buske samt en hona av *White-naped Woodpecker* i en palm. Med hjälp av några ungdomar i Dulans minst sagt imponerande kontaktnät gjorde vi invid en liten flod ett försök att finna de *Spot-bellied Eagle-owls* som skulle finnas där. Ungdomarna stötte en stor uggla som kom flygande mot oss, men det var tyvärr bara en *Brown Fish-owl*. En resny art var dock en *Green-backed Heron*.



White-naped Woodpecker. Andra nya hackspetten för dagen. Nära Tissa.

På eftermiddagen och kvällen skådade vi i det system av näringsrika småsjöar som ligger nordväst om Tissa. Här blev det många nya arter med den svårfunna *Black Bittern* i spetsen. En hona kom flygande och satte sig helt öppet bara 25 meter från oss.




Black Bittern. Tissa

Övriga nya var Lesser *Whistling-duck*, *Cotton Pygmy-goose*, *Purple Swamphen*, *Common Moorhen*, *Yellow Bittern*, *Black-tailed Godwit*, *Caspian Tern*, *White-winged Tern*, *Pied Kingfisher*, *Clamorous Reed-warbler* samt en koloni med *Streaked Weavers*. När det började skymma hårdbevakade vi ett stort träd i vilket Dulan hävdade att det skulle finnas *Barn Owls*. Och visst – vår eminente guide levererade som vanligt; två fåglar kom så småningom ut ur ett stort hål i trädet.

Vårt hotel i Tissa var om möjligt ännu flottare än det vi bott på föregående natt och hade utmärkta bufféer till både lunch och middag.

10/2



Yala NP.

Hela denna dag var vi ute i sydvästa delen av den stora och viltrika Yala National Park. Vid infarten till parken bytte vi till öppna safaribilar. Det stod en mängd sådana i kö innan parken öppnade och det blev totalt trafik kaos när man i den första (?) bilen upptäckte en *leopard* i ett stort träd i tät skog nära vägen. När det efter en god stund blev vår tur att defilera förbi djuret konstaterade vi att det mest var dess långa svans som man kunde se hänga ner under en gren. Vi skulle dock få se ytterligare en leopard denna dag, strax innan vi lämnade parken och då dessutom helt öppet på en klippa om än på litet avstånd. Andra däggdjur vi såg under denna dag var fem *Ruddy Mongooses*, ca 30 *Tufted Grey Langurs*, minst tio *Wild Boars*, 15 *Sambar Deer*, 50 *Spotted Deer*, fem *Wild Buffalos* (bland en mängd av domesticerade släktingar), 12 *Asian Elephants* samt en *Sloth Bear* – Djungelbokens Baloo – som dock bara snabbt korsade vägen bakom vår första bil och sedan återigen skyntades en stund senare.



Elefant. Yala NP.



Leopard. Yala NP.

Det blev också en hel del för resan nya fåglar denna dag. *Little Grebe*, *Sirkeer Malkoha*, *Jacobin Cuckoo*, *Asian Woollyneck*, *Eurasian Spoonbill*, *Great Thick-knee*, *Pacific Golden*

Plover, Kentish Plover, Ruddy Turnstone, Ruff, Little Stint, Common Snipe, Common Redshank, Wood Sandpiper, Little Tern, European Bee-eater, Jerdon's Bushchat, Brahminy Starling samt *Indian Silverbill*.



En flyktig obs och bild av Sirkeer Malkoha. Yala NP.

11/2

Vi startade med att innan det blev ljus spana nattskärror i ett område nära Tissa. Målarten var *Jerdon's Nightjar*, av vilken vi fick se en fågel och höra ytterligare fyra. Därefter tillbringade vi större delen av dagen i och kring Bundala National Park vid kusten. Innan vi körde in i parken skådade vi i ett mycket fint våtmarksområde strax utanför. Här fanns bl.a. minst fem *Watercocks*, en *Richard's Pipit* samt en *Siberian Stonechat*, den sistnämnda en stor raritet på Sri Lanka. Inne i parken samt i ett närbeläget salinområde dominerades de nya arterna av vadare.



Watercock på språng. Bundala NP.

På en strand vid kusten fanns ett tiotal *Little Pratincoles* samt tre *Greater Sand Plovers* och i salinområdet noterades fem *Grey Plovers*, två *Eurasian Curlews*, två *Broad-billed Sandpipers*, över hundra *Curlew Sandpipers*, fem *Temminck's Stints*, två *Red-necked Phalaropes*,

en *Terek Sandpiper*, en *Brown-headed Gull* (den enda måsen under resan!), ca 30 *Lesser* och 15 *Greater Crested Terns*, över 100 *Garganeys*, 15 *Northern Pintails*, tre *Collared Sand Martins*, en *Citrine Wagtail* och en *Blyth's Pipit*. På andra ställen i parken observerades också en *Ashy Woodswallow*. Bland däggdjur var *Indian Gerbil* ny.



Little Pratincole. Bundala NP.

12/2

Denna dag upptogs i huvudsak av transport till staden Mirissa längst ned på sydkusten och av nya arter sågs endast *Whimbrel*, *Pintail Snipe* och *Common Hoopoe*. I Mirissa skiljdes vi från Björn och Hans som föredrog två dagars ytterligare regnskogsskådning framför att spana efter Blue Whales.

13/2

På förmiddagen gjorde vi vår första pelagiska tur med huvudsyftet att få se Blue Whales för vilka farvattnen utanför södra Sri Lanka är vida berömda. Det var inte som i Norge eller på Island där någon enstaka båt med kanske 30 passagerare går ut, utan här var det fråga om en hel armada med ett 20-tal båtar och totalt ett tusental passagerare!

På utvägen såg vi en flock om ett femtontal *Spinner Dolphins* som ett förspel till vad som skulle komma. Båtarnas besättningar höll utkik efter valblås och så fort ett sådant siktats sattes största fart mot detta. Under några timmar såg vi minst fyra *Blue Whales*, varav flera på hyfsat nära avstånd, något hundratal meter. Vi stannade lite längre än de flesta andra båtar och fick därför obsar även under ganska lugna förhållanden. Hur som helst så verkade valarna

tämligen obekymrade av ståhejet omkring dem.

Fågellivet var en besvikelse; trots ivrigt spanande såg vi bara de vanliga tärnorna samt tre *Bridled Terns*, alla relativt nära kusten. Vid återkomsten såg noterades en *Indian Brown Mongoose* i hotellets trädgård.

På eftermiddagen tittade vi på ett buddisttempel samt gjorde en kortare vandring i ett glest bebyggt villaområde med mycket skog. En hel del fågel sågs, dock ingenting nytt.

14/2

Även denna dag gjorde vi en valtur med ungefär samma resultat som dagen innan. Dock kom vi flera gånger betydligt närmare djuren än föregående dag. På eftermiddagen

besökte vi först en naturdoktor som tillverkade något slags motgift mot ormbett. Han hade ett stort antal ormar som han tog ut och förvisade på sin grusplan. Vi fick bl.a. stifta (inte alltför) nära bekantskap, med både *Indian Cobra* och *Russel's Viper*, den senare enligt vissa uppgifter den orm som står för flest dödsfall i världen.

Som avslutning gjorde vi en vandring i ett fågelrikt, men kulturpåverkat landskap. Inte heller här fick vi dock se något nytt.

15/2


Vi åkte nu tillbaka till Colombo med ett besök i den intressanta Världsarvet Galle Fort på vägen. Kl 18.50 avgick planet med kurs hemåt och en mycket nöjd grupp ombord.

Bilder på de flesta övriga endemer nedan:


Chestnut-backed Owlet. Kithulgala



Emerald-collared Parakeet. Kithulgala



Sri Lanka Junglefowl



Sri Lanka Hanging Parrot. Kannelyia.



Lesser Sri Lanka Flameback. Kithulgala.



Sri Lanka Woodpigeon. Sinharaja.



Sri Lanka Grey Hornbill. Kanneliya.



Yellow-fronted Barbet. Sinharaja.



Black-capped Bulbul. Sinharaja.



Yellow-eared Bulbul. Victoria Park Nuwara Elyia.

Brown-capped Babbler. Horton Plains NP - Nuwara Elyia.



Sri Lanka Orange-billed Babbler.



Sri Lanka Bush Warbler- Horton Plains NP



White-throated Flowerpecker. Kithulgala.

Sri Lanka Swallow. Yala NP



Dull Blue Flycatcher. Highlands.



Sri Lanka White-eye. Victoria Park Nuwara Eliya.



Spot-winged Thrush. Sinharaja.

Några vanliga arter:



Asian Green Bee-eater

Yellow-billed Babbler på nattkvist.



Blue-tailed Bee-eater



Painted Stork



Yellow-browed Bulbul



Purple-rumped Sunbird

List of Bird species.

Taxonomy according to Handbook of the Birds of the World.

260 species

Sri Lanka Spurfowl. *Galloperdix bicalcarata*. **Endemic.** One pair, male and female, seen very well near Sinharaja on 8/2. Some birds were also heard in Kelani Valley FR 4/2 and in Sinharaja RR 6/2 and 7/2.

Indian Peafowl. *Pavo cristatus*. Common. Listed eight days.

Sri Lanka Junglefowl. *Gallus lafayettii*. **Endemic.** Common. Listed 14 days.

Lesser Whistling-duck. *Dendrocygna javanica*. Listed five days in the southeast with a total well over 100.

Cotton Pygmy-goose. *Nettapus coromandelianus*. One pair, male and female, near Tissa 9/2.

Garganey. *Spatula querquedula*. More than 300 in and near Bundala NP 11-12/2.

Northern Pintail. *Anas acuta*. More than 15 in Bundala NP 11/2.

Little Grebe. *Tachybaptus ruficollis*. Seen in the lakes near Tissa 10-12/2 with a total of 18.

Rock Dove. *Columba livia*. Common. Listed 14 days.

Sri Lanka Woodpigeon. *Columba torringtoniae*. **Endemic.** Listed three days in highlands with a total of 11.

Western Spotted Dove. *Spilopelia suratensis*. Common. Listed all 16 days.

Grey-capped Emerald Dove. *Chalcophaps indica*. Listed six days in highlands with a total of 17.

Orange-breasted Green-pigeon. *Treron bicinctus*. Listed three days in highlands with a total of about 25.

Sri Lanka Green-pigeon. *Treron pompadora*. **Endemic.** Rather common. Listed eight days with a total of more than 25.

Green Imperial-pigeon. *Ducula aenea*. Common. Listed 12 days.

Sri Lanka Frogmouth. *Batrachostomus moniliger*. **Near Endemic.** One heard in Kelani Valley FR 3/2, one seen there 4/2 and one seen and heard in Sinharaja RR 6-7/2.

Jerdon's Nightjar. *Caprimulgus atripennis*. One seen and four heard near Tissa 11/2.

Indian Nightjar. *Caprimulgus asiaticus*. Two seen and heard in Udawalawe NP 8/2. One heard near Tissa 11/2

Crested Treeswift. *Hemiprocyne coronate*. Listed four days with a total of about 35.

Brown-backed Needletail. *Hirundapus giganteus*. Six seen 6/2 and four 7/2 in Sinharaja RR.

Indian Swiftlet. *Aerodramus unicolor*. **Near Endemic.** Listed four days with a total of about 15.

Asian Palm-swift. *Cypsiurus balasiensis*. Rather common. Listed eight days.

Little Swift. *Apus affinis*. Listed five days.

Green-billed Coucal. *Centropus chlororhynchos*. **Endemic.** Listed six days in highlands with a total of about 15.

Greater Coucal. *Centropus sinensis*. Rather common. Listed nine days with a total of about 15.

Sirkeer Malkoha. *Taccocua leschenaultia*. One seen in Yala NP 10/2.

Red-faced Malkoha. *Phaenicophaeus pyrrhocephalus*. **Endemic.** Only seen in Sinharaja RR with two 5/2 and two 7/2.

Blue-faced Malkoha. *Phaenicophaeus viridirostris*. Two in Udawalawe NP 8/2 and two in Bundala NP 11/2.

Jacobin Cuckoo. *Clamator jacobinus*. Two in Yala NP 10/2 and five in Bundala NP 11/2.

Western Koel. *Eudynamis scolopaceus*. Rather common. Listed nine days with a total of ten.

Banded Bay Cuckoo. *Cacomantis sonneratii*. One male seen and one heard in Peradeniya BG 31/1.

Grey-bellied Cuckoo. *Cacomantis passerines*. Listed three days in the southeast with a total of about ten.

Common Hawk-cuckoo. *Hierococcyx varius*. Listed four days in the highlands with a total of six.

Slaty-legged Crane. *Rallina eurizonoides*. One near Sinharaja RR 8/2.

White-breasted Waterhen. *Amaurornis phoenicurus*. Common. Listed 12 days.

Watercock. *Gallicrex cinerea*. Five 11/2 and three 12/2 near Bundala NP.

Purple Swamphen. *Porphyrio porphyrio*. Listed five days in the southeast with a total of more than 50.

Common Moorhen. *Gallinula chloropus*. Listed four days with a total of five.

Lesser Adjutant. *Leptoptilos javanicus*. One in Udawalawe NP 8/2.

Painted Stork. *Mycteria leucocephala*. Listed five days in the southeast.

Asian Openbill. *Anastomus oscitans*. Listed six days.

Asian Woollyneck. *Ciconia episcopus*. Two in Yala NP 10/2.

Eurasian Spoonbill. *Platalea leucorodia*. Listed three days in the southeast with a total of more than 25.

Black-headed Ibis. *Threskiornis melanocephalus*. Rather common. Listed seven days.

Yellow Bittern. *Ixobrychus sinensis*. Three near Tissa 9/2 and two in Bundala NP 11/2.

Black Bittern. *Ixobrychus flavicollis*. One female near Tissa 9/2 and one in Bundala NP 11/2.

Black-crowned Night-heron. *Nycticorax nycticorax*. Listed five days with a total of about 25.

Green-backed Heron. *Butorides striata*. Listed three days with a total of four.

Indian Pond-heron. *Ardeola grayii*. Common. Listed 12 days.

Cattle Egret. *Bubulcus ibis*. Common. Listed 13 days.

Grey Heron. *Ardea cinerea*. Listed six days.

Purple Heron. *Ardea purpurea*. Listed six days with a total of about 20.

Great White Egret. *Ardea alba*. Listed seven days.

Intermediate Egret. *Ardea intermedia*. Listed seven days.

Little Egret. *Egretta garzetta*. Listed eight days.

Spot-billed Pelican. *Pelecanus philippensis*. Listed five days in the southeast with a total of about 150.

Little Cormorant. *Microcarbo niger*. Common. Listed 11 days.

Great Cormorant. *Phalacrocorax carbo*. Listed three days.

Indian Cormorant. *Phalacrocorax fuscicollis*. Listed four days.

Oriental Darter. *Anhinga melanogaster*. Listed six days in the southeast with a total of about 60.

Indian Thick-knee. *Burhinus indicus*. Six in Bundala NP 11/2, two between Tissa and Mirissa 12/2.

Great Thick-knee. *Esacus recurvirostris*. About ten in Yala NP 10/2, two in Bundala NP 11/2 and at least five between Tissa and Mirissa 12/5.

Black-winged Stilt. *Himantopus himantopus*. Listed four days in the southeast.

Grey Plover. *Pluvialis squatarola*. Listed two days in the southeast with a total of six.

Pacific Golden Plover. *Pluvialis fulva*. Listed three days in the southeast with a total of seven.

Little Ringed Plover. *Charadrius dubius*. Listed three days in the southeast.

Kentish Plover. *Charadrius alexandrinus*. Listed two days in the southeast.

Lesser Sandplover. *Charadrius mongolus*. Listed three days in the southeast with a total of about 100.

Greater Sandplover. *Charadrius leschenaultia*. Three on the beach in Bundala NP 11/2.

Yellow-wattled Lapwing. *Vanellus malabaricus*. Listed five days in the southeast with a total of about 25.

Red-wattled Lapwing. *Vanellus indicus*. Listed eight days.

Pheasant-tailed Jacana. *Hydrophasianus chirurgus*. Listed five days in the southeast.

Whimbrel. *Numenius phaeopus*. Two between Tissa and Mirissa 12/2.

Eurasian Curlew. *Numenius arquata*. Listed three days in the southeast with a total of four.

Black-tailed Godwit. *Limosa limosa*. Listed four days in the southeast with a total of around 200.

Ruddy Turnstone. *Arenaria interpres*. Five in Yala NP 10/2 and 20 in Bundala NP 11/2.

Ruff. *Calidris pugnax*. Three in Yala NP 10/2 and two in Bundala NP 11/2.

Broad-billed Sandpiper. *Calidris falcinellus*. Two in Bundala NP 11/2.

Curlew Sandpiper. *Calidris ferruginea*. More than 100 in Bundala NP 11/2.

Temminck's Stint. *Calidris temminckii*. Five in Bundala NP 11/2.

Little Stint. *Calidris minuta*. Listed three days in the southeast with a total of more than 140.

Pintail Snipe. *Gallinago stenura*. One between Tissa and Mirissa 12/2.

- Common Snipe.** *Gallinago gallinago*. Four in Yala NP 10/2 and two in Bundala NP 11/2.
- Red-necked Phalarope.** *Phalaropus lobatus*. Two in Bundala NP 11/2.
- Terek Sandpiper.** *Xenus cinereus*. One in Bundala NP 11/2.
- Common Sandpiper.** *Actitis hypoleucos*. Listed eight days.
- Green Sandpiper.** *Tringa ochropus*. One in a wetland along the road 9/2 and another one along the road between Tissa and Mirissa 12/2.
- Common Greenshank.** *Tringa nebularia*. Listed four days in the southeast with a total of 10.
- Common Redshank.** *Tringa tetanus*. Listed three days in the southeast with a total of more than 20.
- Wood Sandpiper.** *Tringa glareola*. Listed three days in the southeast with a total of 10.
- Marsh Sandpiper.** *Tringa stagnatilis*. Listed four days in the southeast with a total of more than 60.
- Barred Buttonquail.** *Turnix suscitator*. Listed three days in the southeast with a total of five.
- Little Pratincole.** *Glareola lactea*. About ten in Bundala NP 11/2.
- Brown-headed Gull.** *Larus brunnicephalus*. One in Bundala NP 11/2 and another between Tissa and Mirissa 12/2.
- Bridled Tern.** *Onychoprion anaethetus*. Three from the boat during the whaling trip 13/2 and probably the same birds also the following day.
- Little Tern.** *Sternula albifrons*. Listed four days in the southeast with a total of more than 60.
- Common Gull-billed Tern.** *Gelochelidon nilotica*. Listed six days in the southeast with a total of more than 70.
- Caspian Tern.** *Hydroprogne caspia*. Listed four days in the southeast with a total of more than 60.
- Whiskered Tern.** *Chlidonias hybrida*. Common in the southeast and south. Listed seven days here.
- White-winged Tern.** *Chlidonias leucopterus*. Common in the southeast and south. Listed six days here.
- Lesser Crested Tern.** *Thalasseus bengalensis*. Listed three days in the southeast and south with a total of more than 35.
- Greater Crested Tern.** *Thalasseus bergii*. Listed three days in the southeast with a total of more than 30.
- Common Barn-owl.** *Tyto alba*. Two in a wetland area near Tissa 9/2.
- Brown Boobook.** *Ninox scutulata*. Male and female heard in Kelani Valley FR 3/2.
- Jungle Owlet.** *Glaucidium radiatum*. One heard in one place and two seen in another between Udawalawe NP and Tissa 9/2.
- Chestnut-backed Owlet.** *Glaucidium castanotum*. **Endemic**. One pair seen near Kithulgala Rest House 4/2. Also heard here 3/2 and in Sinharaja 5,6 and 7/2.
- Serendib Scops-owl.** *Otus thilohoffmanni*. **Endemic**. One seen very well roosting in Kelani Vallye FR 3/2. Probably the same bird was heard here later in the evening and also the following evening.
- Indian Scops-owl.** *Otus bakkamoena*. One seen on a day roost near Tissa 11/2.
- Brown Wood-owl.** *Strix leptogrammica*. One heard in Udawattekele Reserve 1/2 and two seen roosting at a site along the road 2/2.
- Brown Fish-owl.** *Ketupa zeylonensis*. Listed four days with a total of five.
- Osprey.** *Pandion haliaetus*. One in Udawalawe NP 8/2.
- Black-winged Kite.** *Elanus caeruleus*. Listed four days with a total of eight.
- Oriental Honey-buzzard.** *Pernis ptilorhynchus*. Listed six days with a total of nine.
- Crested Serpent-eagle.** *Spilornis cheela*. Common. Listed 11 days with a total of 24.
- Mountain Hawk-eagle.** *Nisaetus nipalensis*. (Also called **Legge's Hawk-eagle** *Nisaetus keelaarti* and considered **Endemic**). One in Sinharaja FR 5/2 and one along the road between Sinharaja and Udawalawe NP 8/2.
- Changeable Hawk-eagle.** *Nisaetus cirrhatus*. Listed four days with a total of eight.
- Rufous-bellied Eagle.** *Lophotriorchis kienerii*. One juvenile and one adult bird along the road between Nuwara Eliya and Kithulgala 3/2 and one adult bird near Kithulgala 5/2.
- Black Eagle.** *Ictinaetus malaiensis*. Listed three days in the highlands with a total of six.
- Pallid Harrier.** *Circus macrourus*. One male in Horton Plains NP 2/2.
- Crested Goshawk.** *Accipiter trivirgatus*. Two in Sinharaja FR 6/2.

Shikra. *Accipiter badius*. Listed nine days with a total of 11.

Besra. *Accipiter virgatus*. One heard in Bombureila 3/2 and one in Sinharaja FR 7/2.

White-bellied Sea-eagle. *Haliaeetus leucogaster*. Listed nine days with a total of 22.

Grey-headed Fish-eagle. *Ichthyophaga ichhyaetus*. Listed three days in the southeast with a total of seven.

Brahminy Kite. *Haliastur indus*. Listed 12 days with a total of more than 30.

Malabar Trogon. *Harpactes fasciatus*. **Near Endemic**. One in Sinharaja RR 6/2.

Sri Lanka Grey Hornbill. *Ocyrceros gingalensis*. **Endemic**. Listed five days with a total of 14.

Malabar Pied Hornbill. *Anthracoceros coronatus*. **Near Endemic**. Three in Udawalawe NP 8/2 and more than five in Yala NP 10/2.

Common Hoopoe. *Upupa epops*. One near Bundala NP 12/1.

Asian Green Bee-eater. *Merops orientalis*. Common in the southeast. Listed five days there.

Chestnut-headed Bee-eater. *Merops leschenaulti*. Listed eight days with a total of 20.

Blue-tailed Bee-eater. *Merops philippinus*. Common in the southeast, less so in the highlands. Listed ten days.

European Bee-eater. *Merops apiaster*. Two in Yala NP 10/2.

Indian Roller. *Coracias benghalensis*. Listed four days in the southeast with a total of 16.

Oriental Dwarf-kingfisher. *Ceyx erithaca*. One in Kithulgala 5/2. Only seen by Björn.

Common Kingfisher. *Alcedo atthis*. Listed five days with a total of ten.

Pied Kingfisher. *Ceryle rudis*. Listed three days in the southeast with a total of five.

Stork-billed Kingfisher. *Pelargopsis capensis*. Listed three days with a total of five.

White-breasted Kingfisher. *Halcyon smyrnensis*. Common. Listed 11 days.

Coppersmith Barbet. *Psilopogon haemacephalus*. Common in the southeast. Listed five days there.

Sri Lanka Barbet. *Psilopogon rubricapillus*. **Endemic**. Listed five days with a total of 11.

Brown-headed Barbet. *Psilopogon zeylanicus*. Listed eight days with a total of about 15.

Yellow-fronted Barbet. *Psilopogon flavifrons*. **Endemic**. Rather common. Listed nine days.

Greater Sri Lanka Flameback. *Chrysocolaptes stricklandi*. **Endemic**. Listed five days in the highlands with a total of about 15.

White-naped Woodpecker. *Chrysocolaptes festivus*. One female outside Tissa 9/2 and another bird in Bundala NP 11/2.

Lesser Sri Lanka Flameback. *Dinopium psarodes*. **Endemic**. Listed eight days with a total of 16.

Lesser Yellownappe. *Picus chlorolophus*. Only seen in Sinharaja – one 6/2 and one the day after.

Indian Pygmy Woodpecker. *Picooides nanus*. One in Kithulgala 5/2.

Yellow-crowned Woodpecker. *Leiopicus mahrattensis*. One female in Udawalawe NP 9/2.

Common Kestrel. *Falco tinnunculus*. One in Horton Plains NP 2/2 and one in Yala NP 10/2

Peregrine Falcon. *Falco peregrinus*. One in Kithulgala 4/2 and one in Udawalawe NP 8/2.

Sri Lanka Hanging-parrot. *Loriculus beryllinus*. **Endemic**. Rather common. Listed ten days with a total of more than 50.

Plum-headed Parakeet. *Psittacula cyanocephala*. Three near Kandy 31/1 and one in Udawalawe NP 8/2.

Emerald-collared (Layard's) Parakeet. *Psittacula calthrapae*. **Endemic**. Listed six days with a total of about 50.

Alexandrine Parakeet. *Psittacula eupatria*. Listed four days in the highlands with a total of more than ten birds.

Rose-ringed Parakeet. *Psittacula krameri*. Rather common. Listed ten days.

Indian Pitta. *Pitta brachyura*. Listed four days and seen nicely several times.

Jerdon's Bushlark. *Mirafra affinis*. Three in Yala NP 10/2.

Ashy-crowned Sparrow-lark. *Eremopterix griseus*. Listed three days in the southeast with a total of over 40.

Oriental Skylark. *Alauda gulgula*. Common in Udawalawe NP 8/2 and 9/2..

Collared Sand Martin. *Riparia riparia*. Three in Bundala NP 11/2.

Barn Swallow. *Hirundo rustica*. Common. Listed ten days.

- Pacific Swallow.** *Hirundo tahitica*. (Also called **Hill Swallow** *Hirundo domicola* and considered **Near Endemic**). About ten in Horton Plains NP 2/2.
- Red-rumped Swallow.** *Cecropis daurica*. (Also called **Sri Lanka Swallow** *Hirundo hyperythra* and considered **Endemic**). Rather common. Listed seven days.
- Richard's Pipit.** *Anthus richardi*. One in Bundala NP 11/2 and one outside this park 12/2.
- Paddyfield Pipit.** *Anthus rufulus*. Listed six days.
- Blyth's Pipit.** *Anthus godlewskii*. One in Bundala NP 11/2.
- Forest Wagtail.** *Dendronanthus indicus*. Listed four days in the highlands with a total of four.
- White Wagtail.** *Motacilla alba*. Two in Udawalawe NP 9/2. One of them was of the race *leucopsis* which breeds in China.
- Yellow Wagtail.** *Motacilla flava*. Listed three days in the southeast with a total of about 15.
- Citrine Wagtail.** *Motacilla citreola*. One subadult male in Bundala NP 11/2.
- Grey Wagtail.** *Motacilla cinerea*. Listed six days in the highlands with a total of about 15.
- Black-headed Cuckoo-shrike.** *Coracina melanoptera*. Listed four days in the southeast with a total of eight.
- Small Minivet.** *Pericrocotus cinnamomeus*. Listed six days with a total of about 40.
- Scarlet Minivet.** *Pericrocotus flammeus*. (The race in Sri Lanka is called **Orange Minivet**). Listed seven days in the highlands with a total of about 30.
- Bar-winged Flycatcher-shrike.** *Hemipus picatus*. Listed three days in the highlands with a total of four.
- Common Wood-shrike.** *Tephrodornis pondicerianus*. (Also called **Sri Lanka Woodshrike** *Tephrodornis affinis* and considered **Endemic**). Listed four days in the southeast with a total of 13.
- Black-capped Bulbul.** *Pycnonotus melanicterus*. **Endemic**. Listed four days in the highlands with a total of about ten.
- Red-vented Bulbul.** *Pycnonotus cafer*. Common. Listed 16 days.
- Yellow-eared Bulbul.** *Pycnonotus penicillatus*. **Endemic**. Listed three days in the highlands with a total of six.
- White-browed Bulbul.** *Pycnonotus luteolus*. Listed five days in the southeast with a total of about ten.
- Yellow-browed Bulbul.** *Acritillas indica*. **Near Endemic**. Listed six days in the highlands with a total of 13.
- Square-tailed Black Bulbul.** *Hypsipetes ganeesa*. **Near Endemic**. Listed six days in the highlands.
- Jerdon's Leafbird.** *Chloropsis jerdoni*. One pair near Kandy 31/1, two in Udawalawe 9/2 and two near Tissa 9/2.
- Golden-fronted Leafbird.** *Chloropsis aurifrons*. Two Sinharaja RR 6/2 and 7/2.
- Common Iora.** *Aegithina tiphia*. Common. Listed 11 days with a total of about 20.
- Marshall's Iora.** *Aegithina nigrolutea*. Five in Udawalawe NP 8/2 and two there 9/2.
- Indian Blackbird.** *Turdus simillimus*. Three at the entrance to Horton Plains NP 2/2.
- Pied Thrush.** *Zoothera wardii*. Three in Victoria Park, Nuwara Eliya, 1/2.
- Spot-winged Thrush.** *Zoothera spiloptera*. **Endemic**. Listed four days in the highlands with a total of ten.
- Sri Lanka Scaly Thrush.** *Zoothera imbricate*. **Endemic**. One seen in Sinharaja RR 5/2 and two heard there 6/2.
- Sri Lanka Whistling-thrush.** *Myophonus blighi*. **Endemic**. One male seen and heard near Nuwara Eliya 1/2 and one seen and heard in Horton Plains NP 2/2.
- Indian Blue Robin.** *Luscinia brunnea*. One seen and two heard in Victoria Park, Nuwara Eliya, 1/2 and one seen in Kithulgala 5/2.
- Oriental Magpie-robin.** *Copsychus saularis*. Common. Listed 11 days with a total of about 25.
- White-rumped Shama.** *Copsychus malabaricus*. Listed four days with a total of 11.
- Indian Robin.** *Saxicoloides fulicatus*. Rather common. Listed seven days.
- Pied Bushchat.** *Saxicola caprata*. Common in Horton Plains NP 2/2.

Siberian Stonechat. *Saxicola maurus*. One just outside Bundala NP 11/2 and 12/2. Vagrant on Sri Lanka.

Asian Brown Flycatcher. *Muscicapa dauurica*. Listed four days with a total of five.

Brown-breasted Flycatcher. *Muscicapa muttui*. Listed six days with a total of ten.

Kashmir Flycatcher. *Ficedula subrubra*. One subadult at Grand Hotel, Nuwara Eliya, 2/2, one adult male plus two heard birds in Bombureila 2/2 and one male in Bombureila 3/2.

Dull Verditer-flycatcher. *Eumyias sordidus*. **Endemic**. One in Horton Plains NP and four in Bombureila 2/2, one in Bombureila 3/2.

Tickell's Blue-flycatcher. *Cyornis tickelliae*. Listed three days in the highlands with a total of three.

Blue-throated Blue-flycatcher. *Cyornis rubeculoides*. One singing male along the road between Udawalawe NP and Tissa 9/2. Vagrant on Sri Lanka.

Grey-headed Canary-flycatcher. *Culicicapa ceylonensis*. Listed three days in the highlands with a total of more than ten.

White-browed Fantail. *Rhipidura aureola*. Listed six days with a total of about 15.

Black-naped Monarch. *Hypothymis azurea*. One heard in Sinharaja RR 5/2 and one on nest there 6/2.

Asian Paradise-flycatcher. *Terpsiphone paradise*. Rather common. Listed nine days with a total of about 25.

Common Tailorbird. *Orthotomus sutorius*. Common. Listed 12 days.

Grey-breasted Prinia. *Prinia hodgsonii*. Two in Udawalawe NP 8/2 and one there 9/2.

Jungle Prinia. *Prinia sylvatica*. One along the road between Sinharaja RR and Udawalawe NP 8/2 and one in Udawalawe NP the same day.

Ashy Prinia. *Prinia socialis*. One near Kandy 31/1 and one in Udawalawe NP 8/2.

Plain Prinia. *Prinia inornata*. The most common prinia. Listed seven days.

Zitting Cisticola. *Cisticola juncidis*. Listed three days in the southeast and south with a total of six.

Sri Lanka Bush-warbler. *Elaphrornis palliseri*. **Endemic**. One seen and another heard in Horton Plains NP 2/2 plus one in Bombureila 3/2.

Blyth's Reed-warbler. *Acrocephalus dumetorum*. One in Udawalawe NP 8/2 and one in the same area 9/2.

Clamorous Reed-warbler. *Acrocephalus stentoreus*. Listed three days in the southeast with a total of about ten.

Green Leaf-warbler. *Phylloscopus nitidus*. Listed six days with a total of about ten.

Greenish Warbler. *Phylloscopus trochiloides*. One in Victoria Park 1/2.

Large-billed Leaf-warbler. *Phylloscopus magnirostris*. One in Bombureila 3/2 and one heard in Sinharaja RR 6/2.

Yellow-eyed Babbler. *Chrysomma sinense*. Ten in Udawalawe NP 8/2.

Dark-fronted Babbler. *Rhopocichla atriceps*. **Near Endemic**. Listed three days in the highlands with a total of four.

Tawny-bellied Babbler. *Dumetia hyperythra*. At least five in Udawalawe 9/2.

Sri Lankan Scimitar-babbler. *Pomatorhinus melanurus*. **Endemic**. Listed five days in the highlands with a total of seven.

Brown-capped Babbler. *Pellorneum fuscocapillus*. **Endemic**. Listed three days in the highlands with a total of twelve.

Orange-billed Babbler. *Turdoides rufescens*. **Endemic**. Listed five days in the highlands with a total of more than 20.

Yellow-billed Babbler. *Turdoides affinis*. Common. Listed 11 days.

Ashy-headed Laughingthrush. *Garrulax cinereifrons*. **Endemic**. Three seen in Sinharaja RR 5/2 and six in the same area 7/2.

Great Tit. *Parus major*. Listed five days in the highlands.

Velvet-fronted Nuthatch. *Sitta frontalis*. One in Victoria Park, Nuwara Eliya, 1/2 and at least two in a bird party in Bombureila 2/2.

- Purple-rumped Sunbird.** *Leptocoma zeylonica*. Common. Listed ten days
- Purple Sunbird.** *Cinnyris asiaticus*. Listed four days in the southeast with a total of more than ten.
- Loten's Sunbird.** *Cinnyris lotenius*. **Near Endemic**. Listed four days with a total of eight.
- Thick-billed Flowerpecker.** *Dicaeum agile*. Listed three days in the southeast with a total of seven.
- White-throated (Legge's) Flowerpecker.** *Dicaeum vincens*. **Endemic**. Listed four days in the highlands with a total of about 15.
- Pale-billed Flowerpecker.** *Dicaeum erythrorhynchos*. Listed five days in the highlands with a total of more than 10.
- Oriental White-eye.** *Zosterops palpebrosus*. Listed five days with a total of more than ten.
- Sri Lanka White-eye.** *Zosterops ceylonensis*. Endemic. Listed for days in the highlands with a total of about 30.
- Black-hooded Oriole.** *Oriolus xanthornus*. Common. Listed 11 days.
- Brown Shrike.** *Lanius cristatus*. Listed seven days with a total of about 15.
- Sri Lanka Crested Drongo.** *Dicrurus lophorinus*. **Endemic**. Listed six days in the highlands with a total of about 25.
- White-bellied Drongo.** *Dicrurus caerulescens*. Rather common. Listed nine days with a total of about 50.
- Ashy Woodswallow.** *Artamus fuscus*. One in Bundala NP 11/2 and one along the road between Tissa and Mirissa 14/2.
- Sri Lanka Blue Magpie.** *Urocissa ornate*. **Endemic**. Listed five days in the highlands with a total of about 15.
- House Crow.** *Corvus splendens*. Common around Kandy and in the southeast and south. Listed nine days.
- Large-billed Crow.** *Corvus macrorhynchos*. Common. Listed 12 days.
- Southern Hill Myna.** *Gracula indica*. **Near Endemic**. Two near Kandy 31/1 and one pair, male and female, in Kithagula 4/2.
- Sri Lanka Hill Myna.** *Gracula ptilogenys*. **Endemic**. Only seen in Sinharaja RR 5-8/2 with a total of 18.
- Rose-coloured Starling.** *Pastor roseus*. More than 15 in one flock in Udawalawe NP 8/2.
- Brahminy Starling.** *Sturnia pagodarum*. Two in Yala NP 10/2.
- White-faced Starling.** *Sturnornis albofrontatus*. **Endemic**. Only seen in Sinharaja RR with three 6/2 and two 7/2.
- Common Myna.** *Acridotheres tristis*. Common. Listed 14 days.
- House Sparrow.** *Passer domesticus*. Rather common. Listed seven days.
- Baya Weaver.** *Ploceus philippinus*. Common in Udawalawe NP 8/2. A colony with about ten nests outside Tissa 9/2
- Streaked Weaver.** *Ploceus manyar*. A colony near Tissa 9/2. Also seen in this area 10/2.
- Indian Silverbill.** *Euodice malabarica*. More than 25 in Yala NP 10/2.
- Scaly-breasted Munia.** *Lonchura punctulata*. Listed four days.
- Black-throated Munia.** *Lonchura kelaarti*. **Near Endemic**. Listed three days in the highlands with a total of 12.
- White-rumped Munia.** *Lonchura striata*. Listed three days in the highlands with a total of about 15.
- Tricoloured Munia.** *Lonchura malacca*. Listed four days with a total of about 20.

List of mammal species

27 species

Indian Hare. *Lepus nigricollis*. Listed two days.

Sri Lankan Giant Squirrel. *Ratufa macroura*. Listed five days in the highlands.

Indian Palm Squirrel. *Funambulus palmarum*. Common. Listed 14 days.

Layard's Palm Squirrel. *Funambulus layardi*. Listed two days in the highlands.

Dusky Striped Jungle Squirrel. *Funambulus obscurus*. Listed three days in the highlands.

Indian Gerbil. *Tatera indica*. One seen in Bundala NP 11/2.

Common Leopard. *Panthera pardus*. Two (1+1) seen in Yala NP 10/2.

Indian Grey Mongoose. *Herpestes edwardsii*. Listed two days in the southeast.

Ruddy Mongoose. *Herpestes smithii*. Five in Yala NP 10/2 and one in Bundala NP 11/2.

Indian Brown Mongoose. *Herpestes fuscus*. Two in our hotel garden in Mirissa 13-14/2.

Golden Jackal. *Canis aureus*. Two in Udawalawe NP 9/10 and two in Yala NP 10/2.

Sloth Bear. *Melursus ursinus*. One in Yala NP 10/2.

Indian Flying Fox. *Pteropus giganteus*. Common. Listed six days.

Red Slender Loris. *Loris tardigradus*. One heard in Kelani Valley Forest Reserve 4/2.

Toque Macaque. *Macaca sinica*. Common. Listed eight days.

Tufted Grey Langur. *Semnopithecus priam*. Listed three days in the southeast.

Purple-faced Leaf-monkey. *Trachypithecus vetulus*. Listed six days.

Eurasian Wild Boar. *Sus scrofa*. Listed three days.

Sri Lankan Yellow-spotted Chevrotain. *Moschiola kathygre*. One in Sinharaja FR 8/2.

Sambar. *Cervus unicolor*. About 15 in Horton Plains NP 2/2 and about the same number in Yala NP 10/2.

Spotted Deer. *Axis axis*. About eight in Udawalawe 8/2, about ten in the same park 9/2 and about 50 in Yala NP 10/2.

Indian Muntjac. *Muntiacus muntjak*. Three in Udawattekelke ½.

Wild Buffalo. *Bubalus arnee*. Five in Yala NP 10/2.

Feral Water Buffalo. *Bubalus bubalis*. Common in Yala and Bundala NP.

Asian Elephant. *Elephas maximus*. Seven in Udawalawe 8/2, two in the same park 9/2 and 12 in Yala NP 10/2.

Blue Whale. *Balaenoptera musculus*. Four outside Mirissa 13/2 and three the next day in the same area.

Spinner Dolphin. *Stenella longirostris*. 15 outside Mirissa 13/2.

Slutord

Resan ordnades på ett utmärkt och prisvärt sätt av Indian Nature som vi året innan också hade anlitat för en resa i nordöstra och centrala Indien. Inte minst tack vare vår utomordentliga guide Dulan Vidanapathirana blev utbytet över förväntan- vi såg 260 arter fåglar och 27 arter däggdjur. Bland fåglarna noterade vi samtliga endemer och alla utom en av de nära endemerna. Att t o m få se Serendib Scops Owl och därtill mycket fint hade vi knappast förväntat oss. Bland däggdjuren var det mest minnesvärda de sju blåvalarna, men även två leoparder och en läppbjörn måste också särskilt nämnas.

Vi var också mycket nöjda med inkvarteringarna , maten, vädret samt chauffören och hans medhjälpare.

